```
  Installed program
    Diskeeper 12
  Version
    16.0.1016.64
  Installed on
    2016.02.17. 19:14:04
  Analysis profile
    Normál
  Install history
    2016.02.17. 19:11:22 - 2016.02.17. 19:14:04 (2:42)
    2016.02.19. 13:24:19 - 2016.02.19. 13:25:18 (0:59)
    2016.02.21. 9:02:48 - 2016.02.21. 9:03:46 (0:58)
  Publisher
    Condusiv Technologies
  Contact
    Technical Support
  Support information
    http://www.condusiv.com/support/technical/diskeeper/
  Support telephone
    US - 818-771-1600    EU - 44-1342-821300    Japan - 813-3447-7544
  Product updates
    http://www.condusiv.com
  Comments
    Disk Defragmenter

  Detected changes
    File system
      Folders created     :    32
      Files created          :   153
      Files modified       :     0
      Size                        : 73,12 MB
    Registry
      Keys created          : 58339
      Values created      : 70331
      Values modified   :     1
      Size                        : 6,50 MB

  Log file name
    C:\ProgramData\Martau\Total Uninstall 6\Installed
Programs\LM_{07FE9A03-73B7-492B-9CF4-BF145AF61BD7}.tun

  Backup
    Not found

File system details [View: All details] (All)
---------------------------------------------
    (+)(FOLDER) C:\Program Files\Common Files\Diskeeper Corporation
    (+)(FOLDER) C:\Program Files\Common Files\Diskeeper Corporation\MJS
       (+)(FILE) MJSCR.dll = 2012.03.27. 19:16, 165200 bytes, A
    (+)(FOLDER) C:\Program Files\Condusiv Technologies
    (+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper
       (+)(FILE) {3e92985a-8944-11e5-9a43-806e6f6e6963}.iostats = 2016.02.22.
15:08, 36294 bytes, A
       (+)(FILE) {3e92985b-8944-11e5-9a43-806e6f6e6963}.iostats = 2016.02.22.
20:48, 36294 bytes, A
       (+)(FILE) {3e92985c-8944-11e5-9a43-806e6f6e6963}.iostats = 2016.02.22.
15:14, 36294 bytes, A
       (+)(FILE)
0200-6867-6d656c20-{00000000-0000-0000-0000000000000000}.DhHistory = 2016.02.21.
9:02, 17 bytes, A
       (+)(FILE)
0200-9ace-a9e2cab4-{00000000-0000-0000-0000000000000000}.DhHistory = 2016.02.19.
13:24, 17 bytes, A
       (+)(FILE)
0200-cbdf-9081eb36-{00000000-0000-0000-0000000000000000}.DhHistory = 2016.02.17.
19:11, 17 bytes, A
       (+)(FILE)
```

0200-cbdf-9081eb36-{00000000-0000-0000-0000000000000000}.smartData = 2016.02.22. 21:07, 142426 bytes, A
(+)(FILE) AdmList.txt = 2016.02.22. 15:04, 0 bytes, A
(+)(FILE) AppLauncher.exe = 2012.06.29. 17:08, 2665336 bytes, A
(+)(FILE) AutoFAT.exe = 2008.10.08. 21:09, 245016 bytes, A
(+)(FILE) AutoNTFS.exe = 2011.01.28. 12:39, 115536 bytes, A
(+)(FILE) config.xml = 2016.02.22. 15:07, 4245 bytes, A
(+)(FILE) Connect.exe = 2012.06.29. 17:08, 81784 bytes, A
(+)(FILE) Controller.log = 2016.02.22. 15:04, 296676 bytes, A
(+)(FILE) dfrgui.lnk = 2009.07.14. 6:54, 1290 bytes, A
(+)(FILE) Diskeeper.adm = 2012.04.18. 11:58, 33933 bytes, A
(+)(FILE) Diskeeper.adml = 2012.04.18. 11:57, 21100 bytes, A
(+)(FILE) Diskeeper.admx = 2011.02.25. 14:04, 53173 bytes, A
(+)(FILE) Diskeeper.chm = 2012.05.31. 11:50, 1420864 bytes, A
(+)(FILE) Diskeeper.Core.dll = 2012.06.29. 17:20, 30072 bytes, A
(+)(FILE) Diskeeper.exe = 2012.06.29. 17:08, 472952 bytes, A
(+)(FILE) Diskeeper12.exe = 2012.06.29. 17:20, 7124856 bytes, A
(+)(FILE) Diskeeper12.exe.config = 2012.06.29. 17:15, 14235 bytes, A
(+)(FILE) DiskHealthConfig.xml = 2016.02.22. 14:27, 894 bytes, A
(+)(FILE) DiskHealthMon.dll = 2012.06.29. 17:08, 480120 bytes, A
(+)(FILE) DK_Net.dll = 2012.06.29. 17:08, 89976 bytes, A
(+)(FILE) DK_NetCLR.dll = 2012.06.29. 17:08, 66936 bytes, A
(+)(FILE) DkActivationReminder.exe = 2012.06.29. 17:08, 653176 bytes, A
(+)(FILE) DkAutoUpdateAlert.exe = 2012.06.29. 17:08, 647032 bytes, A
(+)(FILE) DKCRegistration.exe = 2012.04.02. 21:12, 1597776 bytes, A
(+)(FILE) DkDecoupledProvider.mof = 2012.06.27. 4:05, 11508 bytes, A
(+)(FILE) DKLib.dll = 2012.06.29. 17:08, 293240 bytes, A
(+)(FILE) DkMsg.dll = 2012.06.29. 17:08, 101240 bytes, A
(+)(FILE) DkPerf.exe = 2012.06.29. 17:08, 47992 bytes, A
(+)(FILE) DKProfile_NOTMandatory.LMF = 2012.04.27. 17:27, 105215 bytes, A
(+)(FILE) DkPromotionRollUp.exe = 2012.06.29. 17:08, 673144 bytes, A
(+)(FILE) DkService.exe = 2012.06.29. 17:08, 2721656 bytes, A
(+)(FILE) DkServiceMsg.exe = 2012.06.29. 17:08, 4193144 bytes, A
(+)(FILE) DkTabProvider.dll = 2012.06.27. 4:03, 179024 bytes, A
(+)(FILE) DkTrialwareRollup.exe = 2012.06.29. 17:08, 668024 bytes, A
(+)(FILE) DkUserCtrl.dll = 2014.02.19. 0:45, 152952 bytes, A
(+)(FILE) DkWMIClient.exe = 2012.06.29. 17:08, 724856 bytes, A
(+)(FILE) EvGr_Data{B51C3592-894D-11E5-B610-806E6F6E6963}.dat = 2016.02.22. 9:19, 16 bytes, A
(+)(FILE) ExcAll.dat = 2016.02.19. 1:14, 136 bytes, A
(+)(FILE) Exclude.ctl = 2016.02.19. 1:14, 660 bytes, A
(+)(FILE) excludec.dat = 2016.02.19. 1:14, 362 bytes, A
(+)(FILE) License.rtf = 2012.04.12. 14:56, 63943 bytes, A
(+)(FILE) Microsoft.Expression.Drawing.dll = 2012.06.29. 17:20, 128888 bytes, A
(+)(FILE) Microsoft.Expression.Interactions.dll = 2012.06.29. 17:20, 97656 bytes, A
(+)(FILE) Microsoft.Expression.Prototyping.Interactivity.dll = 2012.06.29. 17:20, 56696 bytes, A
(+)(FILE) Microsoft.Expression.Prototyping.SketchControls.dll = 2012.06.29. 17:20, 38264 bytes, A
(+)(FILE) Microsoft.ReportViewer.Common.dll = 2011.09.15. 4:16, 6391672 bytes, A
(+)(FILE) Microsoft.ReportViewer.DataVisualization.dll = 2011.05.26. 3:21, 3875728 bytes, A
(+)(FILE) Microsoft.ReportViewer.ProcessingObjectModel.dll = 2011.05.26. 3:21, 92056 bytes, A
(+)(FILE) Microsoft.ReportViewer.WinForms.dll = 2011.09.15. 4:16, 548224 bytes, A
(+)(FILE) MJS.dll = 2012.03.27. 19:16, 120656 bytes, A
(+)(FILE) MRPC.dll = 2012.06.29. 17:08, 388984 bytes, A
(+)(FILE) NsFatAnalyze.dll = 2012.06.29. 17:08, 207224 bytes, A
(+)(FILE) NsFatAutoAnalyze.dll = 2012.06.29. 17:09, 187256 bytes, A
(+)(FILE) NsFatBootOptimization.dll = 2012.06.29. 17:09, 199032 bytes, A
(+)(FILE) NsFatFSConsolidate.dll = 2012.06.29. 17:09, 244088 bytes, A
(+)(FILE) NsFatManual.dll = 2012.06.29. 17:09, 271736 bytes, A
(+)(FILE) NsFatPartialDefrag.dll = 2012.06.29. 17:09, 203128 bytes, A
(+)(FILE) NsFatSSDAnalysis.dll = 2012.06.29. 17:09, 251768 bytes, A

(+)(FILE) NsFatSSDdefrag.dll = 2012.06.29. 17:09, 296312 bytes, A
(+)(FILE) NsFatStd.dll = 2012.06.29. 17:09, 214392 bytes, A
(+)(FILE) NsIfaastMeas.dll = 2012.06.29. 17:09, 149368 bytes, A
(+)(FILE) NsNtfsAnalyze.dll = 2012.06.29. 17:09, 212856 bytes, A
(+)(FILE) NsNtfsAutoAnalyze.dll = 2012.06.29. 17:09, 241528 bytes, A
(+)(FILE) NsNtfsBootOptimization.dll = 2012.06.29. 17:09, 285048 bytes, A
(+)(FILE) NsNtfsBzEngine.dll = 2012.06.29. 17:09, 170360 bytes, A
(+)(FILE) NsNtfsDirConsolidate.dll = 2012.06.29. 17:09, 250232 bytes, A
(+)(FILE) NsNtfsEgFSConsolidate.dll = 2012.06.29. 17:09, 247672 bytes, A
(+)(FILE) NsNtfsFSConsolidate.dll = 2012.06.29. 17:09, 259448 bytes, A
(+)(FILE) NsNtfsIfaast.dll = 2012.06.29. 17:09, 297848 bytes, A
(+)(FILE) NsNtfsJIT.dll = 2012.06.29. 17:09, 244088 bytes, A
(+)(FILE) NsNtfsLfsDfrg.dll = 2012.06.29. 17:09, 661880 bytes, A
(+)(FILE) NsNtfsManual.dll = 2012.06.29. 17:09, 314232 bytes, A
(+)(FILE) NsNtfsPartialDefrag.dll = 2012.06.29. 17:09, 219000 bytes, A
(+)(FILE) NsNtfsSSDAnalysis.dll = 2012.06.29. 17:09, 263544 bytes, A
(+)(FILE) NsNtfsSSDdefrag.dll = 2012.06.29. 17:09, 323448 bytes, A
(+)(FILE) NsNtfsStd.dll = 2012.06.29. 17:09, 243576 bytes, A
(+)(FILE) NsNtfsTve.dll = 2012.06.29. 17:09, 311672 bytes, A
(+)(FILE) NsNtfsTVE-Ex.dll = 2012.06.29. 17:09, 315256 bytes, A
(+)(FILE) PerfData{3E92985A-8944-11E5-9A43-806E6F6E6963}.xml = 2016.02.22. 15:08, 6027 bytes, A
(+)(FILE) PerfData{3E92985B-8944-11E5-9A43-806E6F6E6963}.xml = 2016.02.22. 15:14, 6189 bytes, A
(+)(FILE) PerfData{3E92985C-8944-11E5-9A43-806E6F6E6963}.xml = 2016.02.22. 15:14, 6086 bytes, A
(+)(FILE) PrFacade.dll = 2012.06.29. 17:09, 93560 bytes, A
(+)(FILE) Readme.txt = 2012.06.29. 15:01, 25880 bytes, A
(+)(FILE) RW_{3E92985A-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.22. 15:04, 336 bytes, A
(+)(FILE) RW_{3E92985B-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.22. 15:04, 336 bytes, A
(+)(FILE) RW_{3E92985C-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.22. 15:04, 336 bytes, A
(+)(FILE) RW_{B51C3592-894D-11E5-B610-806E6F6E6963}.dat = 2016.02.22. 9:19, 112 bytes, A
(+)(FILE) RW_AppData.dat = 2016.02.22. 15:04, 15908 bytes, A
(+)(FILE) RW_FileFlag.dat = 2016.02.22. 15:04, 396 bytes, A
(+)(FILE) RW_FileType.dat = 2016.02.22. 15:04, 29152 bytes, A
(+)(FILE) setdkacls.bat = 2002.03.04. 12:21, 1045 bytes, A
(+)(FILE) System.Windows.Interactivity.dll = 2012.06.29. 17:20, 45944 bytes, A
(+)(FILE) Tab.dll = 2012.06.27. 4:03, 396112 bytes, A
(+)(FILE) tab_1.dat = 2016.02.17. 19:11, 105215 bytes, A
(+)(FILE) TelemetryConfig.xml = 2016.02.22. 14:27, 484 bytes, A
(+)(FILE) TelemetryDataCollectionManager.dll = 2012.06.29. 17:09, 306040 bytes, A
(+)(FILE) TLDataUploader.exe = 2012.06.29. 17:20, 31608 bytes, A
(+)(FILE) TLDataUploader.exe.config = 2012.06.29. 17:17, 3581 bytes, A
(+)(FILE) Volume{3E92985A-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.22. 21:08, 9848 bytes, A
(+)(FILE) Volume{3E92985B-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.22. 21:08, 9848 bytes, A
(+)(FILE) Volume{3E92985C-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.22. 21:08, 9848 bytes, A
(+)(FILE) Volume{B51C3592-894D-11E5-B610-806E6F6E6963}.dat = 2016.02.19. 13:24, 4048 bytes, A
(+)(FILE) Volume{B957389E-8953-11E5-8324-0024811CD79F}.dat = 2016.02.21. 9:02, 4048 bytes, A
(+)(FILE) WaitingQueue.dat = 2007.03.07. 15:35, 0 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\1033
(+)(FILE) DkRes.dll = 2012.06.29. 17:08, 3944312 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\CPU_Data
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\DiskData
(+)(FOLDER) C:\Program Files\Condusiv

Technologies\Diskeeper\DkcTelemetry\DiskHealthDiskData
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\DiskHealthVolumeData
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\DiskIOData
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\DynamicVolumeData
(+)(FILE) Volume_ID={3E92985A-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.17. 19:14, 668008 bytes, A
(+)(FILE) Volume_ID={3E92985B-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.17. 19:14, 668008 bytes, A
(+)(FILE) Volume_ID={3E92985C-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.17. 19:14, 668008 bytes, A
(+)(FILE) Volume_ID={B51C3592-894D-11E5-B610-806E6F6E6963}.dat = 2016.02.19. 13:25, 668008 bytes, A
(+)(FILE) Volume_ID={B957389E-8953-11E5-8324-0024811CD79F}.dat = 2016.02.21. 9:03, 668008 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\FileIOTypeData
(+)(FILE) FileIOTypeData.dat = 2016.02.17. 19:11, 40 bytes, A
(+)(FILE) FileIOTypeData_hash.dat = 2016.02.17. 19:11, 260000 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\FileSummaryData
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\ProcessStats
(+)(FILE) ProcessStats.dat = 2016.02.17. 19:11, 40 bytes, A
(+)(FILE) ProcessStats_hash.dat = 2016.02.17. 19:11, 516000 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\ProcessSummaryData
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DkcTelemetry\StaticVolumeData
(+)(FILE) Volume_ID={3E92985A-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.17. 19:14, 2312 bytes, A
(+)(FILE) Volume_ID={3E92985B-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.17. 19:14, 2312 bytes, A
(+)(FILE) Volume_ID={3E92985C-8944-11E5-9A43-806E6F6E6963}.dat = 2016.02.17. 19:14, 2312 bytes, A
(+)(FILE) Volume_ID={B51C3592-894D-11E5-B610-806E6F6E6963}.dat = 2016.02.19. 13:25, 2312 bytes, A
(+)(FILE) Volume_ID={B957389E-8953-11E5-8324-0024811CD79F}.dat = 2016.02.21. 9:03, 2312 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DKDFM
(+)(FILE) DKDFM.cat = 2012.06.01. 11:54, 7360 bytes, A
(+)(FILE) DKDFM.inf = 2012.04.05. 3:30, 2249 bytes, A
(+)(FILE) DKDFM.sys = 2012.04.05. 3:32, 40752 bytes, A
(+)(FILE) InstallFilterDriver.log = 2016.02.17. 19:11, 913 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DKRtWrt
(+)(FILE) DKRtWrt.cat = 2012.06.22. 11:07, 7362 bytes, A
(+)(FILE) DKRtWrt.inf = 2012.06.18. 20:11, 2433 bytes, A
(+)(FILE) DKRtWrt.sys = 2012.06.18. 20:14, 52048 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\DKTLFSMF
(+)(FILE) DKTLFSMF.cat = 2012.06.12. 10:48, 7372 bytes, A
(+)(FILE) DKTLFSMF.inf = 2012.06.07. 21:46, 2321 bytes, A
(+)(FILE) DKTLFSMF.sys = 2012.06.07. 21:48, 106832 bytes, A
(+)(FILE) InstallFilterDriver.log = 2016.02.17. 19:11, 1282 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\HTML
(+)(FILE) registration.htm = 2012.03.09. 16:21, 8828 bytes, A
(+)(FOLDER) C:\Program Files\Condusiv Technologies\Diskeeper\HTML\registration_files
(+)(FILE) CondusivTM_logo.jpg = 2012.03.09. 15:45, 17358 bytes, A
(+)(FILE) CondusivTM_sml.gif = 2012.03.09. 16:17, 5335 bytes, A
(+)(FOLDER) C:\ProgramData\Condusiv Technologies
(+)(FOLDER) C:\ProgramData\Condusiv Technologies\Diskeeper
(+)(FILE) DiskeeperUI.log = 2016.02.22. 15:02, 5110 bytes, A
(+)(FILE) EsmLog.log = 2016.02.17. 19:11, 104 bytes, A
(FOLDER) C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Accessories\System Tools
(+)(FILE) Diskeeper 12.lnk = 2016.02.17. 19:11, 2197 bytes, A

(+)(FOLDER) C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Condusiv Technologies
(+)(FILE) Diskeeper 12.lnk = 2016.02.17. 19:11, 2197 bytes, A
(+)(FOLDER) C:\Users\Admin\AppData\Local\Condusiv_Technologies
(+)(FOLDER) C:\Users\Admin\AppData\Local\Condusiv_Technologies\Diskeeper12.exe_Url_bwbbp0iw2kuxvzywgpug4d4camhaxizo
(+)(FOLDER) C:\Users\Admin\AppData\Local\Condusiv_Technologies\Diskeeper12.exe_Url_bwbbp0iw2kuxvzywgpug4d4camhaxizo\16.0.0.65
(+)(FILE) user.config = 2016.02.22. 15:03, 5875 bytes, A
(+)(FOLDER) C:\Users\Admin\AppData\Roaming\Condusiv_Technologies
(+)(FOLDER) C:\Users\Admin\AppData\Roaming\Condusiv_Technologies\Diskeeper12.exe_Url_bwbbp0iw2kuxvzywgpug4d4camhaxizo
(+)(FOLDER) C:\Users\Admin\AppData\Roaming\Condusiv_Technologies\Diskeeper12.exe_Url_bwbbp0iw2kuxvzywgpug4d4camhaxizo\16.0.0.65
(+)(FILE) user.config = 2016.02.17. 19:24, 326 bytes, A
(FOLDER) C:\Users\Admin\AppData\Roaming\Microsoft\Internet Explorer\Quick Launch\User Pinned\TaskBar
(+)(FILE) Diskeeper 12.lnk = 2016.02.17. 19:11, 2197 bytes, A
(FOLDER) C:\Windows\Installer
(+)(FILE) 38a57.msi = 2016.02.17. 19:10, 21070336 bytes, A
(+)(FOLDER) C:\Windows\Installer\{07FE9A03-73B7-492B-9CF4-BF145AF61BD7}
(+)(FILE) ARPPRODUCTICON.exe = 2016.02.17. 19:11, 321440 bytes, RA
(+)(FILE) DiskeeperShortcut_191C1D2E724E4768BB367643EA6AC5DE.exe = 2016.02.17. 19:11, 321440 bytes, RA
(FOLDER) C:\Windows\system32\drivers
(+)(FILE) DKDFM.sys = 2012.04.05. 3:32, 40752 bytes, A
(+)(FILE) DKRtWrt.sys = 2012.06.18. 20:14, 52048 bytes, A
(+)(FILE) DKTLFSMF.sys = 2012.06.07. 21:48, 106832 bytes, A

Registry details [View: All details] (All)

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\3DCHART.NChart.7
(+)(REG VAL) (Default) = REG_SZ, "3DChart 7.0 Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\3DCHART.NChart.7\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{B5CE1CD3-3AB9-11D3-9502-525400E61EDC}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\3DCHART.NChart.7\Insertable
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccClientDocMgr.AccClientDocMgr
(+)(REG VAL) (Default) = REG_SZ, "AccClientDocMgr Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccClientDocMgr.AccClientDocMgr\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{FC48CC30-4F3E-4fa1-803B-AD0E196A83B1}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccClientDocMgr.AccClientDocMgr\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AccClientDocMgr.AccClientDocMgr.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccClientDocMgr.AccClientDocMgr.1
(+)(REG VAL) (Default) = REG_SZ, "AccClientDocMgr Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccClientDocMgr.AccClientDocMgr.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{FC48CC30-4F3E-4fa1-803B-AD0E196A83B1}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccDictionary.AccDictionary
(+)(REG VAL) (Default) = REG_SZ, "AccDictionary Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccDictionary.AccDictionary\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6572EE16-5FE5-4331-BB6D-76A49C56E423}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccDictionary.AccDictionary\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AccDictionary.AccDictionary.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccDictionary.AccDictionary.1
(+)(REG VAL) (Default) = REG_SZ, "AccDictionary Class"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccDictionary.AccDictionary.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6572EE16-5FE5-4331-BB6D-76A49C56E423}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Access Application"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{73A4C9C1-D68D-11D0-98BF-00A0C90DC8D9}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application\CurVer
(+)(REG VAL) (Default) = REG_SZ, "Access.Application.15"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Access Adatbázis"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{73A4C9C1-D68D-11D0-98BF-00A0C90DC8D9}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\accicons.exe,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\HTML
Handler
(+)(REG VAL) (Default) = REG_SZ,
""C:\PROGRA~1\MICROS~3\Office15\MSOHTMED.EXE" "%1""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\HTML
Handler\Icon
(+)(REG VAL) (Default) = REG_SZ, ".mdbtml"
(+)(REG VAL) .htm = REG_SZ, ".mdbhtml"
(+)(REG VAL) .html = REG_SZ, ".mdbhtml"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\HTML
Handler\shell
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\HTML
Handler\shell\edit
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\HTML
Handler\shell\edit\command
(+)(REG VAL) (Default) = REG_SZ,
""C:\PROGRA~1\MICROS~3\Office15\MSOHTMED.EXE" /o3 "%1""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\search
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\search\AnalyzeInExcel
(+)(REG VAL) (Default) = REG_SZ, "Analyze in Microsoft Excel"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\search\AnalyzeInExcel\
command
(+)(REG VAL) (Default) = REG_SZ,
""C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE" /dde"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\search\AnalyzeInExcel\
ddeexec
(+)(REG VAL) (Default) = REG_SZ, "[open("%1")]"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\search\AnalyzeInExcel\
ddeexec\application
(+)(REG VAL) (Default) = REG_SZ, "Excel"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\search\AnalyzeInExcel\
ddeexec\topic
(+)(REG VAL) (Default) = REG_SZ, "system"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\search\AnalyzeInExcel\
verb
(+)(REG VAL) 1038 = REG_SZ, "&Analyze in Microsoft Excel"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell
(+)(REG VAL) (Default) = REG_SZ, "Open,OpenAsReadOnly"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\New
(+)(REG VAL) (Default) = REG_SZ, "Ú&j"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\New\command
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft
Office\Office15\MSACCESS.EXE" /NOSTARTUP /n "%1""

(+)(REG VAL) command = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkACCESSFiles>ZhCX76{pv8W=OPDw-OcA /NOSTARTUP /n "%1" "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\New\ddeexec
(+)(REG VAL) (Default) = REG_SZ, "[SetForeground][ShellNewDatabase "%1"]"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\New\ddeexec\appl
ication
(+)(REG VAL) (Default) = REG_SZ, "Msaccess"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\New\ddeexec\ifex
ec
(+)(REG VAL) (Default) = REG_SZ, "[]"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\New\ddeexec\topi
c
(+)(REG VAL) (Default) = REG_SZ, "ShellSystem"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\Open
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\Open\command
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft
Office\Office15\MSACCESS.EXE" /NOSTARTUP "%1" %2 %3 %4 %5 %6 %7 %8 %9"
(+)(REG VAL) command = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkACCESSFiles>ZhCX76{pv8W=OPDw-OcA /NOSTARTUP "%1" %2 %3 %4
%5 %6 %7 %8 %9 "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\Open\ddeexec
(+)(REG VAL) (Default) = REG_SZ, "[SetForeground][ShellOpenDatabase
"%1"]"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\Open\ddeexec\app
lication
(+)(REG VAL) (Default) = REG_SZ, "Msaccess"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\Open\ddeexec\ife
xec
(+)(REG VAL) (Default) = REG_SZ, "[]"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\Open\ddeexec\top
ic
(+)(REG VAL) (Default) = REG_SZ, "ShellSystem"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\OpenAsReadOnly
(+)(REG VAL) (Default) = REG_SZ, "Megnyitás írásvédettként"
(+)(REG VAL) Extended = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\OpenAsReadOnly\c
ommand
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft
Office\Office15\MSACCESS.EXE" /RO "%1" %2 %3 %4 %5 %6 %7 %8 %9"
(+)(REG VAL) command = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkACCESSFiles>ZhCX76{pv8W=OPDw-OcA /RO "%1" %2 %3 %4 %5 %6 %7
%8 %9 "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\OpenAsReadOnly\d
deexec
(+)(REG VAL) (Default) = REG_SZ, "[SetForeground][ShellOpenDatabase
"%1",0,1]"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\OpenAsReadOnly\d
deexec\application
(+)(REG VAL) (Default) = REG_SZ, "Msaccess"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\OpenAsReadOnly\d
deexec\ifexec
(+)(REG VAL) (Default) = REG_SZ, "[]"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.Application.15\shell\OpenAsReadOnly\ddeexec\topic
(+)(REG VAL) (Default) = REG_SZ, "ShellSystem"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Access.OLE2Link
(+)(REG VAL) (Default) = REG_SZ, "Access.OLE2Link"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccessAddin.DC
(+)(REG VAL) (Default) = REG_SZ, "Access COM Addin for Outlook"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccessControlEntry
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccessControlEntry\Clsid
(+)(REG VAL) (Default) = REG_SZ, "{b75ac000-9bdd-11d0-852c-00c04fd8d503}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccessControlList
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccessControlList\Clsid
(+)(REG VAL) (Default) = REG_SZ, "{b85ea052-9bdd-11d0-852c-00c04fd8d503}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccServerDocMgr.AccServerDocMgr
(+)(REG VAL) (Default) = REG_SZ, "AccServerDocMgr Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccServerDocMgr.AccServerDocMgr\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6089A37E-EB8A-482D-BD6F-F9F46904D16D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccServerDocMgr.AccServerDocMgr\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AccServerDocMgr.AccServerDocMgr.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccServerDocMgr.AccServerDocMgr.1
(+)(REG VAL) (Default) = REG_SZ, "AccServerDocMgr Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AccServerDocMgr.AccServerDocMgr.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6089A37E-EB8A-482D-BD6F-F9F46904D16D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ACCWIZ.FieldListCtrl.2
(+)(REG VAL) (Default) = REG_SZ, "FieldListCtrl.2 Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ACCWIZ.FieldListCtrl.2\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ACCWIZ.FieldListCtrl.2.8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ACCWIZ.FieldListCtrl.2.8
(+)(REG VAL) (Default) = REG_SZ, "FieldListCtrl.2 Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ACCWIZ.ImexGridCtrl.2
(+)(REG VAL) (Default) = REG_SZ, "ImexGridCtrl.2 Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ACCWIZ.ImexGridCtrl.2\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ACCWIZ.ImexGridCtrl.2.8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ACCWIZ.ImexGridCtrl.2.8
(+)(REG VAL) (Default) = REG_SZ, "ImexGridCtrl.2 Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.AdHocReportingExcelClientAddIn
(+)(REG VAL) (Default) = REG_SZ, "Ad Hoc Reporting Excel Client Add-In"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.AdHocReportingExcelClientAddIn\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AdHocReportingExcelClientLib.AdHocReportingExcelClientAddIn.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.AdHocReportingExcelClientAddIn.1
(+)(REG VAL) (Default) = REG_SZ, "Ad Hoc Reporting Excel Client Add-In"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.AroAxControlShim
(+)(REG VAL) (Default) = REG_SZ, "Ad Hoc Reporting Control Host"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.AroAxControlShim\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AdHocReportingExcelClientLib.AroAxControlShim.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.AroAxControlShim.1

(+)(REG VAL) (Default) = REG_SZ, "Ad Hoc Reporting Control Host"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.AroAxControlShim.1\Insertable
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.BusinessBarActiveX
(+)(REG VAL) (Default) = REG_SZ, "BusinessBarActiveX Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.BusinessBarActiveX\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AdHocReportingExcelClientLib.BusinessBarActiveX.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdHocReportingExcelClientLib.BusinessBarActiveX.1
(+)(REG VAL) (Default) = REG_SZ, "BusinessBarActiveX Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdminTasks.AdminFunctions
(+)(REG VAL) (Default) = REG_SZ, "AdminFunctions Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdminTasks.AdminFunctions\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{F066708A-704A-4D4E-A9E0-1659456AA183}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdminTasks.AdminFunctions\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AdminTasks.AdminFunctions.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdminTasks.AdminFunctions.1
(+)(REG VAL) (Default) = REG_SZ, "AdminFunctions Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AdminTasks.AdminFunctions.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{F066708A-704A-4D4E-A9E0-1659456AA183}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator
(+)(REG VAL) (Default) = REG_SZ, "Adobe Illustrator Artwork 13.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CFE97CDD-836F-4c78-B6B7-A36DD433892E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "Adobe.Illustrator.13"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13
(+)(REG VAL) (Default) = REG_SZ, "Adobe Illustrator Artwork 13.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.8bf
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.8bf\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,9"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.8bi
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.8bi\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,9"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.ai
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.ai\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.aia
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.aia\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,10"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.aip
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.aip\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.ase
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.ase\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe

Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,20"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.dct
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.dct\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,7"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.eps
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.eps\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.flt
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.flt\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,6"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.hyp
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.hyp\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,4"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.prf
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.prf\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.sbx
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\.sbx\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CFE97CDD-836F-4c78-B6B7-A36DD433892E}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\Initialized
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\Insertable
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\protocol
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\protocol\StdFileEditing
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\protocol\StdFileEditing
\server
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\shell
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\shell\edit
(+)(REG VAL) extended = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\shell\edit\command
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files (x86)\Adobe\Adobe
Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe" /e "%1""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\shell\open
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\shell\open\command

(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files (x86)\Adobe\Adobe Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe" "%1""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\shell\print
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Adobe.Illustrator.13\shell\print\command
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files (x86)\Adobe\Adobe Illustrator CS3\Support Files\Contents\Windows\Illustrator.exe" /p "%1""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Command
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Command"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Command\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000507-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Command\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Command.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Command.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Command"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Command.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000507-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Connection
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Connection"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Connection\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000514-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Connection\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Connection.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Connection.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Connection"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Connection.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000514-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Error
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Error"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Error\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000541-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Error\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Error.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Error.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Error"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Error.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000541-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.ErrorLookup
(+)(REG VAL) (Default) = REG_SZ, "ADODB Error Lookup Service"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.ErrorLookup\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000542-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.ErrorLookup\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.ErrorLookup.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.ErrorLookup.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB Error Lookup Service"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.ErrorLookup.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000542-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Parameter
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Parameter"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Parameter\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0000050B-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Parameter\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Parameter.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Parameter.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Parameter"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Parameter.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0000050B-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Record
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Record"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Record\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000560-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Record\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Record.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Record.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Record"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Record.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000560-0000-0010-8000-00AA006D2EA4}"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Recordset
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Recordset"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Recordset\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000535-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Recordset\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Recordset.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Recordset.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Recordset"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Recordset.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000535-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Stream
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Stream"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Stream\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000566-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Stream\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Stream.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Stream.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Stream"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADODB.Stream.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000566-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Catalog
(+)(REG VAL) (Default) = REG_SZ, "Catalog Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Catalog\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{228136B0-8BD3-11D0-B4EF-00A0C9138CA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Catalog\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADOMD.Catalog.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Catalog.6.0
(+)(REG VAL) (Default) = REG_SZ, "Catalog Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Catalog.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{228136B0-8BD3-11D0-B4EF-00A0C9138CA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Cellset
(+)(REG VAL) (Default) = REG_SZ, "Cellset Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Cellset\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{228136B8-8BD3-11D0-B4EF-00A0C9138CA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Cellset\CurVer
(+)(REG VAL) (Default) = REG_SZ, "ADOMD.Cellset.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Cellset.6.0
(+)(REG VAL) (Default) = REG_SZ, "Cellset Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOMD.Cellset.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{228136B8-8BD3-11D0-B4EF-00A0C9138CA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Catalog.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Catalog.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Catalog.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000602-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Column.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Column.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Column.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0000061B-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Group.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Group.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Group.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000615-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Index.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Index.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Index.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0000061E-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Key.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Key.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Key.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000621-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Table.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Table.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.Table.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000609-0000-0010-8000-00AA006D2EA4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.User.6.0
(+)(REG VAL) (Default) = REG_SZ, "ADOX.User.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADOX.User.6.0\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{00000618-0000-0010-8000-00AA006D2EA4}"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\adprovider.cadprovider
(+)(REG VAL) (Default) = REG_SZ, "CADProvider Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\adprovider.cadprovider\CurVer
(+)(REG VAL) (Default) = REG_SZ, "adprovider.cadprovider.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\adprovider.cadprovider.1
(+)(REG VAL) (Default) = REG_SZ, "CADProvider Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\adprovider.cadprovider.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{f91b9abc-985b-4c04-b5e7-9c7099fc2cda}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADs
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADs\Clsid
(+)(REG VAL) (Default) = REG_SZ, "{4753da60-5b71-11cf-b035-00aa006e0975}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADsDSOObject
(+)(REG VAL) (Default) = REG_SZ, "OLE DB Provider for Microsoft Directory
Services"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADsDSOObject\Clsid
(+)(REG VAL) (Default) = REG_SZ, "{549365d0-ec26-11cf-8310-00aa00b505db}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADsNamespaces
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADsNamespaces\Clsid
(+)(REG VAL) (Default) = REG_SZ, "{233664b0-0367-11cf-abc4-02608c9e7553}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADsSecurityUtility
(+)(REG VAL) (Default) = REG_SZ, "ADs Security Utility Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADsSecurityUtility\Clsid
(+)(REG VAL) (Default) = REG_SZ, "{f270c64a-ffb8-4ae4-85fe-3a75e5347966}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADSystemInfo
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ADSystemInfo\Clsid
(+)(REG VAL) (Default) = REG_SZ, "{50B6327F-AFD1-11d2-9CB9-0000F87A369E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AgControl.AgControl.5.1
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Silverlight"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AgControl.AgControl.5.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{DFEAF541-F3E1-4c24-ACAC-99C30715084A}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AMOVIE.ActiveMovieControl
(+)(REG VAL) (Default) = REG_SZ, "ActiveMovie Control Object"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AMOVIE.ActiveMovieControl\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AMOVIE.ActiveMovie Control.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AMOVIE.ActiveMovieControl.2
(+)(REG VAL) (Default) = REG_SZ, "ActiveMovie Control Object"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AMOVIE.ActiveMovieControl.2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{05589FA1-C356-11CE-BF01-00AA0055595A}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{00021401-0000-0000-C000-000000000046}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{000C101C-0000-0000-C000-000000000046}
(+)(REG VAL) LocalService = REG_SZ, "MSIServer"
(+)(REG VAL) ServiceParameters = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0010890e-8789-413c-adbc-48f5b511b3af}
(+)(REG VAL) (Default) = REG_SZ, "User Notification"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{00393519-3A67-4507-A2B8-85146167ACA7}
(+)(REG VAL) (Default) = REG_SZ, "WPD Association LUA Virtual Factory"
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{00f2b433-44e4-4d88-b2b0-2698a0a91dba}
(+)(REG VAL) (Default) = REG_SZ, "PhotoAcqHWEventHandler"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0142e4d1-fb7a-11dc-ba4a-000ffe7ab428}
(+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Biometrics"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{01A39A4B-90E2-4EDF-8A1C-DD9E5F526568}
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{02C4F32F-C02D-419B-8889-5CBF2FBD7F3D}
(+)(REG VAL) (Default) = REG_SZ, "QTUIPanelControl"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{03837503-098b-11d8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "PLA"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
(+)(REG VAL) LaunchPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{03CCCEB0-91EB-47D1-9187-9C7982EB0519}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{03e15b2e-cca6-451c-8fb0-1e2ee37a27dd}
(+)(REG VAL) (Default) = REG_SZ, "CTapiLuaLib Class"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{04626806-2243-4354-ab44-4ade718d09df}
(+)(REG VAL) (Default) = REG_SZ, "Device Display Object Function
Discovery Provider"
(+)(REG VAL) AccessPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG VAL) PreferredServerBitness = REG_DWORD, 3
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{06622D85-6856-4460-8DE1-A81921B41C4B}
(+)(REG VAL) (Default) = REG_SZ, "COpenControlPanel"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0671E064-7C24-4AC0-AF10-0F3055707C32}
(+)(REG VAL) (Default) = REG_SZ, "SMLUA"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{06C792F8-6212-4F39-BF70-E8C0AC965C23}
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\System32\UserAccountControlSettings.dll"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0868DC9B-D9A2-4f64-9362-133CEA201299}
(+)(REG VAL) (Default) = REG_SZ, "sppui"
(+)(REG VAL) AccessPermission = REG_BINARY,
..D.T.....0..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@.....
....
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{08F646B3-5E7F-4B7A-A5CB-F95445F9F67A}
(+)(REG VAL) (Default) = REG_SZ, "WIA Extension Host for 64 bit
extensions"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0968e258-16c7-4dba-aa86-462dd61e31a3}
(+)(REG VAL) (Default) = REG_SZ, "PersistentZoneIdentifier"

```
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{09C5C2B5-1D32-4598-B87E-203F32BB08E3}
        (+)(REG VAL) (Default) = REG_SZ, "Windows Media Player Rich Preview
Handler"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0A886F29-465A-4aea-8B8E-BE926BFAE83E}
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D..................................... ....... ...
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..p........\............................. ................. ....... ...
        (+)(REG VAL) LocalService = REG_SZ, "EapHost"
        (+)(REG VAL) ServiceParameters = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0B15AFD8-3A99-4A6E-9975-30D66F70BD94}
        (+)(REG VAL) (Default) = REG_SZ, "AxInstSv"
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..L.\...0................................ ....... ...
        (+)(REG VAL) LocalService = REG_SZ, "AxInstSv"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0C3B05FB-3498-40C3-9C03-4B22D735550C}
        (+)(REG VAL) (Default) = REG_SZ, "RASDLGLUA"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H..................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0CA545C6-37AD-4A6C-BF92-9F7610067EF5}
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0da7bfdf-c0a0-44eb-be82-b7a82c4721de}
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\appwiz.cpl"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{0DE69E95-29A8-4A7B-B10C-78EF7E2AA5B4}
        (+)(REG VAL) (Default) = REG_SZ, "CamrecShellExt"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{11c058e0-9f3e-4c90-a459-2553f2f9e011}
        (+)(REG VAL) (Default) = REG_SZ, "Vista Elevated Windows Update Web
Control"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D..................................... ....... ...
        (+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H..................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1202DB60-1DAC-42C5-AED5-1ABDD432248E}
        (+)(REG VAL) (Default) = REG_SZ, "Sync Center Client"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{12C21EA7-2EB8-4B55-9249-AC243DA8C666}
        (+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for DiagCpl"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
```

```
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{136A0DC7-DF5C-4271-A2AC-15DF1A1323F2}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..D.T......O........................... ....... ...
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H.................... ................. ....... ...
       (+)(REG VAL) LocalService = REG_SZ, "wercplsupport"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{145B4335-FE2A-4927-A040-7C35AD3180EF}
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..p........\.................... ............................ ....... ...
       (+)(REG VAL) LocalService = REG_SZ, "fdPHost"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{152DA466-C04C-4A4D-9707-0714DB744A7F}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1673EE5D-D576-4945-927D-920AFA24166D}
       (+)(REG VAL) (Default) = REG_SZ, "ExternalApplication Class"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{16D99191-6280-4B33-A2F5-04805A0FC582}
       (+)(REG VAL) (Default) = REG_SZ, "AppleSoftwareUpdateAdmin"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..D.T......O........................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{19BCA967-D266-436f-B2D4-CBE4D4B42F96}
       (+)(REG VAL) AccessPermission = REG_BINARY, ......................
.................................................... ........... ...........
....... ....... ...
       (+)(REG VAL) LaunchPermission = REG_BINARY,
.................................................... ......................
........... ........... ....... ....... ...
       (+)(REG VAL) LocalService = REG_SZ, "lltdsvc"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1A1F4206-0688-4E7F-BE03-D82EC69DF9A5}
       (+)(REG VAL) (Default) = REG_SZ, "Sync Center Control"
       (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1BA783C1-2A30-4ad3-B928-A9A46C604C28}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D.................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1BE1F766-5536-11D1-B726-00C04FB926AF}
       (+)(REG VAL) LaunchPermission = REG_BINARY, ..p........\..........
...................................... ....... ...
       (+)(REG VAL) LocalService = REG_SZ, "EventSystem"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1C749B87-568C-4865-8E73-6413F8372CE6}
       (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\lpksetup.exe"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L....................................... ....... ...
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d.................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1E5300BE-0762-4527-8140-C0FF22DDFC56}
       (+)(REG VAL) (Default) = REG_SZ, "wpcao.dll"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L....................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d.................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1f2e5c40-9550-11ce-99d2-00aa006e086c}
       (+)(REG VAL) (Default) = REG_SZ, "rshx32.dll"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L....................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
```

(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1F7D1BE9-7A50-40B6-A605-C4F3696F49C0}
(+)(REG VAL) (Default) = REG_SZ, "ThirdPartyEapDispatcherPeerConfig"
(+)(REG VAL) AccessPermission = REG_BINARY,
..D.T.....O..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1F87137D-0E7C-44d5-8C73-4EFFB68962F2}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft WMI Provider Subsystem
Secured Host"
(+)(REG VAL) AppIDFlags = REG_DWORD, 2
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....p..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1fb2a002-4c6c-4de7-85c2-cb8db9a4f728}
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{1fda955b-61ff-11da-978c-0008744faab7}
(+)(REG VAL) (Default) = REG_SZ, "DetectionAndSharing"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{209444d2-2540-495e-962c-a61ad3243526}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows WSMan Provider Host
With User Settings"
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....
....
(+)(REG VAL) LoadUserSettings = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{2206CDB0-19C1-11D1-89E0-00C04FD7A829}
(+)(REG VAL) (Default) = REG_SZ, "MSDAINITIALIZE"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{2331D136-E39D-4019-92D6-7CE5579962FB}
(+)(REG VAL) (Default) = REG_SZ, "Sensors Sensor Configuration Helper"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{25351F98-BEC9-4BA0-A1F7-D9D69225E52F}
(+)(REG VAL) (Default) = REG_SZ, "TabBtnEx"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{266C72E7-62E8-11D1-AD89-00C04FD8FDFF}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft WBEM Active Scripting Event
Consumer Provider"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{27170d71-7a40-4c8b-a3d1-64f7cbe81c66}
(+)(REG VAL) AccessPermission = REG_BINARY, ..\.l.....H.....
....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..L.\...O..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{273541FF-7F64-5B0F-8F00-5D77AFBE261E}
(+)(REG VAL) (Default) = REG_SZ, "IMAPI2"
(+)(REG VAL) DLLSurrogate = REG_SZ, ""

```
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{27AF75ED-20D9-11D1-B1CE-00805FC1270E}
       (+)(REG VAL) (Default) = REG_SZ, "netman"
       (+)(REG VAL) LaunchPermission = REG_BINARY, ...........p..........
............................................ ....... ...
       (+)(REG VAL) LocalService = REG_SZ, "netman"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{27E6D007-EE3B-4FF7-8AE8-28EF0739124C}
       (+)(REG VAL) LocalService = REG_SZ, "SkypeUpdate"
       (+)(REG VAL) ServiceParameters = REG_SZ, "/ComService"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{292bed96-e9ce-40f8-b71b-c313defa3a78}
       (+)(REG VAL) (Default) = REG_SZ, "RasMobilityManager"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..\.l......H................... ................ ....... ...
       (+)(REG VAL) LaunchPermission = REG_BINARY, ..p........\..........
..................................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{2B433F44-5456-42FF-8CBD-54E8176ECD01}
       (+)(REG VAL) (Default) = REG_SZ, "TeamViewer Service"
       (+)(REG VAL) AccessPermission = REG_BINARY, ..0.@......................
....... ...
       (+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@......................
....... ...
       (+)(REG VAL) LocalService = REG_SZ, "TeamViewer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{2C256447-3F0D-4CBB-9D12-575BB20CDA0A}
       (+)(REG VAL) (Default) = REG_SZ, "faultrep.dll"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{2C5BC43E-3369-4C33-AB0C-BE9469677AF4}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{2C941FD1-975B-59BE-A960-9A2A262853A5}
       (+)(REG VAL) (Default) = REG_SZ, "FileSystemImage"
       (+)(REG VAL) DLLSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{304CE942-6E39-40D8-943A-B913C40C9CD4}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{30d49246-d217-465f-b00b-ac9ddd652eb7}
       (+)(REG VAL) (Default) = REG_SZ, "Identity Store"
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{30DFD7C6-CE25-46D5-9502-5806BAF6E664}
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{344ED43D-D086-4961-86A6-1106F4ACAD9B}
       (+)(REG VAL) (Default) = REG_SZ, "IPBusEnum"
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..p........\............................... ................. ....... ...
       (+)(REG VAL) LocalService = REG_SZ, "IPBusEnum"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{35b1d3bb-2d4e-4a7c-9af0-f2f677af7c30}
       (+)(REG VAL) LocalService = REG_SZ, "fdPHost"
    (+)(REG KEY)
```

```
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{375ff002-dd27-11d9-8f9c-0002b3988e81}
       (+)(REG VAL) LocalService = REG_SZ, "fdPHost"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{37B05236-FFB5-4D42-B0C8-4A36CBF1BE15}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..D.T......0........................ ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{383b69fa-5486-49da-91f5-d63c24c8e9d0}
       (+)(REG VAL) (Default) = REG_SZ, "DevicePairingHandler.dll"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3ad05575-8857-4850-9277-11b85bdb8e09}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3B29AB5C-52CB-4a36-9314-E3FEE0BA7468}
       (+)(REG VAL) (Default) = REG_SZ, "C:\Program Files
(x86)\Winamp\Elevator.exe"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..D.T......0........................ ....... ...
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..L.\...0................................ ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3E000D72-A845-4CD9-BD83-80C07C3B881F}
       (+)(REG VAL) (Default) = REG_SZ, "CMLUAUTIL"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3e5ca495-8d6a-4d1f-ad99-177b426c8b8e}
       (+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows Remote Shell Host"
       (+)(REG VAL) LaunchPermission = REG_BINARY,
............................................................
....................... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3E5FC7F9-9A51-4367-9063-A120244FBEC7}
       (+)(REG VAL) (Default) = REG_SZ, "CMSTPLUA"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3eb3c877-1f16-487c-9050-104dbcd66683}
       (+)(REG VAL) (Default) = REG_SZ, "WinInetCacheServer"
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3eef301f-b596-4c0b-bd92-013beafce793}
       (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3F4D7BB8-4F38-4526-8CD3-C44D68689C5F}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L.......................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3F5E4B87-C907-4f76-82E4-6FDF0CE90E25}
       (+)(REG VAL) (Default) = REG_SZ, "Out Of Proc Mapi Handler"
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) PreferredServerBitness = REG_DWORD, 2
    (+)(REG KEY)
```

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3F6B5E16-092A-41ED-930B-0B4125D91D4E}
(+)(REG VAL) (Default) = REG_SZ, "MSTTS DecObj Class Surrogate"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{3feb2f63-0eec-4b96-84ab-da1307e0117c}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows WSMan Provider Host"
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....
....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{40AEEAB6-8FDA-41e3-9A5F-8350D4CFCA91}
(+)(REG VAL) (Default) = REG_SZ, "HTML Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{41CA32F2-698A-4fd8-BB78-B102CE155F53}
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{434A6274-C539-4E99-88FC-44206D942775}
(+)(REG VAL) (Default) = REG_SZ, "AccessibilityCplAdmin"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{44C39C96-0167-478F-B68D-783294A2545D}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{45597c98-80f6-4549-84ff-752cf55e2d29}
(+)(REG VAL) (Default) = REG_SZ, "Add to Windows Media Player list"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{46298684-0fd3-47f3-94b3-65650c65b36a}
(+)(REG VAL) (Default) = REG_SZ, "Health Key and Certificate Management"
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....p..... ....(.....P..... .....
...
(+)(REG VAL) LocalService = REG_SZ, "hkmsvc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4680B596-CF8C-44E1-A676-4AAA819E041F}
(+)(REG VAL) (Default) = REG_SZ, "NvXDSync"
(+)(REG VAL) AccessPermission = REG_BINARY,
..p.....\..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{46A99B9C-4AC8-4EE9-AF7D-D02816CEC314}
(+)(REG VAL) (Default) = REG_SZ, "GoogleEarth"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{46C166AA-3108-11D4-9348-00C04F8EEB71}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{48da6741-1bf0-4a44-8325-293086c79077}
(+)(REG VAL) (Default) = REG_SZ, "IASDataStoreComServer"
(+)(REG VAL) AccessPermission = REG_BINARY, ..\.l.....H.....
....
(+)(REG VAL) ActivateAtStorage = REG_SZ, "N"
(+)(REG VAL) AppIDFlags = REG_DWORD, 2
(+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
(+)(REG VAL) DllSurrogate = REG_EXPAND_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..H.X.....4..... ....
(+)(REG VAL) RunAs = REG_SZ, "NT Authority\NetworkService"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{49BD2028-1523-11D1-AD79-00C04FD8FDFF}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft WBEM Unsecured Apartment"

```
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{49DCCAF0-D245-4463-A290-4688A06D0486}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{49f171dd-b51a-40d3-9a6c-52d674cc729d}
        (+)(REG VAL) (Default) = REG_SZ, "UIAutomationCrossBitnessHook64 Class"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4A0F9AA8-A71E-4CC3-891B-76CAC67E67C0}
        (+)(REG VAL) LocalService = REG_SZ, "ALG"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4A6B8BAD-9872-4525-A812-71A52367DC17}
        (+)(REG VAL) (Default) = REG_SZ, "RASGCWLUA"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H.................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4B417484-ABFF-4C70-8C2F-5A729026263C}
        (+)(REG VAL) (Default) = REG_SZ, "CSISYNCCLIENT.EXE"
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..p........\............................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4BC67F23-D805-4384-BCA3-6F1EDFF50E2C}
        (+)(REG VAL) (Default) = REG_SZ, "wercplsupport.dll"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ................................ ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4D111E08-CBF7-4f12-A926-2C7920AF52FC}
        (+)(REG VAL) (Default) = REG_SZ, "Shell Security Editor"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4db9c793-c48d-449c-9754-46027ee45c94}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Volume Shadow Copy Service
software provider"
        (+)(REG VAL) LocalService = REG_SZ, "swprv"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4E14FBA2-2E22-11D1-9964-00C04FBBB345}
        (+)(REG VAL) (Default) = REG_SZ, "COM+ Event System"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4f6bcd94-c2a5-42ce-8dbc-31e794be4630}
        (+)(REG VAL) (Default) = REG_SZ, "Shell Computer Accounts"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{4FCDA643-B15B-41C6-84F8-5E447F6F6D25}
        (+)(REG VAL) (Default) = REG_SZ, "WkspRT.exe"
        (+)(REG VAL) AccessPermission = REG_BINARY, ..0.@......................
....... ...
        (+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H.................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{50a9ab2a-20f8-4d71-9f32-9fd305b49601}
        (+)(REG VAL) (Default) = REG_SZ, "HomeGroup CPL Advanced Settings Writer"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ................................ ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{50d69d24-961d-4828-9d1c-5f4717f226d1}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows Font Folder"
```

(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{50E29A62-C206-450b-A3B7-C7000F09F4CC}
(+)(REG VAL) (Default) = REG_SZ, "Corel PHOTO-PAINT"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{513D916F-2A8E-4F51-AEAB-0CBC76FB1AF8}
(+)(REG VAL) (Default) = REG_SZ, "acppage.dll"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{514B5E31-5596-422F-BE58-D804464683B5}
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\intl.cpl"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{52551A19-B337-498d-AE75-2283E2990 2DE}
(+)(REG VAL) (Default) = REG_SZ, "Offline Files Service"
(+)(REG VAL) LaunchPermission = REG_BINARY,
..D.`.....0.....
(+)(REG VAL) LocalService = REG_SZ, "CscService"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{52A0704B-CD41-4B75-A49F-A47322B23773}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft TEC Server"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{53362C32-A296-4F2D-A2F8-FD984D08340B}
(+)(REG VAL) (Default) = REG_SZ, "RemoteProxyFactory32 Class"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{53362C64-A296-4F2D-A2F8-FD984D08340B}
(+)(REG VAL) (Default) = REG_SZ, "RemoteProxyFactory32 Class"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{534A1E02-D58F-44f0-B58B-36CBED287C7C}
(+)(REG VAL) (Default) = REG_SZ, "32-bit Preview Handler Surrogate Host"
(+)(REG VAL) DllSurrogate = REG_EXPAND_SZ,
"C:\Windows\SysWOW64\prevhost.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{5364ED0E-493F-4B16-9DBF-AE486CF22660}
(+)(REG VAL) (Default) = REG_SZ, "Virtual Disk Service Loader"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{561C57B5-CC32-438F-A667-860E43345537}
(+)(REG VAL) (Default) = REG_SZ, "MeetingJoinAxOC"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{56BE716B-2F76-4dfa-8702-67AE10044F0B}
(+)(REG VAL) (Default) = REG_SZ, "Volume Shadow Copy Service"
(+)(REG VAL) LaunchPermission = REG_BINARY, ..`.l.....L.....
....
(+)(REG VAL) LocalService = REG_SZ, "VSS"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{59c7f6ec-7d18-412f-a68e-877982768e61}
(+)(REG VAL) (Default) = REG_SZ, "Authentication UI Terminal Services
Bump Dialog"
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY,
..p.....\..... ....
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{5B24624D-9DD8-4B23-BFB2-A8A5E60CB019}

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{5C797117-3B23-4549-A6D8-475AB3B62228}
(+)(REG VAL) (Default) = REG_SZ, "PrintBrmEngine"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{5D05A4EB-54EA-4B7F-A28D-CE51F6BCBAF2}
(+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Display CPL"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{5E1395B2-B685-44e3-8AED-E2304D85ACD1}
(+)(REG VAL) (Default) = REG_SZ, "WiaWow64"
(+)(REG VAL) AccessPermission = REG_BINARY, ..\.l.....H.....
....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{60173D16-A550-47f0-A14B-C6F9E4DA0831}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{60a90a2f-858d-42af-8929-82be9d99e8a1}
(+)(REG VAL) (Default) = REG_SZ, "UIAutomationCrossBitnessHook32 Class"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6295DF2D-35EE-11D1-8707-00C04FD93327}
(+)(REG VAL) (Default) = REG_SZ, "Sync Center (Private)"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{63CE6D27-426A-41F9-8E51-549C1132DAE2}
(+)(REG VAL) (Default) = REG_SZ, "PenIMC2"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{642ef9d6-48a5-476b-919a-a507cfd02c0f}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{653C5148-4DCE-4905-9CFD-1B23662D3D9E}
(+)(REG VAL) (Default) = REG_SZ, "Windows Update Agent"
(+)(REG VAL) AccessPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) LocalService = REG_SZ, "wuauserv"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6571503D-D0FB-4D98-BBC3-1FBB2B3F344E}
(+)(REG VAL) (Default) = REG_SZ, "FwCplLUA"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{66eea0f5-001a-4073-a496-783f86fcf4c0}
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{69AD4AEE-51BE-439b-A92C-86AE490E8B30}
(+)(REG VAL) (Default) = REG_SZ, "Background Intelligent Transfer
Service"
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....0.....\.....
.....
(+)(REG VAL) LocalService = REG_SZ, "BITS"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{69F9CB25-25E2-4BE1-AB8F-07AA7CB535E8}
(+)(REG VAL) (Default) = REG_SZ, "Sync Center Isolation Collection
(Private)"

```
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6A070EEA-E3F8-411E-9D3A-F3814ED6D1A8}
        (+)(REG VAL) (Default) = REG_SZ, "SoftwareUpdateApp"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6B1DE8B3-DFB1-4C0E-9D9A-89CA730DE93F}
        (+)(REG VAL) (Default) = REG_SZ, "MsRdpSessionManager"
        (+)(REG VAL) AccessPermission = REG_BINARY, ..0.@......................
....... ...
        (+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H.................. ................ ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6CE51F75-0448-438e-B9CA-69C352A248A7}
        (+)(REG VAL) (Default) = REG_SZ, "Sensors CPL Change Device Permission
LUA Helper"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6CF90891-3E04-4092-B96C-28E071EEEACB}
        (+)(REG VAL) (Default) = REG_SZ, "Watson subscriber for SENS Network
Events"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6CF9B800-50DB-46B5-9218-EACF07F5E414}
        (+)(REG VAL) AccessPermission = REG_BINARY,
........0................t.............................
............................ ....... ...
        (+)(REG VAL) AuthenticationLevel = REG_DWORD, 2
        (+)(REG VAL) LaunchPermission = REG_BINARY,
........0................t....................................
................. ....... ...
        (+)(REG VAL) LocalService = REG_SZ, "IEEtwCollectorService"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6d2b5079-2f0b-48dd-ab7f-97cec514d30b}
        (+)(REG VAL) (Default) = REG_SZ, "Preview Handler Surrogate Host"
        (+)(REG VAL) DllSurrogate = REG_EXPAND_SZ,
"%SystemRoot%\system32\prevhost.exe"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6d8ff8e0-730d-11d4-bf42-00b0d0118b56}
        (+)(REG VAL) (Default) = REG_SZ, "UPnPContainer"
        (+)(REG VAL) AuthenticationLevel = REG_DWORD, 0
        (+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@......................
....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6d8ff8e8-730d-11d4-bf42-00b0d0118b56}
        (+)(REG VAL) (Default) = REG_SZ, "UPnPContainer64"
        (+)(REG VAL) AuthenticationLevel = REG_DWORD, 0
        (+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@......................
....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6D9A7A40-DDCA-414E-B48E-DFB032C03C1B}
        (+)(REG VAL) (Default) = REG_SZ, "SPPComApi"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6f33340d-8a01-473a-b75f-ded88c8360ce}
        (+)(REG VAL) (Default) = REG_SZ, "HomeGroup UI Status"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6f5bad87-9d5e-459f-bd03-3957407051ca}
        (+)(REG VAL) (Default) = REG_SZ, "IEWindows"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{6F7C8E8F-DC69-4e3f-BC05-439962A05FD5}
        (+)(REG VAL) (Default) = REG_SZ, "HomeGroup Provider Object"
```

(+)(REG VAL) LaunchPermission = REG_BINARY,
..H.X.....4..... ....
(+)(REG VAL) LocalService = REG_SZ, "HomeGroupProvider"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7007ACC5-3202-11D1-AAD2-00805FC1270E}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7007ACD1-3202-11D1-AAD2-00805FC1270E}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{71B804C5-5577-471D-8FE5-C4A45B654EB8}
(+)(REG VAL) (Default) = REG_SZ, "Windows SideShow AutoWake Configuration
Helper"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{727C4938-C5C5-4743-B543-7E6F100CE67B}
(+)(REG VAL) (Default) = REG_SZ, "Nv3DVisionIePlugin"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{72A7994A-3092-4054-B6BE-08FF81AEEFFC}
(+)(REG VAL) (Default) = REG_SZ, "Sharing Elevated Virtual Factory"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{72E3272B-4EEA-4104-B358-1A282E4FC1AD}
(+)(REG VAL) (Default) = REG_SZ, "User Profile Service DCOM server"
(+)(REG VAL) LocalService = REG_SZ, "profsvc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{73E709EA-5D93-4B2E-BBB0-99B7938DA9E4}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft WMI Provider Subsystem Host"
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....p..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{752073A2-23F2-4396-85F0-8FDB879ED0ED}
(+)(REG VAL) (Default) = REG_SZ, "Trusted Installer Service"
(+)(REG VAL) AccessPermission = REG_BINARY,
.....p..... ....
...
(+)(REG VAL) LaunchPermission = REG_BINARY,
..p.....\.....
.....
(+)(REG VAL) LocalService = REG_SZ, "TrustedInstaller"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7568952A-571E-4C70-BEA9-7F9004393436}
(+)(REG VAL) (Default) = REG_SZ, "PenIMC4"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{75F8B0F3-5E33-40FF-B553-E9BF16B3B108}
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{76AE5F57-B7C9-421f-B55E-FB25144317B6}
(+)(REG VAL) (Default) = REG_SZ, "Sensors CPL Change Description LUA
Helper"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{76be8257-c4c0-4d37-90c0-a23372254d27}
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{76D0CB12-7604-4048-B83C-1005C7DDC503}
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{76db1bf3-e820-4765-a1b2-0b16a86b1950}
(+)(REG VAL) (Default) = REG_SZ, "PrintFilterPipelineSvc"
(+)(REG VAL) AccessPermission = REG_BINARY,
..p.....\..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY,
..t..... `..... .....
.....
(+)(REG VAL) RunAs = REG_SZ, "NT Authority\LocalService"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{777BA81A-2498-4875-933A-3067DE883070}
(+)(REG VAL) (Default) = REG_SZ, "XWizard Virtual Factory"
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7A076CE1-4B31-452a-A4F1-0304C8738100}
(+)(REG VAL) (Default) = REG_SZ, "Network and Sharing Center Cpl Elevated Virtual Factory"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7aa7790d-75d7-484b-98a1-3913d022091d}
(+)(REG VAL) (Default) = REG_SZ, "Shell FMIFS Wrapper"
(+)(REG VAL) AccessPermission = REG_BINARY,
..p.....\..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7AB36653-1796-484B-BDFA-E74F1DB7C1DC}
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7B29F495-0F55-49F7-8885-9E8A22CE3829}
(+)(REG VAL) (Default) = REG_SZ, "Internet Explorer Add-on Installer"
(+)(REG VAL) LoadUserSettings = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7C8AB6D9-8764-4033-8F62-2FE896E54B32}
(+)(REG VAL) (Default) = REG_SZ, "WlanPrefLUA"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7d378de6-ed8d-426d-91df-0273d07cd7f6}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows Remote Shell Host With User Settings"
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....
....
(+)(REG VAL) LoadUserSettings = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7DF8EF76-D449-485f-B4EB-58DC96B31EDB}
(+)(REG VAL) (Default) = REG_SZ, "HomeGroup Printing Device Class"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7e0423cd-1119-0928-900c-e6d4a52a0715}

(+)(REG VAL) (Default) = REG_SZ, "MMC Application Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7E7898C9-8E34-4314-9670-771BC5343D0E}
(+)(REG VAL) (Default) = REG_SZ, "Keyhole"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7F429620-16D1-471E-A81A-114992148034}
(+)(REG VAL) (Default) = REG_SZ, "wisptis"
(+)(REG VAL) LaunchPermission = REG_BINARY,
..d.t...0.....4..... ....
(+)(REG VAL) PreferredServerBitness = REG_DWORD, 3
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{7f9bbc82-ba5f-4448-8622-ef76b8d007e6}
(+)(REG VAL) (Default) = REG_SZ, "GPMC Reporting"
(+)(REG VAL) AccessPermission = REG_BINARY,
..D.T.....0..... ....
(+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{819B4D85-9CEE-493C-B6FC-64FFE759B3C9}
(+)(REG VAL) (Default) = REG_SZ, "VirtualBox Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{825FC848-87F7-4F26-9EF6-43964094FF98}
(+)(REG VAL) (Default) = REG_SZ, "WlanConn"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{84D586C4-A423-11D2-B943-00C04F79D22F}
(+)(REG VAL) (Default) = REG_SZ, "CustReg Class"
(+)(REG VAL) AccessPermission = REG_BINARY, ..4.P..... .....
.....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{850A928D-5456-4865-BBE5-42635F1EBCA1}
(+)(REG VAL) (Default) = REG_SZ, "TeamViewer Application"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{85187E17-383D-4EC5-B8D6-D9466EE3DD92}
(+)(REG VAL) (Default) = REG_SZ, "APSDaemon"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{86d5eb8a-859f-4c7b-a76b-2bd819b7a850}
(+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Usercpl"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{86F80216-5DD6-4F43-953B-35EF40A35AEE}
(+)(REG VAL) (Default) = REG_SZ, "CElevateWlanUi"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{87BB326B-E4A0-4DE1-94F0-B9F41D0C6059}
(+)(REG VAL) (Default) = REG_SZ, "ThirdPartyEapDispatcherPeerRuntime"
(+)(REG VAL) AccessPermission = REG_BINARY,
..D.T.....0..... ....
(+)(REG VAL) DllSurrogate = REG_EXPAND_SZ,
"%SystemRoot%\System32\Eap3Host.exe"
(+)(REG VAL) LaunchPermission = REG_BINARY,
..H.X.....4..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8BC3F05E-D86B-11D0-A075-00C04FB68820}
(+)(REG VAL) (Default) = REG_SZ, "Windows Management and Instrumentation"

```
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..d.t...0................4.......... ................. ....... ...
        (+)(REG VAL) LocalService = REG_SZ, "winmgmt"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8be0366c-8522-40be-8b08-cb26557f2854}
        (+)(REG VAL) (Default) = REG_SZ, "TSTheme"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D.................................... ....... ...
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..p........\............................... ................. ....... ...
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8C334A55-DDB9-491C-817E-35A6B85D2ECB}
        (+)(REG VAL) (Default) = REG_SZ, "IASExtensionHost"
        (+)(REG VAL) AccessPermission = REG_BINARY, ..\.l......H..........
........................... ....... ...
        (+)(REG VAL) ActivateAtStorage = REG_SZ, "N"
        (+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..H.X......4.................... ....... ....... ...
        (+)(REG VAL) RunAs = REG_SZ, "NT Authority\NetworkService"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8C482DCE-2644-4419-AEFF-189219F916B9}
        (+)(REG VAL) AccessPermission = REG_BINARY,
..D.T......0........................... ....... ...
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..p........\............................... ................. ....... ...
        (+)(REG VAL) LocalService = REG_SZ, "EapHost"
        (+)(REG VAL) ServiceParameters = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8cec58ae-07a1-11d9-b15e-000d56bfe6ee}
        (+)(REG VAL) (Default) = REG_SZ, "AP Client HxHelpPaneServer Class"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D.................................... ....... ...
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8D26D9AA-5DA8-4b95-949A-B74954A229A6}
        (+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Action Center CPL"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L....................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d.................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8D8B8E30-C451-421B-8553-D2976AFA648C}
        (+)(REG VAL) (Default) = REG_SZ, "Sync Center Schedule Wizard"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{8f3080a6-af99-4f2e-a806-f3d5702a0444}
        (+)(REG VAL) (Default) = REG_SZ, "Shell Computer Groups"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{9037e3cf-1794-4af6-9c8d-92838d7a23db}
        (+)(REG VAL) (Default) = REG_SZ, "SDRSVC service"
        (+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@......................
....... ...
        (+)(REG VAL) LocalService = REG_SZ, "sdrsvc"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{9200689A-F979-4eea-8830-0E1D6B74821F}
        (+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Recovery"
        (+)(REG VAL) AccessPermission = REG_BINARY,
.......................................................................
....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
............................... ............................
................ ....... ...
```

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{92C2A9B3-4228-438E-8A7B-EF110987764C}
(+)(REG VAL) (Default) = REG_SZ, "WMPDMCCore"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{98a89e0c-1fde-4c2a-a373-b04831e6aa60}
(+)(REG VAL) (Default) = REG_SZ, "PrintIsolationHost"
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.x.....H..... .....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{995C996E-D918-4a8c-A302-45719A6F4EA7}
(+)(REG VAL) (Default) = REG_SZ, "Shell Hardware Mixed Content Handler"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{9A630456-078D-43d3-9F1D-DF7A5BC0FA44}
(+)(REG VAL) (Default) = REG_SZ, "Default Location CPL Data Handler LUA
Helper"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{9af8cd33-7aae-4cc2-b00a-835f6721e3c2}
(+)(REG VAL) PreferredServerBitness = REG_DWORD, 3
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{9BA05972-F6A8-11CF-A442-00A0C90A8F39}
(+)(REG VAL) (Default) = REG_SZ, "ShellWindows"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{9df523b0-a6c0-4ea9-b5f1-f4565c3ac8b8}
(+)(REG VAL) (Default) = REG_SZ, "timedate.cpl"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{9E175B9C-F52A-11D8-B9A5-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "WSearch"
(+)(REG VAL) LaunchPermission = REG_BINARY,
..L.\...0..... ....
(+)(REG VAL) LocalService = REG_SZ, "WSearch"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A0ADD4EC-5BD3-4f70-A47B-07797A45C635}
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A1F4E726-8CF1-11D1-BF92-0060081ED811}
(+)(REG VAL) (Default) = REG_SZ, "WIA Device Manager"
(+)(REG VAL) AccessPermission = REG_BINARY, ..\.l.....H.....
....
(+)(REG VAL) LocalService = REG_SZ, "stisvc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A2D8CFE7-7BA4-4bad-B86B-851376B59134}
(+)(REG VAL) (Default) = REG_SZ, "Windows Parental Controls"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A4B07E49-6567-4FB8-8D39-01920E3B2357}
(+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Windows Firewall

Cpl"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{a4c31131-ff70-4984-afd6-0609ced53ad6}
(+)(REG VAL) (Default) = REG_SZ, "Shell ChkdskEx Dialog"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A5580 3CC-4D53-404c-8557-FD63DBA95D24}
(+)(REG VAL) (Default) = REG_SZ, "WPDShextAutoplay"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A5FFF81C-DB47-4658-A890-474CE0A3E729}
(+)(REG VAL) (Default) = REG_SZ, "NetProjW"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A79DB36D-6218-48e6-9EC9-DCBA9A39BF0F}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows Defender"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..x.....d..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A7A63E5C-3877-4840-8727-C1EA9D7A4D50}
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\fveui.dll"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{A9D431C2-6D56-4727-9690-ADBE66B9184A}
(+)(REG VAL) (Default) = REG_SZ, "Windows Media Player Encoder Helper
Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{AA0B85DA-FDDF-4272-8D1D-FF9B966D75B0}
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{AA530F18-0818-4643-8884-AAE61A76488B}
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{AAAF9453-58F9-4872-A428-0507C383AC37}
(+)(REG VAL) LocalService = REG_SZ, "CscService"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ab7c873b-eb14-49a6-be60-a602f80e6d22}
(+)(REG VAL) (Default) = REG_SZ, "DEFRAGSVC service"
(+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@.....
....
(+)(REG VAL) LocalService = REG_SZ, "defragsvc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{AB8902B4-09CA-4bb6-B78D-A8F59079A8D5}
(+)(REG VAL) (Default) = REG_SZ, "Thumbnail Cache Out of Proc Server"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{AB93B6F1-BE76-4185-A488-A9001B105B94}
(+)(REG VAL) (Default) = REG_SZ, "BDEUILauncher Class"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{AF551664-D2DF-4E34-85DE-46320B13A0B4}
(+)(REG VAL) (Default) = REG_SZ, "SwHelper_1223183"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{B1B9CBB2-B198-47E2-8260-9FD629A2B2EC}

(+)(REG VAL) LocalService = REG_SZ, "ShellHWDetection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{B292921D-AF50-400c-9B75-0C57A7F29BA1}
(+)(REG VAL) (Default) = REG_SZ, "NAP Agent Service"
(+)(REG VAL) LaunchPermission = REG_BINARY,
..X.t.....D.....
(+)(REG VAL) LocalService = REG_SZ, "napagent"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{B366DEBE-645B-43A5-B865-DDD82C345492}
(+)(REG VAL) (Default) = REG_SZ, "Windows Update Agent - Remote Access"
(+)(REG VAL) AccessPermission = REG_BINARY, ..4.D..... .....
....
(+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY, ..4.D..... .....
....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{B6C292BC-7C88-41EE-8B54-8EC92617E599}
(+)(REG VAL) (Default) = REG_SZ, "WIA Device Manager 2"
(+)(REG VAL) AccessPermission = REG_BINARY, ..\.l.....H.....
....
(+)(REG VAL) LocalService = REG_SZ, "stisvc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{b70cc729-28ae-11dd-9676-000000000000}
(+)(REG VAL) (Default) = REG_SZ, "WwanAdvui"
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{B8558612-DF5E-4F95-BB81-8E910B327FB2}
(+)(REG VAL) (Default) = REG_SZ, "Sync Center (Private)"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{B8C54A54-355E-11D3-83EB-00A0C92A2F2D}
(+)(REG VAL) (Default) = REG_SZ, "Windows Media Player"
(+)(REG VAL) AccessPermission = REG_BINARY,
..D.T.....0..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@.....
....
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{B92B577B-628A-442B-A017-E86FB518C6FD}
(+)(REG VAL) (Default) = REG_SZ, "NVXDApiX"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{BA126F01-2166-11D1-B1D0-00805FC1270E}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{BB07BACD-CD56-4E63-A8FF-CBF0355FB9F4}
(+)(REG VAL) (Default) = REG_SZ, "Event Object Change 2"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{BBC4356A-F004-4628-A27A-E13D70412B70}
(+)(REG VAL) (Default) = REG_SZ, "SyncHost"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{BBD8C065-5E6C-4e88-BFD7-BE3E6D1C063B}
(+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Power Options
Control Panel"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""

```
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{BCEA735B-4DAC-4B71-9C47-1D560AFD2A9B}
        (+)(REG VAL) (Default) = REG_SZ, "DfsShlEx.dll"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C03E0431-0CA9-46B8-95FB-CDE2E93888C5}
        (+)(REG VAL) (Default) = REG_SZ, "ExportController"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C100BEBB-D33A-4a4b-BF23-BBEF4663D017}
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C17413EE-FCDE-4B55-A238-7788D1026DD4}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{c2a71820-3463-498f-bab7-4798795a2ff6}
        (+)(REG VAL) (Default) = REG_SZ, "provsvc.dll"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C3A34354-660F-41EE-B072-2AEA5E3A80AF}
        (+)(REG VAL) (Default) = REG_SZ, "cttunesvr"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L...................................... ....... ...
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C3B65D83-FB15-4e3f-BA04-097D1E2B5AC1}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Block Level Backup Service"
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..`.l......L..................... ........... ............... ...
        (+)(REG VAL) LocalService = REG_SZ, "wbengine"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C49F2185-50A7-11D3-9144-00104BA11C5E}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft IMAPI"
        (+)(REG VAL) DLLSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C4CDC408-581C-4480-9FFE-3B1C78D5C20D}
        (+)(REG VAL) (Default) = REG_SZ, "HomeGroup Listener Service"
        (+)(REG VAL) LocalSystem = REG_SZ, "HomeGroupListener"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{c5bbbd35-e321-468a-9884-6708aa083f83}
        (+)(REG VAL) (Default) = REG_SZ, "Nap Elevated COM class"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..p........\...................................... ....... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C5EDFC9D-B018-41A4-9877-39AB18469C3A}
        (+)(REG VAL) (Default) = REG_SZ, "Nvvsvc"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..p........\...................................... ....... ....... ...
        (+)(REG VAL) LocalService = REG_SZ, "NVSvc"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C6EB466D-5A20-4F82-8862-A0AE4E61553D}
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C806725C-6E3A-450C-B261-74E8B49FFC9A}
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
```

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C92A9617-0EAE-4235-BD2B-84540EF1FFA9}
(+)(REG VAL) (Default) = REG_SZ, "TSWbPrxy.exe"
(+)(REG VAL) AccessPermission = REG_BINARY, ..0.@.....
....
(+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C945AD06-534F-460C-8CB4-17C33099AF81}
(+)(REG VAL) (Default) = REG_SZ, "DictationHost Class"
(+)(REG VAL) ROTFlags = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C947D50F-378E-4FF6-8835-FCB50305244D}
(+)(REG VAL) (Default) = REG_SZ, "Sync Infrastructure"
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C96887DA-A652-4426-905E-4A37546F847C}
(+)(REG VAL) (Default) = REG_SZ, "netprofm"
(+)(REG VAL) LaunchPermission = REG_BINARY,
..L.\...0..... ....
(+)(REG VAL) LocalService = REG_SZ, "netprofm"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{C9F65BA8-1F8F-4382-AE27-C91FFB29275F}
(+)(REG VAL) (Default) = REG_SZ, "RCM"
(+)(REG VAL) LocalService = REG_SZ, "TermService"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CB1DFE3A-EDFF-4d1f-867D-8ADB02926F4B}
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "OpenSearch Description Create
Search Connector Verb Handler"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CB6E8DE9-4CE1-4AA0-A9C5-03F4510BBCA5}
(+)(REG VAL) (Default) = REG_SZ, "WRLiloPlugin"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CBDC4B31-CBE4-4A5B-BECF-64B29E47D2AD}
(+)(REG VAL) (Default) = REG_SZ, "LocationDisp"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CC70FEAD-94B9-4F76-88CC-004BB068ACDF}
(+)(REG VAL) (Default) = REG_SZ, "EnhancedStorageShell"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CCFDD24D-CEAB-458B-A4F1-F884973395DF}
(+)(REG VAL) (Default) = REG_SZ, "sppui"
(+)(REG VAL) AccessPermission = REG_BINARY,
..D.T.....0..... ....
(+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@.....
....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CD11FAB6-1C0E-45e1-BA31-5C6008EF2607}
(+)(REG VAL) (Default) = REG_SZ, "WcsPlugInServiceLib"
(+)(REG VAL) AccessPermission = REG_BINARY,
.....p..... ....
...
(+)(REG VAL) LaunchPermission = REG_BINARY,
.....p..... ....
...
(+)(REG VAL) LocalService = REG_SZ, "WcsPlugInService"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{cdc32574-7521-4124-90c3-8d5605a34933}
(+)(REG VAL) (Default) = REG_SZ, "Windows Media Player Burn Audio CD
Handler"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CDCBCFCA-3CDC-436f-A4E2-0E02075250C2}
(+)(REG VAL) (Default) = REG_SZ, "Elevated-Unelevated Explorer Factory"
(+)(REG VAL) AppIDFlags = REG_DWORD, 1
(+)(REG VAL) RunAs = REG_SZ, "Interactive User"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ce166e40-1e72-45b9-94c9-3b2050e8f180}
(+)(REG VAL) (Default) = REG_SZ, "SharedAccess"
(+)(REG VAL) LocalService = REG_SZ, "SharedAccess"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{cee8ccc9-4f6b-4469-a235-5a22869eef03}
(+)(REG VAL) (Default) = REG_SZ, "PNPXAssoc.dll"
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{CF254B00-1986-4b24-A92D-463D01F7E395}
(+)(REG VAL) (Default) = REG_SZ, "sdchange"
(+)(REG VAL) AccessPermission = REG_BINARY,
..D.T.....0..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{D0565000-9DF4-11D1-A281-00C04FCA0AA7}
(+)(REG VAL) (Default) = REG_SZ, "Event Object Change"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{D215781D-019E-4FA0-903D-0CDCDE13A4F5}
(+)(REG VAL) (Default) = REG_SZ, "Winmgmt MOF Compiler OOP"
(+)(REG VAL) AccessPermission = REG_BINARY, ..H.T.....4.....
.....
(+)(REG VAL) LaunchPermission = REG_BINARY, ..H.T.....4.....
.....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{D2E7041B-2927-42fb-8E9F-7CE93B6DC937}
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\colorui.dll"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{D3667F1E-CCB8-4A69-99DF-59A2B2A6753F}
(+)(REG VAL) (Default) = REG_SZ, "Windows SideShow Device Configuration
Helper"
(+)(REG VAL) AccessPermission = REG_BINARY,
..`.p.....L..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{D3DCB472-7261-43ce-924B-0704BD730D5F}
(+)(REG VAL) LaunchPermission = REG_BINARY,
..p.....\..... ....
(+)(REG VAL) LocalService = REG_SZ, "fdPHost"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{D88EC52B-8D57-49e1-9EB3-4D267D68A2AE}
(+)(REG VAL) (Default) = REG_SZ, "Bluewire unpairing elevation surrogate"
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{DA9101CC-1C31-495f-9B38-32B0B5E4AC1C}
(+)(REG VAL) (Default) = REG_SZ, "CorelDRAW"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{DCED8DB0-11A5-4b16-AB9D-4E28CA38C99F}
(+)(REG VAL) AccessPermission = REG_BINARY,
..X.h.....D..... ....
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l.....H..... ....
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{DE5DBCDC-104A-4cbc-A4D5-0C2104A142C5}
(+)(REG VAL) (Default) = REG_SZ, "AccStore Class"
(+)(REG VAL) AuthenticationLevel = REG_DWORD, 1
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E10F6C3A-F1AE-4adc-AA9D-2FE65525666E}
(+)(REG VAL) (Default) = REG_SZ, "Profile Notification Host"
(+)(REG VAL) DllSurrogate = REG_SZ, ""
(+)(REG KEY)

```
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E2B3C97F-6AE1-41AC-817A-F6F92166D7DD}
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L..................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d.................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{e30984f1-b02b-4c27-a40f-23d11b8c1212}
       (+)(REG VAL) (Default) = REG_SZ, "Windows Update Agent User Interface for
Published Applications"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D.................................... ....... ...
       (+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H.................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E32549C4-C2B8-4BCC-90D7-0FC3511092BB}
       (+)(REG VAL) (Default) = REG_SZ, "Scan"
       (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{e4803a36-7232-4ac0-a6af-29d59ebcc303}
       (+)(REG VAL) PreferredServerBitness = REG_DWORD, 3
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E495081B-BBA5-4b89-BA3C-3B86A686B87A}
       (+)(REG VAL) (Default) = REG_SZ, "upnphost"
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..D.P......0............................... ...
       (+)(REG VAL) LocalService = REG_SZ, "upnphost"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E5BBC23C-0570-4B7A-AEE3-A0698AD0CA04}
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..D.T......0........................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E6442437-6C68-4f52-94DD-2CFED267EFB9}
       (+)(REG VAL) (Default) = REG_SZ, "TrayDesktopBand"
       (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E7F34D0A-582E-4a48-98BA-6E58AAA3AD4C}
       (+)(REG VAL) (Default) = REG_SZ, "Sensors PropertyPage Host"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L..................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E8054D20-497D-4E16-BF41-6E69FCD381A5}
       (+)(REG VAL) (Default) = REG_SZ, "UICOM"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D.................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H.................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E9495B87-D950-4ab5-87A5-FF6D70BF3E90}
       (+)(REG VAL) (Default) = REG_SZ, "wscui.cpl"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L..................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d.................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{E96767E0-7EAA-45e1-8E7D-64414AFF281A}
       (+)(REG VAL) (Default) = REG_SZ, "File Prop Sheet Page Helper"
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{EA022610-0748-4c24-B229-6C507EBDFDBB}
       (+)(REG VAL) (Default) = REG_SZ, "HomeGroup Provider Service"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..p........\..................................... ....... ....... ...
```

```
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..p........\............................ ................. ....... ...
        (+)(REG VAL) LocalService = REG_SZ, "HomeGroupProvider"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{EA22EAEC-9A7C-4E69-8040-8BEA931233B4}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{EA2C6B24-C590-457B-BAC8-4A0F9B13B5B8}
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\System32\UserAccountControlSettings.dll"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L........................................ ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{EC9846B3-2762-4A6B-A214-6ACB603462D2}
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L........................................ ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ECABB0C3-7F19-11D2-978E-0000F8757E2A}
        (+)(REG VAL) (Default) = REG_SZ, "ComEvents.ComServiceEvents"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ECABB0C6-7F19-11D2-978E-0000F8757E2A}
        (+)(REG VAL) (Default) = REG_SZ, "ComEvents.ComSystemAppEventData"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ed1d0fdf-4414-470a-a56d-cfb68623fc58}
        (+)(REG VAL) (Default) = REG_SZ, "Play with Windows Media Player"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ED372EB0-5B14-484F-A27C-05FF89B6DF25}
        (+)(REG VAL) (Default) = REG_SZ, "SWDNLD"
        (+)(REG VAL) ROTFlags = REG_DWORD, 1
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ED6BB178-B06A-47ad-98B3-6066E0CF0147}
        (+)(REG VAL) (Default) = REG_SZ, "Windows Media Player Launch"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{edb5f444-cb8d-445a-a523-ec5ab6ea33c7}
        (+)(REG VAL) (Default) = REG_SZ, "Share Manager"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LoadUserSettings = REG_DWORD, 1
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F056D291-A2AB-45f7-8EE4-40454493B351}
        (+)(REG VAL) (Default) = REG_SZ, "Windows SideShow PropertyPage Host"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L........................................ ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F135BE18-BF34-4CBD-B1D5-55D49F0DEDCC}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Audio Device Graph Server"
        (+)(REG VAL) LaunchPermission = REG_BINARY, ..0.@......................
....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F20DA720-C02F-11CE-927B-0800095AE340}
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F290BFB2-1864-45B1-8804-2654194A87E7}
        (+)(REG VAL) (Default) = REG_SZ, "Virtual Disk Service"
        (+)(REG VAL) AccessPermission = REG_BINARY, ..`.|......L..........
........... ........................................
        (+)(REG VAL) LaunchPermission = REG_BINARY, ..`.|......L..........
........... ........................................
        (+)(REG VAL) LocalService = REG_SZ, "vds"
    (+)(REG KEY)
```

```
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{f32d97df-e3e5-4cb9-9e3e-0eb5b4e49801}
       (+)(REG VAL) (Default) = REG_SZ, "SPPSurrogate"
       (+)(REG VAL) AccessPermission = REG_BINARY,
...........p..................................................... ....... .......
...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F3D3AA8D-EF96-4470-848E-BD70B803047A}
       (+)(REG VAL) (Default) = REG_SZ, "NDFAPI"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L.......................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{f4be747e-45c4-4701-90f1-d49d9ac30248}
       (+)(REG VAL) (Default) = REG_SZ, "PerfCenter Enabler"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L.......................................... ....... ...
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{f62fdd2e-66d2-423b-9a04-f71ea00f892a}
       (+)(REG VAL) (Default) = REG_SZ, "Windows Update Agent User Interface"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D..................................... ....... ...
       (+)(REG VAL) AuthenticationLevel = REG_DWORD, 6
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..\.l......H..................... ................. ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F75B6772-91E4-4D2F-9D44-61A447109C2B}
       (+)(REG VAL) (Default) = REG_SZ,
"Microsoft.Aspnet.Snapin.AspNetManagementUtility.4"
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F808DF63-6049-11D1-BA20-006097D2898E}
       (+)(REG VAL) (Default) = REG_SZ, "logagent"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F8FD03A6-DDD9-4C1B-84EE-58159476A0D7}
       (+)(REG VAL) (Default) = REG_SZ, "RAServer"
       (+)(REG VAL) AccessPermission = REG_BINARY, ..0.@......................
....... ...
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..0.L.............................................
       (+)(REG VAL) PreferredServerBitness = REG_DWORD, 3
       (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F9717507-6651-4EDB-BFF7-AE615179BCCF}
       (+)(REG VAL) (Default) = REG_SZ, "WinInetBrokerServer"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..\.l......H..................................... ....... ...
       (+)(REG VAL) AppIDFlags = REG_DWORD, 8
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
       (+)(REG VAL) LaunchPermission = REG_BINARY,
..d.t...0................4............................. ....... ...
       (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F9B84490-4C45-4737-82E5-0EA0B1CF5307}
       (+)(REG VAL) (Default) = REG_SZ, "DaemonShellExtImage"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{F9DBBC28-24DA-419C-8157-8F70EC076E9A}
       (+)(REG VAL) (Default) = REG_SZ, "AdminTasks"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.l......L.................................................
       (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{FA1456D3-4B97-4f9c-8511-2786161DC333}
       (+)(REG VAL) (Default) = REG_SZ, "NCLUA"
       (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L.......................................... ....... ...
```

```
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{FAF53CC4-BD73-4E36-83F1-2B23F46E513E}
        (+)(REG VAL) (Default) = REG_SZ, "VssEvent"
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{fb479c02-9ec4-4fed-8599-debe037452cb}
        (+)(REG VAL) (Default) = REG_SZ, "Shell Hardware Mixed Content Handler
Cancelled"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{FB74D869-2D98-447A-A9D8-DBFB0DFDF4E7}
        (+)(REG VAL) (Default) = REG_SZ, "ISDownloadManager"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{FBF23B40-E3F0-101B-8488-00AA003E56F8}
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{FC38B7C8-9E50-497d-A387-7DEBDAD14160}
        (+)(REG VAL) (Default) = REG_SZ, "RegisterControl"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{FCC74B77-EC3E-4dd8-A80B-008A702075A9}
        (+)(REG VAL) (Default) = REG_SZ, "appwiz.cpl"
        (+)(REG VAL) AccessPermission = REG_BINARY,
..`.p......L..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
        (+)(REG VAL) LaunchPermission = REG_BINARY,
..x........d..................... ............................... ....... ...
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{fd6c8b29-e936-4a61-8da6-b0c12ad3ba00}
        (+)(REG VAL) (Default) = REG_SZ, "Wordpad"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{ff9e6131-a8c1-4188-aa03-82e9f10a05a8}
        (+)(REG VAL) AccessPermission = REG_BINARY,
..X.h......D..................................... ....... ...
        (+)(REG VAL) DllSurrogate = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\{FFB8655F-81B9-4fce-B89C-9A6BA76D13E7}
        (+)(REG VAL) (Default) = REG_SZ, "Shell Execute Hardware Event Handler"
        (+)(REG VAL) RunAs = REG_SZ, "Interactive User"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\AdminTasks.DLL
        (+)(REG VAL) AppID = REG_SZ, "{F9DBBC28-24DA-419C-8157-8F70EC076E9A}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\APSDaemon.EXE
        (+)(REG VAL) AppID = REG_SZ, "{85187E17-383D-4EC5-B8D6-D9466EE3DD92}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\BdeUISrv.EXE
        (+)(REG VAL) AppID = REG_SZ, "{AB93B6F1-BE76-4185-A488-A9001B105B94}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\BITS
        (+)(REG VAL) AppID = REG_SZ, "{69AD4AEE-51BE-439b-A92C-86AE490E8B30}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\CamrecShellExt.DLL
        (+)(REG VAL) AppID = REG_SZ, "{0DE69E95-29A8-4A7B-B10C-78EF7E2AA5B4}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\CorelDRW.exe
        (+)(REG VAL) AppID = REG_SZ, "{DA9101CC-1C31-495f-9B38-32B0B5E4AC1C}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\CorelPP.exe
        (+)(REG VAL) AppID = REG_SZ, "{50E29A62-C206-450b-A3B7-C7000F09F4CC}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\cttunesvr.EXE
        (+)(REG VAL) AppID = REG_SZ, "{C3A34354-660F-41EE-B072-2AEA5E3A80AF}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\CSISYNCCLIENT.EXE
        (+)(REG VAL) AppId = REG_SZ, "{4B417484-ABFF-4C70-8C2F-5A729026263C}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\DeviceDisplayObjectProvider.exe
        (+)(REG VAL) AppID = REG_SZ, "{04626806-2243-4354-ab44-4ade718d09df}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\dtsh.dll
        (+)(REG VAL) AppId = REG_SZ, "{1fda955b-61ff-11da-978c-0008744faab7}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\DTShl32.dll
        (+)(REG VAL) AppID = REG_SZ, "{F9B84490-4C45-4737-82E5-0EA0B1CF5307}"
    (+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\dxpServer.EXE
        (+)(REG VAL) AppID = REG_SZ, "{01A39A4B-90E2-4EDF-8A1C-DD9E5F526568}"
```

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\elevator.exe
(+)(REG VAL) AppID = REG_SZ, "{3B29AB5C-52CB-4a36-9314-E3FEE0BA7468}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\ExportController.exe
(+)(REG VAL) AppID = REG_SZ, "{C03E0431-0CA9-46B8-95FB-CDE2E93888C5}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\firewallcontrolpanel.dll
(+)(REG VAL) AppId = REG_SZ, "{6571503D-D0FB-4D98-BBC3-1FBB2B3F344E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\googleearth.exe
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG VAL) AppID = REG_SZ, "{46A99B9C-4AC8-4EE9-AF7D-D02816CEC314}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\IMAPI.DLL
(+)(REG VAL) AppID = REG_SZ, "{C49F2185-50A7-11D3-9144-00104BA11C5E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\IMAPI2.DLL
(+)(REG VAL) AppID = REG_SZ, "{273541FF-7F64-5B0F-8F00-5D77AFBE261E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\IMAPI2FS.DLL
(+)(REG VAL) AppID = REG_SZ, "{2C941FD1-975B-59BE-A960-9A2A262853A5}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\IPBusEnum.DLL
(+)(REG VAL) AppID = REG_SZ, "{344ED43D-D086-4961-86A6-1106F4ACAD9B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\ISDownloadManager.EXE
(+)(REG VAL) AppID = REG_SZ, "{FB74D869-2D98-447A-A9D8-DBFB0DFDF4E7}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\Keyhole.EXE
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG VAL) AppID = REG_SZ, "{7E7898C9-8E34-4314-9670-771BC5343D0E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\LocationApi.dll
(+)(REG VAL) AppID = REG_SZ, "{CBDC4B31-CBE4-4A5B-BECF-64B29E47D2AD}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\MeetingJoinAxOC.DLL
(+)(REG VAL) AppID = REG_SZ, "{561C57B5-CC32-438F-A667-860E43345537}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\MigAutoPlay.exe
(+)(REG VAL) AppID = REG_SZ, "{AA530F18-0818-4643-8884-AAE61A76488B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\migwiz.exe
(+)(REG VAL) AppID = REG_SZ, "{41CA32F2-698A-4fd8-BB78-B102CE155F53}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\MSTSC.EXE
(+)(REG VAL) AppID = REG_SZ, "{6B1DE8B3-DFB1-4C0E-9D9A-89CA730DE93F}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\ndfapi.dll
(+)(REG VAL) AppId = REG_SZ, "{F3D3AA8D-EF96-4470-848E-BD70B803047A}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\netcenter.dll
(+)(REG VAL) AppId = REG_SZ, "{FA1456D3-4B97-4f9c-8511-2786161DC333}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\NetProjW.dll
(+)(REG VAL) AppId = REG_SZ, "{A5FFF81C-DB47-4658-A890-474CE0A3E729}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\Nv3DVisionIePlugin.DLL
(+)(REG VAL) AppID = REG_SZ, "{727C4938-C5C5-4743-B543-7E6F100CE67B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\Nvvsvc.EXE
(+)(REG VAL) AppID = REG_SZ, "{C5EDFC9D-B018-41A4-9877-39AB18469C3A}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\NVXDApiX.DLL
(+)(REG VAL) AppID = REG_SZ, "{B92B577B-628A-442B-A017-E86FB518C6FD}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\NvXDSync.EXE
(+)(REG VAL) AppID = REG_SZ, "{4680B596-CF8C-44E1-A676-4AAA819E041F}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\PenIMC2
(+)(REG VAL) AppID = REG_SZ, "{63CE6D27-426A-41F9-8E51-549C1132DAE2}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\PenIMC4
(+)(REG VAL) AppID = REG_SZ, "{7568952A-571E-4C70-BEA9-7F9004393436}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\PrintBrmEngine.EXE
(+)(REG VAL) AppID = REG_SZ, "{5C797117-3B23-4549-A6D8-475AB3B62228}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\PrintFilterPipelineSvc.Exe
(+)(REG VAL) AppID = REG_SZ, "{76db1bf3-e820-4765-a1b2-0b16a86b1950}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\PrintIsolationHost.exe
(+)(REG VAL) AppID = REG_SZ, "{98a89e0c-1fde-4c2a-a373-b04831e6aa60}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\QTUIPanelControl.DLL
(+)(REG VAL) AppID = REG_SZ, "{02C4F32F-C02D-419B-8889-5CBF2FBD7F3D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\RAServer.EXE
(+)(REG VAL) AppID = REG_SZ, "{F8FD03A6-DDD9-4C1B-84EE-58159476A0D7}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\RCM.DLL
(+)(REG VAL) AppID = REG_SZ, "{C9F65BA8-1F8F-4382-AE27-C91FFB29275F}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\RegisterControl.DLL
(+)(REG VAL) AppID = REG_SZ, "{FC38B7C8-9E50-497d-A387-7DEBDAD14160}"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\SapiSvr.exe
(+)(REG VAL) AppID = REG_SZ, "{C945AD06-534F-460C-8CB4-17C33099AF81}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\sdchange.EXE
(+)(REG VAL) AppID = REG_SZ, "{CF254B00-1986-4b24-A92D-463D01F7E395}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\sharemediacpl.dll
(+)(REG VAL) AppId = REG_SZ, "{0671E064-7C24-4AC0-AF10-0F3055707C32}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\slui.exe
(+)(REG VAL) AppID = REG_SZ, "{CCFDD24D-CEAB-458B-A4F1-F884973395DF}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\SoftwareUpdate.exe
(+)(REG VAL) AppID = REG_SZ, "{6A070EEA-E3F8-411E-9D3A-F3814ED6D1A8}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\SoftwareUpdateAdmin.DLL
(+)(REG VAL) AppID = REG_SZ, "{16D99191-6280-4B33-A2F5-04805A0FC582}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\sppcomapi.dll
(+)(REG VAL) AppID = REG_SZ, "{6D9A7A40-DDCA-414E-B48E-DFB032C03C1B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\SWDNLD.EXE
(+)(REG VAL) AppID = REG_SZ, "{ED372EB0-5B14-484F-A27C-05FF89B6DF25}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\SwHelper_1223183.EXE
(+)(REG VAL) AppID = REG_SZ, "{AF551664-D2DF-4E34-85DE-46320B13A0B4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\SyncHost.EXE
(+)(REG VAL) AppID = REG_SZ, "{BBC4356A-F004-4628-A27A-E13D70412B70}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\TabBtnEx.DLL
(+)(REG VAL) AppID = REG_SZ, "{25351F98-BEC9-4BA0-A1F7-D9D69225E52F}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\TeamViewer.exe
(+)(REG VAL) AppID = REG_SZ, "{850A928D-5456-4865-BBE5-42635F1EBCA1}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\TeamViewer_Service.exe
(+)(REG VAL) AppID = REG_SZ, "{2B433F44-5456-42FF-8CBD-54E8176ECD01}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\Tec.dll
(+)(REG VAL) AppID = REG_SZ, "{52A0704B-CD41-4B75-A49F-A47322B23773}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\TrustedInstaller.exe
(+)(REG VAL) AppID = REG_SZ, "{752073A2-23F2-4396-85F0-8FDB879ED0ED}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\TSTheme.EXE
(+)(REG VAL) AppID = REG_SZ, "{8be0366c-8522-40be-8b08-cb26557f2854}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\TSWbPrxy.exe
(+)(REG VAL) AppID = REG_SZ, "{C92A9617-0EAE-4235-BD2B-84540EF1FFA9}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\vds.exe
(+)(REG VAL) AppID = REG_SZ, "{F290BFB2-1864-45B1-8804-2654194A87E7}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\WcsPlugInService.dll
(+)(REG VAL) AppID = REG_SZ, "{CD11FAB6-1C0E-45e1-BA31-5C6008EF2607}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\wiaacmgr.EXE
(+)(REG VAL) AppID = REG_SZ, "{E32549C4-C2B8-4BCC-90D7-0FC3511092BB}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\winmgmt
(+)(REG VAL) AppID = REG_SZ, "{8BC3F05E-D86B-11D0-A075-00C04FB68820}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\wisptis.EXE
(+)(REG VAL) AppID = REG_SZ, "{7F429620-16D1-471E-A81A-114992148034}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\WkspRT.exe
(+)(REG VAL) AppID = REG_SZ, "{4FCDA643-B15B-41C6-84F8-5E447F6F6D25}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\wlanconn.dll
(+)(REG VAL) AppId = REG_SZ, "{825FC848-87F7-4F26-9EF6-43964094FF98}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\wlanpref.dll
(+)(REG VAL) AppId = REG_SZ, "{7C8AB6D9-8764-4033-8F62-2FE896E54B32}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\WMPDMCCore.DLL
(+)(REG VAL) AppID = REG_SZ, "{92C2A9B3-4228-438E-8A7B-EF110987764C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\wmplayer.exe
(+)(REG VAL) AppID = REG_SZ, "{B8C54A54-355E-11D3-83EB-00A0C92A2F2D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppID\WRLiloSpellingPlugin.DLL
(+)(REG VAL) AppID = REG_SZ, "{CB6E8DE9-4CE1-4AA0-A9C5-03F4510BBCA5}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdate.ASUInstallHost
(+)(REG VAL) (Default) = REG_SZ, "ASUInstallHost Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdate.ASUInstallHost\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{91A9E6A9-3935-4A37-AFBA-F0904B166364}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdate.ASUInstallHost\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AppleSoftwareUpdate.ASUInstallHost.1"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdate.ASUInstallHost.1
(+)(REG VAL) (Default) = REG_SZ, "ASUInstallHost Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdate.ASUInstallHost.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{91A9E6A9-3935-4A37-AFBA-F0904B166364}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdateAdmin.ASUTaskSched.1
(+)(REG VAL) (Default) = REG_SZ, "ASUTaskScheduler Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdateAdmin.ASUTaskSched.1\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{BB46F03E-7CD2-489F-8F95-BB950F395FDB}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdateAdmin.ASUTaskSchedul
(+)(REG VAL) (Default) = REG_SZ, "ASUTaskScheduler Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdateAdmin.ASUTaskSchedul\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{BB46F03E-7CD2-489F-8F95-BB950F395FDB}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AppleSoftwareUpdateAdmin.ASUTaskSchedul\CurV
er
(+)(REG VAL) (Default) = REG_SZ,
"AppleSoftwareUpdateAdmin.ASUTaskSched.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Application.Manifest
(+)(REG VAL) (Default) = REG_SZ, "Application Manifest"
(+)(REG VAL) BrowserFlags = REG_DWORD, 4096
(+)(REG VAL) EditFlags = REG_DWORD, 65536
(+)(REG VAL) FriendlyTypeName = REG_SZ, "@dfshim.dll,-200"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Application.Manifest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{98af66e4-aa41-4226-b80f-0b1a8f34eeb4}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Application.Manifest\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "%SystemRoot%\system32\dfshim.dll,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Application.Manifest\shell
(+)(REG VAL) (Default) = REG_SZ, "open"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Application.Manifest\shell\open
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Application.Manifest\shell\open\command
(+)(REG VAL) (Default) = REG_SZ, "rundll32.exe
dfshim.dll,ShOpenVerbApplication %1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.APSNotificationServer
(+)(REG VAL) (Default) = REG_SZ, "APSNotificationServer Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.APSNotificationServer\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6812639B-FD61-4329-9901-22CFDBD690FE}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.APSNotificationServer.1
(+)(REG VAL) (Default) = REG_SZ, "APSNotificationServer Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.APSNotificationServer.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6812639B-FD61-4329-9901-22CFDBD690FE}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.NotificationCenter
(+)(REG VAL) (Default) = REG_SZ, "NotificationCenter Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.NotificationCenter\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{fdd068c2-d51a-4175-8a20-5cbc704ea3bd}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.NotificationCenter\CurVer
(+)(REG VAL) (Default) = REG_SZ, "APSDaemon.NotificationCenter.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.NotificationCenter.1
(+)(REG VAL) (Default) = REG_SZ, "NotificationCenter Class"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\APSDaemon.NotificationCenter.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{fdd068c2-d51a-4175-8a20-5cbc704ea3bd}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ASP.HostEncode
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ASP.HostEncode\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0CF774D1-F077-11D1-B1BC-00C04F86C324}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ATL.Registrar
(+)(REG VAL) (Default) = REG_SZ, "Registrar Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\ATL.Registrar\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{44EC053A-400F-11D0-9DCD-00A0C90391D3}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AudioVBScript
(+)(REG VAL) (Default) = REG_SZ, "DirectMusic Audio VB Script Language"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AudioVBScript\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4EE17959-931E-49E4-A2C6-977ECF3628F3}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AudioVBScript\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AudioVBScript.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AudioVBScript\DMScript
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AudioVBScript.1
(+)(REG VAL) (Default) = REG_SZ, "DirectMusic Audio VB Script Language"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AudioVBScript.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4EE17959-931E-49E4-A2C6-977ECF3628F3}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AudioVBScript.1\DMScript
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzAuthorizationStore
(+)(REG VAL) (Default) = REG_SZ, "AzAuthorizationStore Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzAuthorizationStore\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AzRoles.AzAuthorizationStore.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzAuthorizationStore.1
(+)(REG VAL) (Default) = REG_SZ, "AzAuthorizationStore Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzAuthorizationStore.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{b2bcff59-a757-4b0b-a1bc-ea69981da69e}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzBizRuleContext
(+)(REG VAL) (Default) = REG_SZ, "AzBizRuleContext Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzBizRuleContext\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AzRoles.AzBizRuleContext.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzBizRuleContext.1
(+)(REG VAL) (Default) = REG_SZ, "AzBizRuleContext Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzBizRuleContext.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{5c2dc96f-8d51-434b-b33c-379bccae77c3}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzPrincipalLocator
(+)(REG VAL) (Default) = REG_SZ, "AzPrincipalLocator Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzPrincipalLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "AzRoles.AzPrincipalLocator.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzPrincipalLocator.1
(+)(REG VAL) (Default) = REG_SZ, "AzPrincipalLocator Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\AzRoles.AzPrincipalLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{483afb5d-70df-4e16-abdc-a1de4d015a3e}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BaseCalendarDef.BaseCalendarDef
(+)(REG VAL) (Default) = REG_SZ, "BaseCalendarDef Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BaseCalendarDef.BaseCalendarDef\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BaseCalendarDef.BaseCalendarDef.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BaseCalendarDef.BaseCalendarDef.1
(+)(REG VAL) (Default) = REG_SZ, "BaseCalendarDef Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BaseCalendarException.BaseCalendarException
(+)(REG VAL) (Default) = REG_SZ, "BaseCalendarException Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BaseCalendarException.BaseCalendarException\

CurVer
(+)(REG VAL) (Default) = REG_SZ, "BaseCalendarException.BaseCalendarException.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BaseCalendarException.BaseCalendarException.1
(+)(REG VAL) (Default) = REG_SZ, "BaseCalendarException Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BCSLaunch.Launcher
(+)(REG VAL) (Default) = REG_SZ, "Launcher"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BCSLaunch.Launcher\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6D696531-E8E2-43BF-BE3F-A213706E98FB}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BCSLaunch.Launcher\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BCSLaunch.Launcher.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BCSLaunch.Launcher.2
(+)(REG VAL) (Default) = REG_SZ, "Launcher"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BCSLaunch.Launcher.2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6D696531-E8E2-43BF-BE3F-A213706E98FB}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogAudioComponentType
(+)(REG VAL) (Default) = REG_SZ, "Analog Audio Component Type"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogAudioComponentType\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{28AB0005-E845-4FFA-AA9B-F4665236141C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogAudioComponentType\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.AnalogAudioComponentType.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogAudioComponentType.1
(+)(REG VAL) (Default) = REG_SZ, "Analog Audio Component Type"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogAudioComponentType.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{28AB0005-E845-4FFA-AA9B-F4665236141C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogLocator
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Analog Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogLocator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{49638B91-48AB-48B7-A47A-7D0E75A08EDE}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.AnalogLocator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogLocator.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Analog Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{49638B91-48AB-48B7-A47A-7D0E75A08EDE}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogRadioTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Analog Radio Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogRadioTuningSpace\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{8A674B4C-1F63-11D3-B64C-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogRadioTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.AnalogRadioTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogRadioTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Analog Radio Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogRadioTuningSpace.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{8A674B4C-1F63-11D3-B64C-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogTVTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Analog TV Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogTVTuningSpace\CLSID

(+)(REG VAL) (Default) = REG_SZ, "{8A674B4D-1F63-11D3-B64C-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogTVTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.AnalogTVTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogTVTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Analog TV Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AnalogTVTuningSpace.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{8A674B4D-1F63-11D3-B64C-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCChannelTuneRequest
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ATSC Channel Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCChannelTuneRequest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0369B4E6-45B6-11D3-B650-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCChannelTuneRequest\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ATSCChannelTuneRequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCChannelTuneRequest.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ATSC Channel Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCChannelTuneRequest.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0369B4E6-45B6-11D3-B650-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCComponentType
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ATSC Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCComponentType\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{A8DCF3D5-0780-4EF4-8A83-2CFFAACB8ACE}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCComponentType\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ATSCComponentType.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCComponentType.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ATSC Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCComponentType.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{A8DCF3D5-0780-4EF4-8A83-2CFFAACB8ACE}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCLocator
(+)(REG VAL) (Default) = REG_SZ, "ATSC Tune Request Location Information"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCLocator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{8872FF1B-98FA-4D7A-8D93-C9F1055F85BB}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ATSCLocator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCLocator.1
(+)(REG VAL) (Default) = REG_SZ, "ATSC Tune Request Location Information"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{8872FF1B-98FA-4D7A-8D93-C9F1055F85BB}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ATSC Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCTuningSpace\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{A2E30750-6C3D-11D3-B653-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ATSCTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ATSC Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ATSCTuningSpace.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{A2E30750-6C3D-11D3-B653-00C04F79498E}"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AuxiliaryInTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Auxiliary Inputs Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AuxiliaryInTuningSpace\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{F9769A06-7ACA-4E39-9CFB-97BB35F0E77E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AuxiliaryInTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.AuxiliaryInTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AuxiliaryInTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Auxiliary Inputs Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.AuxiliaryInTuningSpace.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{F9769A06-7ACA-4E39-9CFB-97BB35F0E77E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuneRequest
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Channel ID Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuneRequest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{3A9428A7-31A4-45E9-9EFB-E055BF7BB3DB}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuneRequest\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ChannelIDTuneRequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuneRequest.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Channel ID Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuneRequest.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{3A9428A7-31A4-45E9-9EFB-E055BF7BB3DB}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Channel ID Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuningSpace\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CC829A2F-3365-463F-AF13-81DBB6F3A555}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ChannelIDTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Channel ID Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelIDTuningSpace.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CC829A2F-3365-463F-AF13-81DBB6F3A555}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelTuneRequest
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Channel Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelTuneRequest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0369B4E5-45B6-11D3-B650-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelTuneRequest\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ChannelTuneRequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelTuneRequest.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Channel Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ChannelTuneRequest.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0369B4E5-45B6-11D3-B650-00C04F79498E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Component
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Component Class(Broadcast Substream)"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Component\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{59DC47A8-116C-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Component\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.Component.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Component.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Component Class(Broadcast Substream)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Component.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{59DC47A8-116C-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Components
(+)(REG VAL) (Default) = REG_SZ, "Collection of BDA Tuning Model Components(Broadcast Substreams)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Components\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{809B6661-94C4-49E6-B6EC-3F0F862215AA}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Components\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.Components.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Components.1
(+)(REG VAL) (Default) = REG_SZ, "Collection of BDA Tuning Model Components(Broadcast Substreams)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.Components.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{809B6661-94C4-49E6-B6EC-3F0F862215AA}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentType
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentType\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{823535A0-0318-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentType\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ComponentType.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentType.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentType.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{823535A0-0318-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentTypes
(+)(REG VAL) (Default) = REG_SZ, "Collection of BDA Tuning Model Component Types(Broadcast Substream Types)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentTypes\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{A1A2B1C4-0E3A-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentTypes\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ComponentTypes.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentTypes.1
(+)(REG VAL) (Default) = REG_SZ, "Collection of BDA Tuning Model Component Types(Broadcast Substream Types)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ComponentTypes.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{A1A2B1C4-0E3A-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableLocator
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Digital Cable Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableLocator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{03C06416-D127-407A-AB4C-FDD279ABBE5D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DigitalCableLocator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableLocator.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Digital Cable Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{03C06416-D127-407A-AB4C-FDD279ABBE5D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuneRequest

(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Digital Cable Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuneRequest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{26EC0B63-AA90-458A-8DF4-5659F2C8A18A}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuneRequest\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DigitalCableTuneRequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuneRequest.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Digital Cable Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuneRequest.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{26EC0B63-AA90-458A-8DF4-5659F2C8A18A}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Digital Cable Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuningSpace\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{D9BB4CEE-B87A-47F1-AC92-B08D9C7813FC}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DigitalCableTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Digital Cable Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DigitalCableTuningSpace.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{D9BB4CEE-B87A-47F1-AC92-B08D9C7813FC}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBCLocator
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Cable Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBCLocator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{C531D9FD-9685-4028-8B68-6E1232079F1E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBCLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DVBCLocator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBCLocator.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Cable Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBCLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{C531D9FD-9685-4028-8B68-6E1232079F1E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSLocator
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Satellite Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSLocator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{1DF7D126-4050-47F0-A7CF-4C4CA9241333}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DVBSLocator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSLocator.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Satellite Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{1DF7D126-4050-47F0-A7CF-4C4CA9241333}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB-Satellite Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSTuningSpace\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{B64016F3-C9A2-4066-96F0-BD9563314726}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DVBSTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB-Satellite Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBSTuningSpace.1\CLSID

(+)(REG VAL) (Default) = REG_SZ, "{B64016F3-C9A2-4066-96F0-BD9563314726}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Terrestrial Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{9CD64701-BDF3-4D14-8E03-F12983D86664}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DVBTLocator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Terrestrial Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{9CD64701-BDF3-4D14-8E03-F12983D86664}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator2
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Terrestrial 2 Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{EFE3FA02-45D7-4920-BE96-53FA7F35B0E6}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator2\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DVBTLocator2.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator2.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Terrestrial 2 Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTLocator2.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{EFE3FA02-45D7-4920-BE96-53FA7F35B0E6}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuneRequest
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuneRequest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{15D6504A-5494-499C-886C-973C9E53B9F1}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuneRequest\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DVBTuneRequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuneRequest.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuneRequest.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{15D6504A-5494-499C-886C-973C9E53B9F1}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuningSpace
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuningSpace\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{C6B14B32-76AA-4A86-A7AC-5C79AAF58DA7}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuningSpace\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DVBTuningSpace.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuningSpace.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model DVB Tuning Space"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.DVBTuningSpace.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{C6B14B32-76AA-4A86-A7AC-5C79AAF58DA7}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ISDBSLocator
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ISDB Satellite Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ISDBSLocator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6504AFED-A629-455C-A7F1-04964DEA5CC4}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ISDBSLocator\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ISDBSLocator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ISDBSLocator.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ISDB Satellite Locator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.ISDBSLocator.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6504AFED-A629-455C-A7F1-04964DEA5CC4}"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.LanguageComponentType
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Language Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.LanguageComponentType\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{1BE49F30-0E1B-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.LanguageComponentType\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.LanguageComponentType.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.LanguageComponentType.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Language Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.LanguageComponentType.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{1BE49F30-0E1B-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2Component
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Component Class (Broadcast Substream)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2Component\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{055CB2D7-2969-45CD-914B-76890722F112}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2Component\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2Component.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2Component.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Component Class (Broadcast Substream)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2Component.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{055CB2D7-2969-45CD-914B-76890722F112}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2ComponentType
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2ComponentType\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{418008F3-CF67-4668-9628-10DC52BE1D08}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2ComponentType\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2ComponentType.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2ComponentType.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Component Type Class (Broadcast Substream Type)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2ComponentType.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{418008F3-CF67-4668-9628-10DC52BE1D08}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequest
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequest\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2TuneRequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequest.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequest.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequestFactory
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Tune Request Factory"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequestFactory\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{2C63E4EB-4CEA-41B8-919C-E947EA19A77C}"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequestFactory\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2TuneRequestFactory.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequestFactory.1
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Tune Request Factory"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.MPEG2TuneRequestFactory.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{2C63E4EB-4CEA-41B8-919C-E947EA19A77C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.SystemTuningSpaces
(+)(REG VAL) (Default) = REG_SZ, "Collection of all the available BDA Tuning Model Tuning Space objects on this system"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.SystemTuningSpaces\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{D02AAC50-027E-11D3-9D8E-00C04F72D980}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.SystemTuningSpaces\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.SystemTuningSpaces.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.SystemTuningSpaces.1
(+)(REG VAL) (Default) = REG_SZ, "Collection of all the available BDA Tuning Model Tuning Space objects on this system"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BDATuner.SystemTuningSpaces.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{D02AAC50-027E-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BdeUISrv.BDEUILauncher
(+)(REG VAL) (Default) = REG_SZ, "BDEUILauncher Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BdeUISrv.BDEUILauncher\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{AB93B6F1-BE76-4185-A488-A9001B105B94}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BdeUISrv.BDEUILauncher\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BdeUISrv.BDEUILauncher.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BdeUISrv.BDEUILauncher.1
(+)(REG VAL) (Default) = REG_SZ, "BDEUILauncher Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BdeUISrv.BDEUILauncher.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{AB93B6F1-BE76-4185-A488-A9001B105B94}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Behavior.Microsoft.DXTFilterBehavior
(+)(REG VAL) (Default) = REG_SZ, "DXTFilterBehavior"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Behavior.Microsoft.DXTFilterBehavior\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{649EEC1E-B579-4E8C-BB3B-4997F8426536}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Behavior.Microsoft.DXTFilterBehavior\CurVer
(+)(REG VAL) (Default) = REG_SZ, "Behavior.Microsoft.DXTFilterBehavior.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Behavior.Microsoft.DXTFilterBehavior.1
(+)(REG VAL) (Default) = REG_SZ, "DXTFilterBehavior"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Behavior.Microsoft.DXTFilterBehavior.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{649EEC1E-B579-4E8C-BB3B-4997F8426536}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BehaviorFactory.Microsoft.DXTFilterFactory
(+)(REG VAL) (Default) = REG_SZ, "DXTFilterFactory"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BehaviorFactory.Microsoft.DXTFilterFactory\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{81397204-F51A-4571-8D7B-DC030521AABD}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BehaviorFactory.Microsoft.DXTFilterFactory\CurVer
(+)(REG VAL) (Default) = REG_SZ, "BehaviorFactory.Microsoft.DXTFilterFactory.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BehaviorFactory.Microsoft.DXTFilterFactory.1

(+)(REG VAL) (Default) = REG_SZ, "DXTFilterFactory"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\BehaviorFactory.Microsoft.DXTFilterFactory.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{81397204-F51A-4571-8D7B-DC030521AABD}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequest
(+)(REG VAL) (Default) = REG_SZ, "Bidi Spooler APIs"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequest\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{B9162A23-45F9-47CC-80F5-FE0FE9B9E1A2}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequest\CurVer
(+)(REG VAL) (Default) = REG_SZ, "bidispl.bidirequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequest.1
(+)(REG VAL) (Default) = REG_SZ, "Bidi Spooler APIs"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequest.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{B9162A23-45F9-47CC-80F5-FE0FE9B9E1A2}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequestcontainer
(+)(REG VAL) (Default) = REG_SZ, "Bidi Spooler APIs"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequestcontainer\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{FC5B8A24-DB05-4A01-8388-22EDF6C2BBBA}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequestcontainer\CurVer
(+)(REG VAL) (Default) = REG_SZ, "bidispl.bidirequestcontainer.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequestcontainer.1
(+)(REG VAL) (Default) = REG_SZ, "Bidi Spooler APIs"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidirequestcontainer.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{FC5B8A24-DB05-4A01-8388-22EDF6C2BBBA}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidispl
(+)(REG VAL) (Default) = REG_SZ, "Bidi Spooler APIs"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidispl\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{2A614240-A4C5-4C33-BD87-1BC709331639}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidispl\CurVer
(+)(REG VAL) (Default) = REG_SZ, "bidispl.bidispl.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidispl.1
(+)(REG VAL) (Default) = REG_SZ, "Bidi Spooler APIs"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bidispl.bidispl.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{2A614240-A4C5-4C33-BD87-1BC709331639}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto
(+)(REG VAL) (Default) = REG_SZ, "VSTO Deployment Manifest"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{EC04D82C-AA59-4ba4-96B1-27BE3FF05E00}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto\CurVer
(+)(REG VAL) (Default) = REG_SZ, "bootstrap.vsto.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto.1
(+)(REG VAL) (Default) = REG_SZ, "VSTO Deployment Manifest"
(+)(REG VAL) BrowserFlags = REG_DWORD, 4096
(+)(REG VAL) EditFlags = REG_DWORD, 4259840
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{EC04D82C-AA59-4ba4-96B1-27BE3FF05E00}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto.1\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\Common Files\Microsoft Shared\VSTO\vstoee.dll,0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto.1\DocObject
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto.1\shell
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto.1\shell\open
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\bootstrap.vsto.1\shell\open\command
(+)(REG VAL) (Default) = REG_SZ, "rundll32.exe "C:\Program Files (x86)\Common Files\Microsoft Shared\VSTO\vstoee.dll",InstallVstoSolution %1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Byot.ByotServerEx
(+)(REG VAL) (Default) = REG_SZ, "Byot Server Extended Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Byot.ByotServerEx\CLSID

(+)(REG VAL) (Default) = REG_SZ, "{ecabb0aa-7f19-11d2-978e-0000f8757e2a}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CamtasiaOfficeAddin.Connect
(+)(REG VAL) (Default) = REG_SZ, "Connect Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CamtasiaOfficeAddin.Connect\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{F2144426-4EF2-4fd0-A32A-9F77371C1D62}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CamtasiaOfficeAddin.Connect\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CamtasiaOfficeAddin.Connect.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CamtasiaOfficeAddin.Connect.1
(+)(REG VAL) (Default) = REG_SZ, "Connect Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CamtasiaOfficeAddin.Connect.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{F2144426-4EF2-4fd0-A32A-9F77371C1D62}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\capiprovider.ccapiprovider
(+)(REG VAL) (Default) = REG_SZ, "CCAPIProvider Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\capiprovider.ccapiprovider\CurVer
(+)(REG VAL) (Default) = REG_SZ, "capiprovider.ccapiprovider.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\capiprovider.ccapiprovider.1
(+)(REG VAL) (Default) = REG_SZ, "CCAPIProvider Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\capiprovider.ccapiprovider.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{e5899c7c-0fc7-499e-a262-174fd692dc9f}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Catsrv.CatalogServer
(+)(REG VAL) (Default) = REG_SZ, "COM+ Catalog Server"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\Catsrv.CatalogServer\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{182C40F0-32E4-11D0-818B-00A0C9231C29}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CCWU.ComCallWrapper
(+)(REG VAL) (Default) = REG_SZ, "Com Call Wrapper Unmarshal Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CCWU.ComCallWrapper\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{3F281000-E95A-11d2-886B-00C04F869F04}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CCWU.ComCallWrapper\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CCWU.ComCallWrapper.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CCWU.ComCallWrapper.1
(+)(REG VAL) (Default) = REG_SZ, "Com Call Wrapper Unmarshal Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CCWU.ComCallWrapper.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{3F281000-E95A-11d2-886B-00C04F869F04}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCacheManager
(+)(REG VAL) (Default) = REG_SZ, "CddbCacheManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCacheManager\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4997bae9-4015-4030-80aa-1477ce28e66c}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCacheManager\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbCacheManager.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCacheManager.1
(+)(REG VAL) (Default) = REG_SZ, "CddbCacheManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCacheManager.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4997bae9-4015-4030-80aa-1477ce28e66c}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBControl2
(+)(REG VAL) (Default) = REG_SZ, "CDDBControl2 Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBControl2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{62d92898-9129-4a24-bc97-078ba176816b}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBControl2.1
(+)(REG VAL) (Default) = REG_SZ, "CDDBControl2 Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBControl2.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{62d92898-9129-4a24-bc97-078ba176816b}"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCredit
(+)(REG VAL) (Default) = REG_SZ, "CddbCredit Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCredit\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{61bd27fe-604c-49f8-a979-7a260a51ea5f}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCredit\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbCredit.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCredit.1
(+)(REG VAL) (Default) = REG_SZ, "CddbCredit Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbCredit.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{61bd27fe-604c-49f8-a979-7a260a51ea5f}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbDisc
(+)(REG VAL) (Default) = REG_SZ, "CddbDisc Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbDisc\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{3d055b64-824e-4613-b845-6afcdb888aa0}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbDisc\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbDisc.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbDisc.1
(+)(REG VAL) (Default) = REG_SZ, "CddbDisc Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbDisc.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{3d055b64-824e-4613-b845-6afcdb888aa0}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbExtData
(+)(REG VAL) (Default) = REG_SZ, "CddbExtData Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbExtData\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{9bac7636-3c83-4a17-bc39-aeff43f8780b}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbExtData\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbExtData.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbExtData.1
(+)(REG VAL) (Default) = REG_SZ, "CddbExtData Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbExtData.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{9bac7636-3c83-4a17-bc39-aeff43f8780b}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbFullName.1
(+)(REG VAL) (Default) = REG_SZ, "CddbFullName Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbFullName.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{d5673322-c7a0-493a-98d5-f16da00724aa}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3Tag
(+)(REG VAL) (Default) = REG_SZ, "CddbID3Tag Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3Tag\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{9e77a3fd-df03-4077-ba10-001d52acae44}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3Tag\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbID3Tag.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3Tag.1
(+)(REG VAL) (Default) = REG_SZ, "CddbID3Tag Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3Tag.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{9e77a3fd-df03-4077-ba10-001d52acae44}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3TagManager
(+)(REG VAL) (Default) = REG_SZ, "CddbID3TagManager Class"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3TagManager\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{a4d4fe68-1df3-42fe-8a8d-594d9bd60fd0}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3TagManager\CurVer
(+)(REG VAL) (Default) = REG_SZ,
"CDDBControlNSWinamp.CddbID3TagManager.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3TagManager.1
(+)(REG VAL) (Default) = REG_SZ, "CddbID3TagManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbID3TagManager.1\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{a4d4fe68-1df3-42fe-8a8d-594d9bd60fd0}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbInfoWindow
(+)(REG VAL) (Default) = REG_SZ, "CddbInfoWindow Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbInfoWindow\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{e7568058-32ea-4b10-af1b-8b666978891e}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbInfoWindow\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbInfoWindow.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbInfoWindow.1
(+)(REG VAL) (Default) = REG_SZ, "CddbInfoWindow Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbInfoWindow.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{e7568058-32ea-4b10-af1b-8b666978891e}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbListManager
(+)(REG VAL) (Default) = REG_SZ, "CddbListManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbListManager\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{fbcd6aca-39bc-47af-be8e-52bef2b9d0f7}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbListManager\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbListManager.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbListManager.1
(+)(REG VAL) (Default) = REG_SZ, "CddbListManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbListManager.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{fbcd6aca-39bc-47af-be8e-52bef2b9d0f7}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBNSWinampControl
(+)(REG VAL) (Default) = REG_SZ, "CDDBNSWinampControl Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBNSWinampControl\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{2758dffc-f9fb-4c62-82c9-fdc9bceb5e9c}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBNSWinampControl\CurV
er
(+)(REG VAL) (Default) = REG_SZ,
"CDDBControlNSWinamp.CDDBNSWinampControl.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBNSWinampControl.1
(+)(REG VAL) (Default) = REG_SZ, "CDDBNSWinampControl Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBNSWinampControl.1\CL
SID
(+)(REG VAL) (Default) = REG_SZ, "{2758dffc-f9fb-4c62-82c9-fdc9bceb5e9c}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CDDBNSWinampControl.1\In
sertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbSegment

(+)(REG VAL) (Default) = REG_SZ, "CddbSegment Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbSegment\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{993bb5e2-4a0d-4ed0-bd37-8718c422997e}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbSegment\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbSegment.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbSegment.1
(+)(REG VAL) (Default) = REG_SZ, "CddbSegment Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbSegment.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{993bb5e2-4a0d-4ed0-bd37-8718c422997e}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbUIOptions
(+)(REG VAL) (Default) = REG_SZ, "CddbUIOptions Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbUIOptions\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{7416f5ca-8922-4516-89e8-d826a8c091c5}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbUIOptions\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbUIOptions.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbUIOptions.1
(+)(REG VAL) (Default) = REG_SZ, "CddbUIOptions Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbUIOptions.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{7416f5ca-8922-4516-89e8-d826a8c091c5}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURL
(+)(REG VAL) (Default) = REG_SZ, "CddbURL Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURL\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6f6f90b2-ff9f-4f62-8eee-6ba04a45de6c}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURL\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbURL.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURL.1
(+)(REG VAL) (Default) = REG_SZ, "CddbURL Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURL.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6f6f90b2-ff9f-4f62-8eee-6ba04a45de6c}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURLManager
(+)(REG VAL) (Default) = REG_SZ, "CddbURLManager Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURLManager\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{dccf8d5f-c1f6-44a1-b065-60d56557f821}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURLManager\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbURLManager.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURLManager.1
(+)(REG VAL) (Default) = REG_SZ, "CddbURLManager Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbURLManager.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{dccf8d5f-c1f6-44a1-b065-60d56557f821}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbWMATag
(+)(REG VAL) (Default) = REG_SZ, "CddbWMATag Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbWMATag\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{fb51cc6e-a66e-4c28-bef5-142d4927e1cf}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbWMATag\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBControlNSWinamp.CddbWMATag.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbWMATag.1

(+)(REG VAL) (Default) = REG_SZ, "CddbWMATag Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBControlNSWinamp.CddbWMATag.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{fb51cc6e-a66e-4c28-bef5-142d4927e1cf}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfo
(+)(REG VAL) (Default) = REG_SZ, "CddbFileInfo Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfo\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{80a8f856-eda2-44db-a9ae-fafaaa2f5798}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfo.1
(+)(REG VAL) (Default) = REG_SZ, "CddbFileInfo Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfo.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{80a8f856-eda2-44db-a9ae-fafaaa2f5798}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoList
(+)(REG VAL) (Default) = REG_SZ, "CddbFileInfoList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoList\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{93c676b4-2ded-461c-abd6-33736f951840}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoList.1
(+)(REG VAL) (Default) = REG_SZ, "CddbFileInfoList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoList.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{93c676b4-2ded-461c-abd6-33736f951840}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoLists
(+)(REG VAL) (Default) = REG_SZ, "CddbFileInfoLists Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoLists\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{d00f2f00-f910-43af-99d6-591ac5f1b560}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoLists.1
(+)(REG VAL) (Default) = REG_SZ, "CddbFileInfoLists Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbFileInfoLists.1\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{d00f2f00-f910-43af-99d6-591ac5f1b560}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbMusicIDSettings
(+)(REG VAL) (Default) = REG_SZ, "CddbMusicIDSettings Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbMusicIDSettings\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{c7538f11-8d14-439b-ad2d-30c2cd8d0e68}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbMusicIDSettings.1
(+)(REG VAL) (Default) = REG_SZ, "CddbMusicIDSettings Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CddbMusicIDSettings.1\CL
SID
(+)(REG VAL) (Default) = REG_SZ, "{c7538f11-8d14-439b-ad2d-30c2cd8d0e68}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CDDBNSWinampMusicIDManag
er
(+)(REG VAL) (Default) = REG_SZ, "CDDBNSWinampMusicIDManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CDDBNSWinampMusicIDManag
er\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{28041299-f00d-4156-88c7-4c663cd47b00}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CDDBNSWinampMusicIDManag
er\CurVer
(+)(REG VAL) (Default) = REG_SZ,
"CddbMusicIDNSWinamp.CDDBNSWinampMusicIDManager.1"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CDDBNSWinampMusicIDManager.1
(+)(REG VAL) (Default) = REG_SZ, "CDDBNSWinampMusicIDManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbMusicIDNSWinamp.CDDBNSWinampMusicIDManager.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{28041299-f00d-4156-88c7-4c663cd47b00}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbNSWinampPlaylist2Mgr
(+)(REG VAL) (Default) = REG_SZ, "CddbNSWinampPlaylist2Mgr Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbNSWinampPlaylist2Mgr\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{39c806ec-eb0a-4f6e-b40d-c41d92281b5e}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbNSWinampPlaylist2Mgr\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CddbPlaylist2NSWinamp.CddbNSWinampPlaylist2Mgr.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbNSWinampPlaylist2Mgr.1
(+)(REG VAL) (Default) = REG_SZ, "CddbNSWinampPlaylist2Mgr Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbNSWinampPlaylist2Mgr.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{39c806ec-eb0a-4f6e-b40d-c41d92281b5e}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Criteria
(+)(REG VAL) (Default) = REG_SZ, "CddbPL2Criteria Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Criteria\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{d593724f-d0dc-431b-a395-8280d5aceccb}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Criteria\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CddbPlaylist2NSWinamp.CddbPL2Criteria.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Criteria.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPL2Criteria Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Criteria.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{d593724f-d0dc-431b-a395-8280d5aceccb}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2FindData
(+)(REG VAL) (Default) = REG_SZ, "CddbPL2FindData Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2FindData\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{870a8c49-8935-430b-9ffe-175c47fb6b0b}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2FindData\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CddbPlaylist2NSWinamp.CddbPL2FindData.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2FindData.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPL2FindData Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2FindData.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{870a8c49-8935-430b-9ffe-175c47fb6b0b}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Timestamp
(+)(REG VAL) (Default) = REG_SZ, "CddbPL2Timestamp Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Timestamp\CLSID

(+)(REG VAL) (Default) = REG_SZ, "{fe4c8bff-961f-42c2-bad8-808f76edde15}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Timestamp\CurVe
r
(+)(REG VAL) (Default) = REG_SZ,
"CddbPlaylist2NSWinamp.CddbPL2Timestamp.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Timestamp.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPL2Timestamp Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPL2Timestamp.1\CLS
ID
(+)(REG VAL) (Default) = REG_SZ, "{fe4c8bff-961f-42c2-bad8-808f76edde15}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteria
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenCriteria Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteria\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{b1f7d50c-a3fe-4bbb-9389-25b78d70b593}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteria\CurV
er
(+)(REG VAL) (Default) = REG_SZ,
"CddbPlaylist2NSWinamp.CddbPLGenCriteria.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteria.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenCriteria Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteria.1\CL
SID
(+)(REG VAL) (Default) = REG_SZ, "{b1f7d50c-a3fe-4bbb-9389-25b78d70b593}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteriaList
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenCriteriaList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteriaList\
CLSID
(+)(REG VAL) (Default) = REG_SZ, "{7f403f21-383b-4faf-94c7-e2c2f487f926}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteriaList\
CurVer
(+)(REG VAL) (Default) = REG_SZ,
"CddbPlaylist2NSWinamp.CddbPLGenCriteriaList.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteriaList.
1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenCriteriaList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenCriteriaList.
1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{7f403f21-383b-4faf-94c7-e2c2f487f926}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenerator
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenerator Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenerator\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{7052a035-2aee-4d5d-be82-6b12437bfcba}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenerator\CurVer
(+)(REG VAL) (Default) = REG_SZ,
"CddbPlaylist2NSWinamp.CddbPLGenerator.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenerator.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenerator Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenerator.1\CLSI
D

(+)(REG VAL) (Default) = REG_SZ, "{7052a035-2aee-4d5d-be82-6b12437bfcba}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGeneratorList
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGeneratorList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGeneratorList\CL
SID
(+)(REG VAL) (Default) = REG_SZ, "{d7fbfb00-25ec-41f6-b64e-fab7668d5b75}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGeneratorList\Cu
rVer
(+)(REG VAL) (Default) = REG_SZ,
"CddbPlaylist2NSWinamp.CddbPLGeneratorList.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGeneratorList.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGeneratorList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGeneratorList.1\
CLSID
(+)(REG VAL) (Default) = REG_SZ, "{d7fbfb00-25ec-41f6-b64e-fab7668d5b75}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimit
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenLimit Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimit\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{783dcf23-fde3-44e1-ad01-c8100596a81b}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimit\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CddbPlaylist2NSWinamp.CddbPLGenLimit.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimit.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenLimit Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimit.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{783dcf23-fde3-44e1-ad01-c8100596a81b}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimitList
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenLimitList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimitList\CLS
ID
(+)(REG VAL) (Default) = REG_SZ, "{f78ae80a-3ef5-498e-bf16-7696f7d31fed}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimitList\Cur
Ver
(+)(REG VAL) (Default) = REG_SZ,
"CddbPlaylist2NSWinamp.CddbPLGenLimitList.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimitList.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenLimitList Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenLimitList.1\C
LSID
(+)(REG VAL) (Default) = REG_SZ, "{f78ae80a-3ef5-498e-bf16-7696f7d31fed}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenRank
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenRank Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenRank\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{bf1caa94-1d1c-4ae7-b94c-10fdc05f493d}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenRank\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CddbPlaylist2NSWinamp.CddbPLGenRank.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenRank.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLGenRank Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLGenRank.1\CLSID

(+)(REG VAL) (Default) = REG_SZ, "{bf1caa94-1d1c-4ae7-b94c-10fdc05f493d}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLInfo
(+)(REG VAL) (Default) = REG_SZ, "CddbPLInfo Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLInfo\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{654e1149-060b-4fd1-af4b-07e1d2a83ae0}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLInfo\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CddbPlaylist2NSWinamp.CddbPLInfo.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLInfo.1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLInfo Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLInfo.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{654e1149-060b-4fd1-af4b-07e1d2a83ae0}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLMoreLikeThisCfg
(+)(REG VAL) (Default) = REG_SZ, "CddbPLMoreLikeThisCfg Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLMoreLikeThisCfg\
CLSID
(+)(REG VAL) (Default) = REG_SZ, "{b3f484a1-e3b4-4ad5-a9a9-52592a08dbd2}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLMoreLikeThisCfg\
CurVer
(+)(REG VAL) (Default) = REG_SZ,
"CddbPlaylist2NSWinamp.CddbPLMoreLikeThisCfg.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLMoreLikeThisCfg.
1
(+)(REG VAL) (Default) = REG_SZ, "CddbPLMoreLikeThisCfg Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylist2NSWinamp.CddbPLMoreLikeThisCfg.
1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{b3f484a1-e3b4-4ad5-a9a9-52592a08dbd2}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylistNSWinamp.CddbMLDBManager
(+)(REG VAL) (Default) = REG_SZ, "CddbMLDBManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylistNSWinamp.CddbMLDBManager\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{d374ceca-3e86-4ab4-87a9-3ff7e03e3cad}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylistNSWinamp.CddbMLDBManager\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CddbPlaylistNSWinamp.CddbMLDBManager.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylistNSWinamp.CddbMLDBManager.1
(+)(REG VAL) (Default) = REG_SZ, "CddbMLDBManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CddbPlaylistNSWinamp.CddbMLDBManager.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{d374ceca-3e86-4ab4-87a9-3ff7e03e3cad}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbInfoWindow2
(+)(REG VAL) (Default) = REG_SZ, "CddbInfoWindow Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbInfoWindow2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4274782f-e631-487b-bc58-34f36a2b9203}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbInfoWindow2.1
(+)(REG VAL) (Default) = REG_SZ, "CddbInfoWindow2 Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbInfoWindow2.1\CLSI
D
(+)(REG VAL) (Default) = REG_SZ, "{4274782f-e631-487b-bc58-34f36a2b9203}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbNSWinampUI
(+)(REG VAL) (Default) = REG_SZ, "CddbNSWinampUI Class"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbNSWinampUI\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{75ae99c2-fe58-4aa4-8135-11d794adfd48}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbNSWinampUI\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBUIControlNSWinamp.CddbNSWinampUI.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbNSWinampUI.1
(+)(REG VAL) (Default) = REG_SZ, "CddbNSWinampUI Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbNSWinampUI.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{75ae99c2-fe58-4aa4-8135-11d794adfd48}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUI2
(+)(REG VAL) (Default) = REG_SZ, "CddbUI2 Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUI2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4d60fc87-14b0-48b3-93c2-5967b0fb6f96}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUI2\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBUIControlNSWinamp.CddbUI2.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUI2.1
(+)(REG VAL) (Default) = REG_SZ, "CddbUI2 Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUI2.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4d60fc87-14b0-48b3-93c2-5967b0fb6f96}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUIOptions2
(+)(REG VAL) (Default) = REG_SZ, "CddbUIOptions2 Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUIOptions2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{a68d109d-ab8e-4476-8ba8-bce0879c4f8f}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUIOptions2\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDDBUIControlNSWinamp.CddbUIOptions2.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUIOptions2.1
(+)(REG VAL) (Default) = REG_SZ, "CddbUIOptions2 Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDDBUIControlNSWinamp.CddbUIOptions2.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{a68d109d-ab8e-4476-8ba8-bce0879c4f8f}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Configuration
(+)(REG VAL) (Default) = REG_SZ, "CDOConfiguration Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Configuration\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000002-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Configuration\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.Configuration.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Configuration.1
(+)(REG VAL) (Default) = REG_SZ, "CDOConfiguration Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Configuration.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000002-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.DropDirectory
(+)(REG VAL) (Default) = REG_SZ, "CDO DropDirectory class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.DropDirectory\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000004-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.DropDirectory\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.DropDirectory.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.DropDirectory.1
(+)(REG VAL) (Default) = REG_SZ, "CDO DropDirectory class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.DropDirectory.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000004-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Message
(+)(REG VAL) (Default) = REG_SZ, "CDOMessage Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Message\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000001-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Message\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.Message.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Message.1

(+)(REG VAL) (Default) = REG_SZ, "CDOMessage Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.Message.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000001-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPEarlyConnector
(+)(REG VAL) (Default) = REG_SZ, "NNTPEarlyConnector Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPEarlyConnector\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000011-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPEarlyConnector\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.NNTPEarlyConnector.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPEarlyConnector.1
(+)(REG VAL) (Default) = REG_SZ, "NNTPEarlyConnector Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPEarlyConnector.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000011-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPFinalConnector
(+)(REG VAL) (Default) = REG_SZ, "NNTPFinalConnector Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPFinalConnector\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000010-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPFinalConnector\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.NNTPFinalConnector.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPFinalConnector.1
(+)(REG VAL) (Default) = REG_SZ, "NNTPFinalConnector Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPFinalConnector.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000010-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPPostConnector
(+)(REG VAL) (Default) = REG_SZ, "NNTPPostConnector Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPPostConnector\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000009-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPPostConnector\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.NNTPPostConnector.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPPostConnector.1
(+)(REG VAL) (Default) = REG_SZ, "NNTPPostConnector Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.NNTPPostConnector.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000009-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SMTPConnector
(+)(REG VAL) (Default) = REG_SZ, "SMTPConnector Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SMTPConnector\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000008-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SMTPConnector\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.SMTPConnector.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SMTPConnector.1
(+)(REG VAL) (Default) = REG_SZ, "SMTPConnector Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SMTPConnector.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000008-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostEarlySink
(+)(REG VAL) (Default) = REG_SZ, "NNTP OnPostEarly Script Host Sink
Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostEarlySink\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000012-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostEarlySink\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.SS_NNTPOnPostEarlySink.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostEarlySink.1
(+)(REG VAL) (Default) = REG_SZ, "NNTP OnPostEarly Script Host Sink
Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostEarlySink.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000012-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostFinalSink

(+)(REG VAL) (Default) = REG_SZ, "NNTP OnPostFinal Script Host Sink Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostFinalSink\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000007-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostFinalSink\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.SS_NNTPOnPostFinalSink.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostFinalSink.1
(+)(REG VAL) (Default) = REG_SZ, "NNTP OnPostFinal Script Host Sink Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostFinalSink.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000007-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostSink
(+)(REG VAL) (Default) = REG_SZ, "NNTP OnPost Script Host Sink Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostSink\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000006-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostSink\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.SS_NNTPOnPostSink.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostSink.1
(+)(REG VAL) (Default) = REG_SZ, "NNTP OnPost Script Host Sink Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_NNTPOnPostSink.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000006-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_SMTPOnArrivalSink
(+)(REG VAL) (Default) = REG_SZ, "SMTP OnArrival Script Host Sink Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_SMTPOnArrivalSink\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000005-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_SMTPOnArrivalSink\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CDO.SS_SMTPOnArrivalSink.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_SMTPOnArrivalSink.1
(+)(REG VAL) (Default) = REG_SZ, "SMTP OnArrival Script Host Sink Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDO.SS_SMTPOnArrivalSink.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CD000005-8B95-11D1-82DB-00C04FB1625D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw
(+)(REG VAL) (Default) = REG_SZ, "CorelDRAW Graphic"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{F4A99E7C-77DE-4de5-B826-4B25549C9731}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{0003001B-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw\protocol
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw\protocol\StdFileEditing
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw\protocol\StdFileEditing\server
(+)(REG VAL) (Default) = REG_SZ, ""c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\PROGRAMS\CORELDRW.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw4
(+)(REG VAL) (Default) = REG_SZ, "CorelDRAW 4.0 Graphic"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw4\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{F4A99E7C-77DE-4de5-B826-4B25549C9731}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw4\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{B9514880-85F2-1068-ABA4-323638420D0A}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw4\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw4\protocol
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw4\protocol\StdFileEditing
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw4\protocol\StdFileEditing\server
(+)(REG VAL) (Default) = REG_SZ, ""c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\PROGRAMS\CORELDRW.EXE""

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw5
(+)(REG VAL) (Default) = REG_SZ, "CorelDRAW 5.0 Graphic"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw5\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{F4A99E7C-77DE-4de5-B826-4B25549C9731}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw5\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{08098160-0E1D-1069-BED4-0000C0E4495A}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw5\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw5\protocol
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw5\protocol\StdFileEditing
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CDraw5\protocol\StdFileEditing\server
(+)(REG VAL) (Default) = REG_SZ, ""c:\Program Files (x86)\Corel\CorelDRAW
Graphics Suite X4\PROGRAMS\CORELDRW.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CEIPLuaElevationHelper
(+)(REG VAL) (Default) = REG_SZ, "CEIPLuaElevationHelper"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CEIPLuaElevationHelper\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{01D0A625-782D-4777-8D4E-547E6457FAD5}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Config
(+)(REG VAL) (Default) = REG_SZ, "CertConfig Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Config\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.Config.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Config.1
(+)(REG VAL) (Default) = REG_SZ, "CertConfig Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Config.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{372FCE38-4324-11D0-8810-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeAltName
(+)(REG VAL) (Default) = REG_SZ, "Encode Alternate Name Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeAltName\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.EncodeAltName.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeAltName.1
(+)(REG VAL) (Default) = REG_SZ, "Encode Alternate Name Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeAltName.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{1CFC4CDA-1271-11D1-9BD4-00C04FB683FA}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeBitString
(+)(REG VAL) (Default) = REG_SZ, "Encode Bit String Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeBitString\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.EncodeBitString.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeBitString.1
(+)(REG VAL) (Default) = REG_SZ, "Encode Bit String Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeBitString.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{6D6B3CD8-1278-11D1-9BD4-00C04FB683FA}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeCRLDistInfo
(+)(REG VAL) (Default) = REG_SZ, "Encode CRL Distribution Points Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeCRLDistInfo\CurVe
r
(+)(REG VAL) (Default) = REG_SZ,
"CertificateAuthority.EncodeCRLDistInfo.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeCRLDistInfo.1
(+)(REG VAL) (Default) = REG_SZ, "Encode CRL Distribution Points Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeCRLDistInfo.1\CLS
ID

(+)(REG VAL) (Default) = REG_SZ, "{01FA60A0-BBFF-11D0-8825-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeDateArray
(+)(REG VAL) (Default) = REG_SZ, "Encode Date Array Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeDateArray\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.EncodeDateArray.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeDateArray.1
(+)(REG VAL) (Default) = REG_SZ, "Encode Date Array Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeDateArray.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{301F77B0-A470-11D0-8821-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeLongArray
(+)(REG VAL) (Default) = REG_SZ, "Encode Long Array Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeLongArray\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.EncodeLongArray.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeLongArray.1
(+)(REG VAL) (Default) = REG_SZ, "Encode Long Array Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeLongArray.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4E0680A0-A0A2-11D0-8821-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeStringArray
(+)(REG VAL) (Default) = REG_SZ, "Encode String Array Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeStringArray\CurVe
r
(+)(REG VAL) (Default) = REG_SZ,
"CertificateAuthority.EncodeStringArray.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeStringArray.1
(+)(REG VAL) (Default) = REG_SZ, "Encode String Array Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.EncodeStringArray.1\CLS
ID
(+)(REG VAL) (Default) = REG_SZ, "{19A76FE0-7494-11D0-8816-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.GetConfig
(+)(REG VAL) (Default) = REG_SZ, "CertGetConfig Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.GetConfig\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.GetConfig.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.GetConfig.1
(+)(REG VAL) (Default) = REG_SZ, "CertGetConfig Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.GetConfig.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{C6CC49B0-CE17-11D0-8833-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Request
(+)(REG VAL) (Default) = REG_SZ, "CertRequest Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Request\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.Request.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Request.1
(+)(REG VAL) (Default) = REG_SZ, "CertRequest Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.Request.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{98AFF3F0-5524-11D0-8812-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerExit
(+)(REG VAL) (Default) = REG_SZ, "CertServerPolicy Class"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerExit\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.ServerExit.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerExit.1
(+)(REG VAL) (Default) = REG_SZ, "CertServerPolicy Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerExit.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{4C4A5E40-732C-11D0-8816-00A0C903B83C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerPolicy
(+)(REG VAL) (Default) = REG_SZ, "CertServerPolicy Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerPolicy\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.ServerPolicy.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerPolicy.1
(+)(REG VAL) (Default) = REG_SZ, "CertServerPolicy Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CertificateAuthority.ServerPolicy.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{AA000926-FFBE-11CF-8800-00A0C903B83C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CfgComp.CfgComp
(+)(REG VAL) (Default) = REG_SZ, "CfgComp Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CfgComp.CfgComp\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CfgComp.CfgComp.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CfgComp.CfgComp.1
(+)(REG VAL) (Default) = REG_SZ, "CfgComp Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CfgComp.CfgComp.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{BB0D7187-3C44-11D2-BB98-3078302C2030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\cFosSpeed.Config
(+)(REG VAL) (Default) = REG_SZ, "cFosSpeed.Config"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\cFosSpeed.Config\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{A56B357E-7D66-474A-8CA1-C909109C88AF}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\cFosSpeed.Config\CurVer
(+)(REG VAL) (Default) = REG_SZ, "cFosSpeed.Config.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CivicAddressReport
(+)(REG VAL) (Default) = REG_SZ, "CivicAddress Report Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CivicAddressReport\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{D39E7BDD-7D05-46b8-8721-80CF035F57D7}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CivicAddressReport\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CivicAddressReport.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CivicAddressReport.1
(+)(REG VAL) (Default) = REG_SZ, "CivicAddress Report Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CivicAddressReport.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{D39E7BDD-7D05-46b8-8721-80CF035F57D7}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CLRRuntimeHost
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Host V2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CLRRuntimeHost\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CLRMetaData.CLRRuntimeHost.2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CLRRuntimeHost.1
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Host V2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CLRRuntimeHost.1\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{90F1A06E-7712-4762-86B5-7A5EBA6BDB01}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CLRRuntimeHost.2
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Host V2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CLRRuntimeHost.2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{90F1A06E-7712-4762-86B5-7A5EBA6BDB02}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenser
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Meta Data"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenser\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CLRMetaData.CorMetaDataDispenser.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenser.2
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Meta Data"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenser.2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{E5CB7A31-7512-11D2-89CE-0080C792E5D8}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenserRuntime
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Meta Data"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenserRuntime\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CLRMetaData.CorMetaDataDispenserRuntime.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenserRuntime.2
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Meta Data"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorMetaDataDispenserRuntime.2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{1EC2DE53-75CC-11d2-9775-00A0C9B4D50C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorRuntimeHost
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Host"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorRuntimeHost\CurVer
(+)(REG VAL) (Default) = REG_SZ, "CLRMetaData.CorRuntimeHost.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorRuntimeHost.2
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Host"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLRMetaData.CorRuntimeHost.2\CLSID
(+)(REG VAL) (Default) = REG_SZ, "{CB2F6723-AB3A-11d2-9C40-00C04FA30A3E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000002F-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "CLSID_RecordInfo"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000002F-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000300-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "StdOleLink"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000300-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000301-A8F2-4877-BA0A-FD2B6645FB94}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000301-A8F2-4877-BA0A-FD2B6645FB94}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\windowscodecs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000303-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "FileMoniker"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000303-0000-0000-C000-000000000046}

\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000303-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "file"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000304-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "ItemMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000304-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000305-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "AntiMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000305-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000306-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PointerMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000306-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000308-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PackagerMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000308-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000309-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "CompositeMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000309-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000030B-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "DfMarshal"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000030B-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Picture (Metafile)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Picture"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\system32\oleres.dll,-5101"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}

\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "3,MSDraw"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "536"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000315-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "StaticMetafile"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Picture (Device Independent Bitmap)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Picture"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ, "@%SystemRoot%\system32\oleres.dll,-5101"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "8,PBrush"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "8,1,1,3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "536"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000316-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "StaticDib"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Picture (Enhanced Metafile)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Picture"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\system32\oleres.dll,-5101"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\Conversion\Readable\Main
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\DataFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "14"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\DataFormats\GetSet
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "14,1,64,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000319-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "536"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000031A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "ClassMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000031A-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000031A-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "clsid"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000031D-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "DCOMAccessControl"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000031D-0000-0000-C000-000000000046}
\InProcServer32

(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000320-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000320-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000327-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "objref"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000327-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "OLE32.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000327-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "objref"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000032E-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PipePSFactory"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000032E-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000507-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Command"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000507-0000-0010-8000-00AA006D2EA4}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000507-0000-0010-8000-00AA006D2EA4}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Command.6.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000507-0000-0010-8000-00AA006D2EA4}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Command"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000050B-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Parameter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000050B-0000-0010-8000-00AA006D2EA4}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000050B-0000-0010-8000-00AA006D2EA4}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Parameter.6.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000050B-0000-0010-8000-00AA006D2EA4}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Parameter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000514-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Connection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000514-0000-0010-8000-00AA006D2EA4}
\InprocServer32

(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000514-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Connection.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000514-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Connection"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000051A-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADO 6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000051A-0000-0010-8000-00AA006D2EA4}\ExtendedErrors
(+)(REG VAL) (Default) = REG_SZ, "Extended Error Service"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000051A-0000-0010-8000-00AA006D2EA4}\ExtendedErrors\{00000542-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADO Error Lookup"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000535-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Recordset"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000535-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000535-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Recordset.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000535-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Recordset"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000541-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Error"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000541-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000541-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Error.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000541-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Error"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000542-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB Error Lookup Service"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000542-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000542-0000-0010-8000-00AA006D2EA4}\ProgID

(+)(REG VAL) (Default) = REG_SZ, "ADODB.ErrorLookup.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000542-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.ErrorLookup"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000560-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Record"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000560-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000560-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Record.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000560-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Record"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000566-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Stream"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000566-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msado15.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000566-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Stream.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000566-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADODB.Stream"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000602-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Catalog.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000602-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msadox.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000602-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Catalog.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000602-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Catalog.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000609-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Table.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000609-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msadox.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000609-0000-0010-8000-00AA006D2EA4}\ProgID

(+)(REG VAL) (Default) = REG_SZ, "ADOX.Table.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000609-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Table.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000615-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Group.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000615-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msadox.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000615-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Group.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000615-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Group.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000618-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADOX.User.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000618-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msadox.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000618-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.User.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000618-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.User.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061B-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Column.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061B-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msadox.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061B-0000-0010-8000-00AA006D2EA4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Column.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061B-0000-0010-8000-00AA006D2EA4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Column.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061E-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Index.6.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061E-0000-0010-8000-00AA006D2EA4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\ado\msadox.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061E-0000-0010-8000-00AA006D2EA4}\ProgID

(+)(REG VAL) (Default) = REG_SZ, "ADOX.Index.6.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0000061E-0000-0010-8000-00AA006D2EA4}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Index.6.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000621-0000-0010-8000-00AA006D2EA4}
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Key.6.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000621-0000-0010-8000-00AA006D2EA4}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%CommonProgramFiles%\System\ado\msadox.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000621-0000-0010-8000-00AA006D2EA4}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Key.6.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00000621-0000-0010-8000-00AA006D2EA4}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ADOX.Key.6.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020000-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft AVI Files"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020000-0000-0000-C000-000000000046}
\AVIFile
(+)(REG VAL) (Default) = REG_SZ, "7"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020000-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\avifil32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020001-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "AVI Compressed Stream"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020001-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\avifil32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020003-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Wave File"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020003-0000-0000-C000-000000000046}
\AVIFile
(+)(REG VAL) (Default) = REG_SZ, "7"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020003-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\avifil32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002000D-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "IAVIStream & IAVIFile Proxy"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002000D-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\avifil32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002000F-0000-0000-C000-000000000046}

(+)(REG VAL) (Default) = REG_SZ, "ACM Compressed Audio Stream"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002000F-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\avifil32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002034C-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "OutlookAttachMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002034C-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLRPC.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002034E-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "OutlookMessageMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002034E-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLRPC.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020420-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSDispatch"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020420-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020421-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSEnumVariant"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020421-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020422-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSTypeInfo"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020422-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020423-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSTypeLib"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020423-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020424-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSOAInterface"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020424-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020425-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSTypeComp"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020425-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020800-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Graph Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020800-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020800-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Graph,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Graph.GlobalClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020800-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Graph,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Graph.GlobalClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020800-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\GRAPH.EXE
/automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkGRAPHFiles>@Dwib&pQ9ATo!X2wwL3T /automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020801-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020801-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020803-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Graph diagram"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Diagram"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Graph Chart"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "GBiff5,MSGraph"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\Conversion\Readwritable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}

\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "GBiff5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "GBiff5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "1,16,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\graph.ico,0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\GRAPH.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkGRAPHFiles>@Dwib&pQ9ATo!X2wwL3T "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSGraph.Chart.8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00020802-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020803-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSGraph.Chart"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel 95 Worksheet"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020820-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Worksheet"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\Insertable
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{98de59a0-d175-11cd-a7bd-00006b827d94}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Sheet.5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020810-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00020820-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel Chart"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020821-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}
\AuxUserType\2

(+)(REG VAL) (Default) = REG_SZ, "Chart"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{98de59a0-d175-11cd-a7bd-00006b827d94}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Chart.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020811-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00020821-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020812-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel Application"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020812-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.GlobalClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020812-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.GlobalClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020812-0000-0000-C000-000000000046}\LocalServer
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE /automation"
(+)(REG VAL) LocalServer = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& /automation "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020812-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE /automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& /automation "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020818-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020818-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.OLEObjectClass"

(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020818-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.OLEObjectClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020819-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020819-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.WorkbookClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020819-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.WorkbookClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel 97-2003-as munkalap"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Munkalap"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel 2003"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "Biff8,ExcelWorksheet,ExcelML12,Biff12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Conversion\Readwritable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "Biff8,ExcelML12,Biff12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "Biff8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}

\DataFormats\GetSet
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DataFormats\GetSet\0
        (+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DataFormats\GetSet\1
        (+)(REG VAL) (Default) = REG_SZ, "2,1,16,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DataFormats\GetSet\2
        (+)(REG VAL) (Default) = REG_SZ, "1,1,1,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DataFormats\GetSet\3
        (+)(REG VAL) (Default) = REG_SZ, "NotesDocInfo,1,1,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DataFormats\GetSet\4
        (+)(REG VAL) (Default) = REG_SZ, "NoteshNote,-1,1,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DefaultExtension
        (+)(REG VAL) (Default) = REG_SZ, ".xls, Excel Workbook (*.xls)"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DefaultIcon
        (+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\xlicons.exe,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\DocObject
        (+)(REG VAL) (Default) = REG_SZ, "16"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\Implemented Categories
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\InprocHandler32
        (+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\InprocServer32
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Excel.WorksheetClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Excel.WorksheetClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\Insertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}
\LocalServer
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"

(+)(REG VAL) LocalServer = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{98de59a0-d175-11cd-a7bd-00006b827d94}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Printable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Sheet.8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00020813-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020820-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel-diagram"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Diagram"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel 2003"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "Biff8,Biff5,ExcelChart"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Conversion\Readwritable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "Biff8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "Biff8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats\GetSet
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "2,1,16,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "NotesDocInfo,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "NoteshNote,-1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".xls, Excel Workbook (*.xls)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\xlicons.exe,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\DocObject
(+)(REG VAL) (Default) = REG_SZ, "16"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.ChartClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Excel.ChartClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Insertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{98de59a0-d175-11cd-a7bd-00006b827d94}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Printable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Chart.8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00020813-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020821-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Chart"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020827-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel mintamegjelenítő"
(+)(REG VAL) DisableLowILProcessIsolation = REG_DWORD, 1
(+)(REG VAL) DisplayName = REG_SZ, "Microsoft Excel mintamegjelenítő"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020827-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020827-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel-munkalap"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 2
(+)(REG VAL) MainPartContentType = REG_SZ, "application/vnd.openxmlformats-officedocument.spreadsheetml.sheet.main+xml"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Munkalap"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel 12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "ExcelML12,ExcelWorksheet,Biff12,ExcelODS12,Biff8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Conversion\Readwritable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "ExcelML12,Biff12,ExcelODS12,Biff8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "ExcelML12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "2,1,16,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "NotesDocInfo,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "NoteshNote,-1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DefaultExtension

(+)(REG VAL) (Default) = REG_SZ, ".xlsx, Excel Workbook (*.xlsx)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\xlicons.exe,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\DocObject
(+)(REG VAL) (Default) = REG_SZ, "16"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\LocalServer
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\OfficeCompliant
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Printable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Sheet.12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00020813-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}

\Version
(+)(REG VAL) (Default) = REG_SZ, "1.6"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020830-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Sheet"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Makróbarát Microsoft Excel-munkalap"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 2
(+)(REG VAL) MainPartContentType = REG_SZ,
"application/vnd.ms-excel.sheet.macroEnabled.main+xml"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Makróbarát munkalap"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel Macro-Enabled 12"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ,
"ExcelML12,ExcelWorksheet,Biff12,ExcelODS12,Biff8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Conversion\Readwritable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "ExcelML12,Biff12,ExcelODS12,Biff8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "ExcelML12"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats\GetSet
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "2,1,16,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "NotesDocInfo,1,1,1"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "NoteshNote,-1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".xlsm, Excel Macro-Enabled Workbook
(*.xlsm)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\xlicons.exe,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\DocObject
(+)(REG VAL) (Default) = REG_SZ, "16"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Insertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\LocalServer
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\OfficeCompliant
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Printable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.SheetMacroEnabled.12"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00020813-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}
\Verb\0

(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.6"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020832-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.SheetMacroEnabled"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel bináris munkalap"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 2
(+)(REG VAL) MainPartContentType = REG_SZ, "application/vnd.ms-excel.sheet.binary.macroEnabled.main"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Bináris munkalap"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel Binary 12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "Biff12,ExcelWorksheet,ExcelML12,ExcelODS12,Biff8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Conversion\Readwritable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "Biff12,ExcelML12,ExcelODS12,Biff8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "BIFF12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "2,1,16,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}

\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "NotesDocInfo,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "NoteshNote,-1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".xlsb, Excel Binary Workbook (*.xlsb)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\xlicons.exe,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\DocObject
(+)(REG VAL) (Default) = REG_SZ, "16"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\LocalServer
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\OfficeCompliant
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Printable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.SheetBinaryMacroEnabled.12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00020813-0000-0000-C000-000000000046}"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.6"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020833-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.SheetBinaryMacroEnabled"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word 6.0 - 7.0 Document"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020906-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\WINWORD.EXE,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{98de59a0-d175-11cd-a7bd-00006b827d94}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Document.6"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\RTFClassName
(+)(REG VAL) MSWord6 = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020900-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00020906-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020901-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word 6.0 - 7.0 Picture"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020901-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020907-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020901-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\WINWORD.EXE,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020901-0000-0000-C000-000000000046}\Insertable

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020901-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020901-0000-0000-C000-000000000046}
\ProgId
(+)(REG VAL) (Default) = REG_SZ, "Word.Picture.6"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020901-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00020906-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word 97-2003 dokumentum"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Document"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word 97 - 2003"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ,
"MSWordDocx,MSWordDocm,MSWordDotx,MSWordDotm,MSWordOdt,MSWordDoc,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Conversion\Readwritable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ,
"MSWordDocx,MSWordDocm,MSWordDotx,MSWordDotm,MSWordOdt"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "MSWordDoc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\DelayRenderFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\DelayRenderFormats\0
(+)(REG VAL) (Default) = REG_SZ, "Woozle"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\GetSet
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "Embed_Source,1,8,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}

\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "HTML Format,1,1,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "Rich Text Format,1,1,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\GetSet\5
(+)(REG VAL) (Default) = REG_SZ, "NoteshNote, -1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\PriorityCacheFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DataFormats\PriorityCacheFormats\0
(+)(REG VAL) (Default) = REG_SZ, "Rich Text Format"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".doc,Word Document (.doc)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\wordicon.exe,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\DocObject
(+)(REG VAL) (Default) = REG_SZ, "16"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Word.DocumentClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Word.DocumentClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Insertable
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\WINWORD.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkWORDFiles>Y=)}K~~b,A1,ZS2CFe9Y "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\MiscStatus\1
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{98de59a0-d175-11cd-a7bd-00006b827d94}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Printable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Document.8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020906-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word Picture"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 0
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Picture"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "MSDraw,Word.Picture.6,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "MSWordDoc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats\GetSet
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "Embed_Source,1,8,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "HTML Format,1,1,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "Rich Text Format,1,1,3"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\wordicon.exe,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\WINWORD.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkWORDFiles>Y=)}K~~b,A1,ZS2CFe9Y "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Picture.8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00020905-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}
\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}

\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020907-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Picture"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F0-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F0-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.GlobalClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F0-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.GlobalClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F1-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F1-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.LetterContentClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F1-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.LetterContentClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F2-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F2-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.OLEControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F2-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.OLEControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F4-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F4-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word,

Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Word.ParagraphFormatClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F4-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Word.ParagraphFormatClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F5-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F5-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.FontClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209F5-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.FontClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FE-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word Basic"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FE-0000-0000-C000-000000000046}
\InprocHandler
(+)(REG VAL) (Default) = REG_SZ, "ole2.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FE-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FE-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\WINWORD.EXE /Automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkWORDFiles>Y=)}K~~b,A1,ZS2CFe9Y /Automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FE-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Basic.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FE-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Basic"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FF-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FF-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FF-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Word.ApplicationClass"

(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FF-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Word, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Word.ApplicationClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FF-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\WINWORD.EXE /Automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkWORDFiles>Y=)}K~~b,A1,ZS2CFe9Y /Automation "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FF-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Application.15"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000209FF-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Word.Application"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020A00-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project Proj95 Serializer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020A00-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ, "yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "BOTH"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020A00-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.Docfile.4"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020A00-0000-0000-C000-000000000046}\VersionIndependentProgId
(+)(REG VAL) (Default) = REG_SZ, "MSProject.Docfile.4"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020C01-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Sound (OLE2)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020C01-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{F20DA720-C02F-11CE-927B-0800095AE340}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D09-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Message Attachment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D09-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D09-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Message"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D09-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D09-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,

"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D09-0000-0000-C000-000000000046}
\Verb
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D09-0000-0000-C000-000000000046}
\Verb\0
        (+)(REG VAL) (Default) = REG_SZ, "&Megnyitás, 0, 2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D75-0000-0000-C000-000000000046}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00020D75-0000-0000-C000-000000000046}
\ShellFolder
        (+)(REG VAL) Attributes = REG_DWORD, 114
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Publisher Application"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\InprocServer32
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Publisher,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Publisher.ApplicationClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Publisher,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Publisher.ApplicationClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\LocalServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\MSPUB.EXE
/Automation"
        (+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkPubPrimary>d~?}-?!%I='Tf*-B`f+D /Automation "
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\NotInsertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "Publisher.Application.15"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\Programmable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\TypeLib
        (+)(REG VAL) (Default) = REG_SZ, "{0002123C-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002123D-0000-0000-C000-000000000046}
\VersionIndependentProgID
        (+)(REG VAL) (Default) = REG_SZ, "Publisher.Application"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021302-0000-0000-C000-000000000046}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021302-0000-0000-C000-000000000046}
\RTFClassName
        (+)(REG VAL) MSWorksWin3 = REG_SZ, ""
        (+)(REG VAL) MSWorksWin4 = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021400-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "Desktop"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021400-0000-0000-C000-000000000046}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Shortcut"
(+)(REG VAL) AppId = REG_SZ, "{00021401-0000-0000-C000-000000000046}"
(+)(REG VAL) DisableProcessIsolation = REG_DWORD, 1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}\Implemented Categories\{00000003-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}\OverrideFileSystemProperties
(+)(REG VAL) System.Kind = REG_DWORD, 1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "lnkfile"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}\shellex
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021401-0000-0000-C000-000000000046}\shellex\MayChangeDefaultMenu
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021700-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Equation 2.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021700-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{0002CE02-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021700-0000-0000-C000-000000000046}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021700-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Equation.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "VISIO 2 Drawing"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\VISIO.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,

"yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
\Insertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
\NotInsertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "ShapewareVISIO20"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
\TreatAs
        (+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
\verb
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
\verb\0
        (+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A00-0000-0000-C000-000000000046}
\verb\1
        (+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "VISIO 3 Drawing"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\AutoConvertTo
        (+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\DefaultIcon
        (+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\VISIO.EXE"
        (+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\Insertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\NotInsertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "Visio.Drawing.3"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\TreatAs
        (+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\verb
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}
\verb\0
        (+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A01-0000-0000-C000-000000000046}

\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "VISIO 4 Drawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\VISIO.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\Insertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Drawing.4"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A11-0000-0000-C000-000000000046}
\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "VISIO 5 Drawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\VISIO.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}
\Insertable

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Drawing.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}\verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A12-0000-0000-C000-000000000046}\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Visio 2000/2002 Drawing"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\VISIO.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ, "yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Drawing.6"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A13-0000-0000-C000-000000000046}\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}

(+)(REG VAL) (Default) = REG_SZ, "Microsoft Visio 2003-2010 rajz"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Visio"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Visio 2003-2010 rajz"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "VISIO Figures,VISIO Shapes,VISIO 4.0 Shapes,VISIO 5.0 Shapes,VISIO 6.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\Conversion\Readwritable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "Visio 11.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "Visio 11.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "14,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "Embed Source,1,8,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "VISIO Figures,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "VISIO Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "VISIO 4.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\5
(+)(REG VAL) (Default) = REG_SZ, "VISIO 5.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\6

(+)(REG VAL) (Default) = REG_SZ, "VISIO 6.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\7
(+)(REG VAL) (Default) = REG_SZ, "Visio 11.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\GetSet\8
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\PriorityCacheFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DataFormats\PriorityCacheFormats\0
(+)(REG VAL) (Default) = REG_SZ, "Visio 11.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".vsd, Visio 2003-2010 Drawing (*.vsd)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,16"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\DocObject
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\VISIO.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{17F58AA4-C07A-48DC-9C2A-EF3154D0C1DF}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\Printable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Drawing.11"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A14-0000-0000-C000-000000000046}\verb\1

(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Visio-rajz"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 2
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Visio"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Visio-rajz"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "VISIO Figures,VISIO Shapes,VISIO 4.0 Shapes,VISIO 5.0 Shapes,VISIO 6.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\Conversion\Readwritable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "14,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "Embed Source,1,8,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "VISIO Figures,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "VISIO Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "VISIO 4.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\5
(+)(REG VAL) (Default) = REG_SZ, "VISIO 5.0 Shapes,1,1,1"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\6
(+)(REG VAL) (Default) = REG_SZ, "VISIO 6.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\7
(+)(REG VAL) (Default) = REG_SZ, "Visio 11.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\8
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\GetSet\9
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\PriorityCacheFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DataFormats\PriorityCacheFormats\0
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".vsdx, Visio Drawing (*.vsdx)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\DocObject
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\VISIO.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\Printable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Drawing.15"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}
\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A15-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Drawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Makróbarát Microsoft Visio-rajz"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 2
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\AuxUserType
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Visio"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Makróbarát Microsoft Visio-rajz"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "VISIO Figures,VISIO Shapes,VISIO 4.0
Shapes,VISIO 5.0 Shapes,VISIO 6.0 Shapes"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\Conversion\Readwritable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\Conversion\Readwritable\Main
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\DefaultFile
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "14,1,32,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "Embed Source,1,8,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "VISIO Figures,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "VISIO Shapes,1,1,1"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "VISIO 4.0 Shapes,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\5
(+)(REG VAL) (Default) = REG_SZ, "VISIO 5.0 Shapes,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\6
(+)(REG VAL) (Default) = REG_SZ, "VISIO 6.0 Shapes,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\7
(+)(REG VAL) (Default) = REG_SZ, "Visio 11.0 Shapes,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\8
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes,1,1,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\GetSet\9
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\PriorityCacheFormats
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DataFormats\PriorityCacheFormats\0
(+)(REG VAL) (Default) = REG_SZ, "Visio 15.0 Shapes"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".vsdm, Visio Macro-Enabled Drawing
(*.vsdm)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Installer\{90150000-0051-0000-1000-0000000FF1CE}\visicon.exe,13"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\DocObject
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\Insertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\VISIO.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\Printable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}
\ProgID

(+)(REG VAL) (Default) = REG_SZ, "Visio.DrawingMacroEnabled.15"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}\verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A1A-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.DrawingMacroEnabled"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A20-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Visio Automation"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A20-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Visio, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Visio.ApplicationClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A20-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Visio, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Visio.ApplicationClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A20-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\VISIO.EXE /Automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R /Automation "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A20-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Application.11"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00021A20-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.Application"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00022601-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Media Clip"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00022601-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{F20DA720-C02F-11CE-927B-0800095AE340}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00022602-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Video Clip"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00022602-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{F20DA720-C02F-11CE-927B-0800095AE340}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00022603-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "MIDI Sequence"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00022603-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{F20DA720-C02F-11CE-927B-0800095AE340}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Excel.ApplicationClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Excel,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Excel.ApplicationClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\LocalServer
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE
/automation"
(+)(REG VAL) LocalServer = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& /automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE
/automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& /automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Application.15"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024500-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024502-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Graph Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024502-0000-0000-C000-000000000046}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024502-0000-0000-C000-000000000046}
\Implemented Categories\{000C0118-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024502-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024502-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\GRAPH.EXE
/automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkGRAPHFiles>@Dwib&pQ9ATo!X2wwL3T /automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024502-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSGraph.Application.8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024502-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSGraph.Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024505-0015-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel Charting Application"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024505-0015-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024505-0015-0000-C000-000000000046}
\LocalServer
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE
/automation"
(+)(REG VAL) LocalServer = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& /automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024505-0015-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE
/automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkEXCELFiles>Of1RD?I9b9j[2hL]KhO& /automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024505-0015-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.ChartApplication.15"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024505-0015-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Excel.ChartApplication"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "RefEdit.Ctrl"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}
\Control
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\REFEDIT.DLL"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkProductNonBootFiles>FL6!X=`]%?ENJ@&)8--d
yh1BVd!!!!4!!!!MKKSkProductNonBootFiles>FL6!X=`]%?ENJ@&)8--d
yh1BV5!!!!4!!!!MKKSkProductNonBootFiles>FL6!X=`]%?ENJ@&)8--d "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "131201"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "RefEdit.Ctrl"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}

\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\REFEDIT.DLL,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00024517-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00024522-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Equation 3.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Equation"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Equation Editor 3.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "Equation,Equation.2,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\DataFormats\GetSet
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "Document,1,1,3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "Embed_Source,1,8,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-006E-040E-1000-0000000FF1CE}\misc.exe,10"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\InProcHandler
(+)(REG VAL) (Default) = REG_SZ, "ole2.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}

\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\COMMON~1\MICROS~1\EQUATION\EQNEDT32.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BVSLjA$4!!!!MKKSkEquationEditorFilesIntl_1038>BoT]jI{jf(=1&L[-81-] "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\MiscStatus\16
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Equation.3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002CE02-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Equations"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002DF01-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Internet Explorer(Ver 1.0)"
(+)(REG VAL) AppId = REG_SZ, "{e4803a36-7232-4ac0-a6af-29d59ebcc303}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002DF01-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, ""%ProgramFiles%\Internet Explorer\iexplore.exe""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002DF01-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "InternetExplorer.Application.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002DF01-0000-0000-C000-000000000046}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002DF01-0000-0000-C000-000000000046}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{EAB22AC0-30C1-11CF-A7EB-0000C05BAE0B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002DF01-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "InternetExplorer.Application"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E005-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Component Categories Manager"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E005-0000-0000-C000-000000000046}

\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "OLE32.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E006-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Component Categories Manager With Class Store"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E006-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "OLE32.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E101-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E101-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.VBProjectsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E101-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.VBProjectsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E119-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E119-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.ReferencesEventsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E119-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.ReferencesEventsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E132-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E132-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CommandBarEventsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E132-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CommandBarEventsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E169-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E169-0000-0000-C000-000000000046}

\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.VBProjectClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E169-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.VBProjectClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E170-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E170-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CodeModuleClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E170-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CodeModuleClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E174-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E174-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CodePanesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E174-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CodePanesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E178-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E178-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CodePaneClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E178-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.CodePaneClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E17C-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E17C-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.ReferencesClass"

(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E17C-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.ReferencesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E185-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E185-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.WindowsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E185-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.WindowsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E187-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E187-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.LinkedWindowsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E187-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.LinkedWindowsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E18B-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E18B-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.PropertiesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0002E18B-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Vbe.Interop, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Vbe.Interop.PropertiesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020820-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE,1"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}
\Insertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}
\NotInsertable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}
\Ole1Class
        (+)(REG VAL) (Default) = REG_SZ, "ExcelWorksheet"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "ExcelWorksheet"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030000-0000-0000-C000-000000000046}
\TreatAs
        (+)(REG VAL) (Default) = REG_SZ, "{00020820-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel Chart"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
\AutoConvertTo
        (+)(REG VAL) (Default) = REG_SZ, "{00020821-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
\DefaultIcon
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
\Insertable
        (+)(REG VAL) (Default) = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
\NotInsertable
        (+)(REG VAL) (Default) = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
\Ole1Class
        (+)(REG VAL) (Default) = REG_SZ, "ExcelChart"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "ExcelChart"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030001-0000-0000-C000-000000000046}
\TreatAs
        (+)(REG VAL) (Default) = REG_SZ, "{00020821-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Excel 4.0 Macro"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}
\AutoconvertTo
        (+)(REG VAL) (Default) = REG_SZ, "{00020820-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}
\DefaultIcon
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\EXCEL.EXE,1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}
\Insertable
        (+)(REG VAL) (Default) = REG_SZ, ""
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}
\NotInsertable

(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}\Ole1Class
(+)(REG VAL) (Default) = REG_SZ, "ExcelMacrosheet"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ExcelMacrosheet"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030002-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00020820-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030003-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Word 2.0 Document"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030003-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020906-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030003-0000-0000-C000-000000000046}\Ole1Class
(+)(REG VAL) (Default) = REG_SZ, "WordDocument"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030003-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "WordDocument"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030003-0000-0000-C000-000000000046}\RTFClassName
(+)(REG VAL) MSWordWin2 = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030004-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030004-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{64818D10-4F9B-11CF-86EA-00AA00B929E8}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030004-0000-0000-C000-000000000046}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030004-0000-0000-C000-000000000046}\Ole1Class
(+)(REG VAL) (Default) = REG_SZ, "MSPowerPoint"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030004-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSPowerPoint"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030005-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030005-0000-0000-C000-000000000046}\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{64818D11-4F9B-11CF-86EA-00AA00B929E8}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030005-0000-0000-C000-000000000046}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030005-0000-0000-C000-000000000046}\Ole1Class
(+)(REG VAL) (Default) = REG_SZ, "MSPowerPointSho"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030005-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSPowerPointSho"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030006-0000-0000-C000-000000000046}

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030006-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00020803-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Bitmap Image"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
\Conversion
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
\Conversion\Readable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "512"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
\Ole1Class
(+)(REG VAL) (Default) = REG_SZ, "PBrush"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PBrush"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000A-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{D3E34B21-9D75-101A-8C3D-00AA001A1652}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000B-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Equation"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000B-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{0002CE02-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000B-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000B-0000-0000-C000-000000000046}
\Ole1Class
(+)(REG VAL) (Default) = REG_SZ, "Equation"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000B-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Equation"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000C-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000C-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000C-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{F20DA720-C02F-11CE-927B-0800095AE340}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000D-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Sound"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000D-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000D-0000-0000-C000-000000000046}

\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{F20DA720-C02F-11CE-927B-0800095AE340}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000E-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Media Clip"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000E-0000-0000-C000-000000000046}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003000E-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{F20DA720-C02F-11CE-927B-0800095AE340}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030021-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "VISIO 1 Drawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030021-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030021-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\VISIO.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030021-0000-0000-C000-000000000046}
\Ole1Class
(+)(REG VAL) (Default) = REG_SZ, "ShapewareVISIO10"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030021-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ShapewareVISIO10"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00030021-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{00021A14-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00031009-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00031009-0000-0000-C000-000000000046}
\RTFClassName
(+)(REG VAL) (Default) = REG_SZ, "WrdPrfctDos"
(+)(REG VAL) WrdPrfctDos = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003100A-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003100A-0000-0000-C000-000000000046}
\RTFClassName
(+)(REG VAL) (Default) = REG_SZ, "WordPerfect6x"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00031018-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00031018-0000-0000-C000-000000000046}
\RTFClassName
(+)(REG VAL) (Default) = REG_SZ, "WrdPrfctDos"
(+)(REG VAL) WrdPrfctDos = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003101B-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0003101B-0000-0000-C000-000000000046}
\RTFClassName
(+)(REG VAL) MSWinWrite = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00041943-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Organization Chart 1.0"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00041943-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{E4C18D40-1CD5-101C-B325-00AA001F3168}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00044851-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00044851-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{64818D10-4F9B-11CF-86EA-00AA00B929E8}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00044851-0000-0000-C000-000000000046}
\Insertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00044851-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{64818D10-4F9B-11CF-86EA-00AA00B929E8}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000498C4-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000498C4-0000-0000-C000-000000000046}
\AutoConvertTo
(+)(REG VAL) (Default) = REG_SZ, "{64818D11-4F9B-11CF-86EA-00AA00B929E8}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000498C4-0000-0000-C000-000000000046}
\Insertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000498C4-0000-0000-C000-000000000046}
\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{64818D11-4F9B-11CF-86EA-00AA00B929E8}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00061068-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Message Recall Item"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00061068-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\RECALL.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00061068-0000-0000-C000-000000000046}
\MapiFormFactory
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00062000-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook TableView"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00062001-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook TimelineView"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00062002-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook CardView"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00062003-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook CalendarView"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00062004-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook IconView"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067009-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook PSOutlookMessageSite"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067009-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLRPC.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006729A-0000-0000-C000-000000000046}

(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006729A-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\SENDTO.DLL"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkOUTLOOKNonBootFiles>ryQ.EXDqd@uSK1K@FfL& "
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067800-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Mail Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067800-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067800-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067800-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067801-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Contact Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067801-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067801-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067801-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067802-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Appointment Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067802-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067802-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067802-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067803-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Task Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067803-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067803-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067803-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067804-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Notes Management Module"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067804-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067804-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067804-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067808-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Journal Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067808-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067808-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067808-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006780A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "MAPI Search Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006780B-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "File Search Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006780B-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006780B-0000-0000-C000-000000000046}\Verb\3
(+)(REG VAL) (Default) = REG_SZ, "&Quick View,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067820-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook FAT Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067821-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook My Computer Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067822-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Network Neighborhood Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067823-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Network Share Management Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067828-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "IMAP Module"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067828-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067828-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067828-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067829-0000-0000-C000-000000000046}

(+)(REG VAL) (Default) = REG_SZ, "DAV Module"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067829-0000-0000-C000-000000000046}
\Verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067829-0000-0000-C000-000000000046}
\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00067829-0000-0000-C000-000000000046}
\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F005-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Registered Central"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F005-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F005-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F006-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Central"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F006-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F006-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F011-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Recipient"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F011-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F011-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F011-0000-0000-C000-000000000046}
\Verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F011-0000-0000-C000-000000000046}
\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "T&ulajdonságok,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F011-0000-0000-C000-000000000046}
\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Küldési beállítások...,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F011-0000-0000-C000-000000000046}
\Verb\2
(+)(REG VAL) (Default) = REG_SZ, "&Hozzáadás a személyes
címjegyzékhez...,0,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F017-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Namespace"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F018-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook FAT Namespace"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F019-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Finder Stub"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F019-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F01A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Envelope Object"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F01A-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\ENVELOPE.DLL"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkOUTLOOKNonBootFiles>T_z_d-On^AekQe'nx(Ar "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F01E-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Office Explorer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F01E-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F01E-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F01F-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Office Finder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F01F-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkOUTLOOKFiles>@6di6r*LV?T)owk{56br "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F020-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Form Factory"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F020-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F020-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Recipient Control"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\Control
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\Implemented Categories
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\Implemented Categories\{7DD95802-9882-11CF-9FA9-00AA006C42C4}
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook._RecipientControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook._RecipientControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkOUTLOOKFiles>@6di6r*LV?T)owk{56br "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\MiscStatus\1
(+)(REG VAL) (Default) = REG_SZ, "131200"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "RECIP.RecipCtl.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5500"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\Verb
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "Edit, 0, 2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F023-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Body Control"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\Control
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\Implemented Categories
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\Implemented Categories\{7DD95802-9882-11CF-9FA9-00AA006C42C4}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\InprocHandler32
        (+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\InprocServer32
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook._DocSiteControlClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook._DocSiteControlClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\LocalServer32
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\MiscStatus
        (+)(REG VAL) (Default) = REG_SZ, "0"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\MiscStatus\1
        (+)(REG VAL) (Default) = REG_SZ, "131200"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\ProgId
        (+)(REG VAL) (Default) = REG_SZ, "DOCSITE.DocSiteControl.1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\ToolboxBitmap32
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE, 5518"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\Typelib
        (+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F024-0000-0000-C000-000000000046}
\Version
        (+)(REG VAL) (Default) = REG_SZ, "9.5"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F030-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "Outlook Message Site Object"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F030-0000-0000-C000-000000000046}
\InprocHandler32
        (+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F030-0000-0000-C000-000000000046}
\LocalServer32
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "Outlook File Attachment"
    (+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\AuxUserType
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\AuxUserType\2
        (+)(REG VAL) (Default) = REG_SZ, "File"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\AuxUserType\3
        (+)(REG VAL) (Default) = REG_SZ, "Outlook File Attachment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\InprocHandler32
        (+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\LocalServer32
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
        (+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkOUTLOOKFiles>@6di6r*LV?T)owk{56br "
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "Outlook.FileAttach"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\Verb
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\Verb\0
        (+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\Verb\1
        (+)(REG VAL) (Default) = REG_SZ, "&Nyomtatás,0,2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F031-0000-0000-C000-000000000046}
\Verb\2
        (+)(REG VAL) (Default) = REG_SZ, "M&entés másként...,0,2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}
        (+)(REG VAL) (Default) = REG_SZ, "Outlook Message Attachment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}
\AuxUserType
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}
\AuxUserType\2
        (+)(REG VAL) (Default) = REG_SZ, "Message"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}
\AuxUserType\3
        (+)(REG VAL) (Default) = REG_SZ, "Outlook Message Attachment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}
\InprocHandler32
        (+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}
\LocalServer32
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
        (+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkOUTLOOKFiles>@6di6r*LV?T)owk{56br "
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}
\ProgID

(+)(REG VAL) (Default) = REG_SZ, "Outlook.MsgAttach"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Nyomtatás,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F032-0000-0000-C000-000000000046}\Verb\2
(+)(REG VAL) (Default) = REG_SZ, "M&entés másként...,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F033-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook 8.0 Object Library"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F033-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F033-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkOUTLOOKFiles>@6di6r*LV?T)owk{56br "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F033-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{0006F03A-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F03A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F03A-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F03A-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.ApplicationClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F03A-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.ApplicationClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F03A-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkOUTLOOKFiles>@6di6r*LV?T)owk{56br "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F03A-0000-0000-C000-000000000046}\ProgID

(+)(REG VAL) (Default) = REG_SZ, "Outlook.Application.15"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F03A-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F045-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook File Icon Extension"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F045-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\OLKFSTUB.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Command Button
Control"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\Control
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook.OlkCommandButtonClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook.OlkCommandButtonClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft
Office\Office15\OUTLOOK.EXE""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkCommandButton.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5503"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04A-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkCommandButton"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Option Button Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkOptionButtonClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkOptionButtonClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkOptionButton.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5504"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04B-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkOptionButton"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Check Box Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,

"Microsoft.Office.Interop.Outlook.OlkCheckBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook.OlkCheckBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft
Office\Office15\OUTLOOK.EXE""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkCheckBox.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5505"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04C-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkCheckBox"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Combo Box Control"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\Control
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook.OlkComboBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook.OlkComboBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft
Office\Office15\OUTLOOK.EXE""
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkComboBox.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5506"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04D-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkComboBox"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook List Box Control"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\Control
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook.OlkListBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Outlook.OlkListBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft
Office\Office15\OUTLOOK.EXE""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkListBox.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5507"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04E-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkListBox"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Contact Photo Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkContactPhotoClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkContactPhotoClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkContactPhoto.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5508"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F04F-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkContactPhoto"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Business Card Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkBusinessCardControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkBusinessCardControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkBusinessCardControl.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5509"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F050-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkBusinessCardControl"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Time Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkTimeControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkTimeControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkTimeControl.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5512"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F051-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkTimeControl"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Category Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkCategoryClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkCategoryClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkCategoryStrip.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5514"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}

\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F053-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkCategoryStrip"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook InfoBar Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkInfoBarClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkInfoBarClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkInfoBar.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5515"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F054-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkInfoBar"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Page Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\Control

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkPageControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkPageControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkPageControl.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5510"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F055-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkPageControl"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Date Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkDateControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook,

Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkDateControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkDateControl.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5511"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F056-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkDateControl"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Frame Header Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkFrameHeaderClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkFrameHeaderClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkFrameHeader.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\ToolboxBitmap32

(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5516"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F057-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkFrameHeader"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Sender Photo Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkSenderPhotoClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkSenderPhotoClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkSenderPhoto.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5517"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F058-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkSenderPhoto"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}

(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Time Zone Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkTimeZoneControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkTimeZoneControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkTimeZone.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5519"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F059-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkTimeZone"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl.ViewCtlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl.ViewCtlClass"

(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\MiscStatus\1
(+)(REG VAL) (Default) = REG_SZ, "131473"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLCTL.DLL, 1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\TreatAs
(+)(REG VAL) (Default) = REG_SZ, "{261B8CA9-3BAF-4BD0-B0C2-BF04286785C6}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{0006F062-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F063-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "OVCtl.OVCtl"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F065-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "OLXView"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F065-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F065-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkOUTLOOKFiles>@6di6r*LV?T)owk{56br "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Label Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkLabelClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkLabelClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkLabel.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5502"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F067-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkLabel"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Outlook Text Box Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkTextBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Outlook, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Outlook.OlkTextBoxClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, ""C:\Program Files\Microsoft Office\Office15\OUTLOOK.EXE""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}\ProgID

(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkTextBox.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}
\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE,5501"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}
\Typelib
(+)(REG VAL) (Default) = REG_SZ, "{00062FFF-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "9.5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F068-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Outlook.OlkTextBox"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F069-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Object Model Access"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F069-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\OUTLCTL.DLL"
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.OutlookViewCtl.ObjectModelCtlClass"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkOUTLOOKNonBootFiles>gh]UqTYEZAbeqs1xx1]p "
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F069-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.OutlookViewCtl.ObjectModelCtlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F071-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Progress Ctl"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F071-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F071-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F071-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLOOK.EXE"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F081-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "MimeDirItem Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F081-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\MIMEDIR.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F081-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MimeDir.MimeDirItem.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F081-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MimeDir.MimeDirItem"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F082-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "MimeDirParser Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F082-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\MIMEDIR.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F082-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MimeDir.MimeDirParser.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F082-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MimeDir.MimeDirParser"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F083-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "MimeDirWriter Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F083-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\MIMEDIR.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F084-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "MimeDirProfile Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F084-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\MIMEDIR.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F084-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MimeDir.MimeDirProfile.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F085-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "MapiCvt Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F085-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\MIMEDIR.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F085-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MapiCvt.MapiCvt.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0006F085-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MapiCvt.MapiCvt"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0126-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Office 15"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0126-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\COMMON~1\MICROS~1\OFFICE15\MSO.DLL"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A03-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project Text Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A03-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A03-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.TXT.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A03-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.TXT"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A04-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project Excel5 Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A04-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A04-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.XLS5.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A04-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.XLS5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A08-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project CSV Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A08-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "BOTH"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A08-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.CSV.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A08-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.CSV"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A09-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A09-0000-0000-C000-000000000046}
\ProgId
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPP.8"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0A-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project ODBC8 Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0A-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.ODBC.8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0A-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.ODBC"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0B-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0B-0000-0000-C000-000000000046}
\ProgId
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPT.8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0C-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project MPW Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0C-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "BOTH"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0C-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPW.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0C-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPW"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0D-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project 8.0 Global8
Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0D-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "BOTH"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0D-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.GLOBAL8.8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0D-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.GLOBAL8"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0F-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project MPX Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0F-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "BOTH"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0F-0000-0000-C000-000000000046}

\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPX.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A0F-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPX"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A11-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A11-0000-0000-C000-000000000046}
\ProgId
(+)(REG VAL) (Default) = REG_SZ, "MSProject.HTML.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A11-0000-0000-C000-000000000046}
\VersionIndependentProgId
(+)(REG VAL) (Default) = REG_SZ, "MSProject.HTML"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A13-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project MPM Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A13-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "BOTH"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A13-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPM.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A13-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPM"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A14-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project PivotExcel8
Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A14-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A14-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.Pivot5.9"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A14-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.Pivot5"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A15-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project Excel8 Serializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A15-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A15-0000-0000-C000-000000000046}
\ProgID

(+)(REG VAL) (Default) = REG_SZ, "MSProject.XLS8.9"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A15-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.XLS8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A16-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project XLTemplate Serializer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A16-0000-0000-C000-000000000046}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\WINPROJ.EXE"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ, "yh1BVd!!!!4!!!!MKKSkPROJECTFiles>cN!yM?K^p8k7AS.hLsCe "
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A16-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.XLTemplate.9"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A16-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.XLTemplate"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A18-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project MDB8 Serializer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A18-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MDB8.8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A18-0000-0000-C000-000000000046}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MDB8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A19-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Project MPD8 Serializer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A19-0000-0000-C000-000000000046}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPD.8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C0A19-0000-0000-C000-000000000046}\VersionIndependentProgId
(+)(REG VAL) (Default) = REG_SZ, "MSProject.MPD"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C101C-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Msi install server"
(+)(REG VAL) AppId = REG_SZ, "{000C101C-0000-0000-C000-000000000046}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C101C-0000-0000-C000-000000000046}\ProgId
(+)(REG VAL) (Default) = REG_SZ, "IMsiServer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C101D-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows Installer Message RPC"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C101D-0000-0000-C000-000000000046}\DllVersion
(+)(REG VAL) (Default) = REG_SZ, "5.0.7601"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C101D-0000-0000-C000-000000000046}\ProgId
(+)(REG VAL) (Default) = REG_SZ, "WindowsInstaller.Message"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C103E-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C103E-0000-0000-C000-000000000046}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\msi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1090-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows Installer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1090-0000-0000-C000-000000000046}
\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1090-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\msi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1090-0000-0000-C000-000000000046}
\ProgId
(+)(REG VAL) (Default) = REG_SZ, "WindowsInstaller.Installer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1090-0000-0000-C000-000000000046}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{000C1092-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1090-0000-0000-C000-000000000046}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1094-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000C1094-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\msi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000CDB0D-0000-0000-C000-000000000046}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000CDB0D-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "office, Version=15.0.0.0,
Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Core.CustomXMLSchemaCollectionClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000CDB0D-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "office, Version=15.0.0.0,
Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Core.CustomXMLSchemaCollectionClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0A26-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Visio Automation"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0A26-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Visio,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Visio.InvisibleAppClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0A26-0000-0000-C000-000000000046}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Visio,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Visio.InvisibleAppClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0A26-0000-0000-C000-000000000046}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\VISIO.EXE
/Automation /Invisible"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkVisioCore>9F%.L!oIWAHB(C'Wvu?R /Automation /Invisible "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0A26-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.InvisibleApp.11"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0A26-0000-0000-C000-000000000046}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Visio.InvisibleApp"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0E00-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "Visio CAD Drawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0E00-0000-0000-C000-000000000046}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\DWGDP.DLL"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"yh1BVz!!!!4!!!!MKKSkCAD_Drawing_Display_Unitless>wN1@d&fb?9{&$]][-_F("
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0E00-0000-0000-C000-000000000046}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Icad.Drawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0E00-0000-0000-C000-000000001157}
(+)(REG VAL) (Default) = REG_SZ, "Visio Viewer CAD Drawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0E00-0000-0000-C000-000000001157}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\VVIEWDWG.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{000D0E00-0000-0000-C000-000000001157}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Icad.ViewerDrawing"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0010668C-0801-4DA6-A4A4-826522B6D28F}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0010668C-0801-4DA6-A4A4-826522B6D28F}
\Containers
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0010668C-0801-4DA6-A4A4-826522B6D28F}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\windowscodecs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00108226-EE41-44A2-9E9C-4BE4D5B1D2CD}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00108226-EE41-44A2-9E9C-4BE4D5B1D2CD}
\Containers
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00108226-EE41-44A2-9E9C-4BE4D5B1D2CD}

\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\windowscodecs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0010890e-8789-413c-adbc-48f5b511b3af}
(+)(REG VAL) (Default) = REG_SZ, "User Notification"
(+)(REG VAL) AppID = REG_SZ, "{0010890e-8789-413c-adbc-48f5b511b3af}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0010890e-8789-413c-adbc-48f5b511b3af}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00393519-3A67-4507-A2B8-85146167ACA7}
(+)(REG VAL) (Default) = REG_SZ, "WPD Association LUA Virtual Factory"
(+)(REG VAL) AppId = REG_SZ, "{00393519-3A67-4507-A2B8-85146167ACA7}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ, "@%SystemRoot%\System32\wpdwcn.dll,-3200"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00393519-3A67-4507-A2B8-85146167ACA7}\Elevation
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00393519-3A67-4507-A2B8-85146167ACA7}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\shpafact.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00393519-3A67-4507-A2B8-85146167ACA7}\VirtualServerObjects
(+)(REG VAL) {BFD6C433-4B17-4F6D-A93C-B03FCC4E586E} = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0039FFEC-A022-4232-8274-6B34787BFC27}
(+)(REG VAL) (Default) = REG_SZ, "Application Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0039FFEC-A022-4232-8274-6B34787BFC27}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\ONENOTE.EXE"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0039FFEC-A022-4232-8274-6B34787BFC27}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "OneNote.Application.12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0039FFEC-A022-4232-8274-6B34787BFC27}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{F2A7EE29-8BF6-4a6d-83F1-098E366C709C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{003e0278-eca8-4bb8-a256-3689ca1c2600}
(+)(REG VAL) (Default) = REG_SZ, "Published Items Shell Service Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{003e0278-eca8-4bb8-a256-3689ca1c2600}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00597829-82CE-44d4-8B0B-40BE695973B5}
(+)(REG VAL) (Default) = REG_SZ, "WMPDMCServersManager Class"
(+)(REG VAL) AppID = REG_SZ, "{92C2A9B3-4228-438E-8A7B-EF110987764C}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00597829-82CE-44d4-8B0B-40BE695973B5}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%PROGRAMFILES%\Windows Media Player\WMPDMCCore.dll"

(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{006E61DF-1A43-4F2C-B26F-780BAEA3A92D}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{006E61DF-1A43-4F2C-B26F-780BAEA3A92D}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\hgcpl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0086c339-9c0e-4c09-9a2f-ff3d19a44a18}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0086c339-9c0e-4c09-9a2f-ff3d19a44a18}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msscp.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0095b496-f121-4256-96a0-09179828cc16}
(+)(REG VAL) (Default) = REG_SZ, "CImeProductObject_JK Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0095b496-f121-4256-96a0-09179828cc16}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\ime\shared\imjkapi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0095b496-f121-4256-96a0-09179828cc16}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "IMEAPI.CImeProductObjectJK.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0095b496-f121-4256-96a0-09179828cc16}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{da524058-bdb4-482a-997a-338ae04d7156}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0095b496-f121-4256-96a0-09179828cc16}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0095b496-f121-4256-96a0-09179828cc16}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "IMEAPI.CImeProductObjectJK"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{009f3b45-8a6b-4360-b997-b2a009a16402}
(+)(REG VAL) (Default) = REG_SZ, "XWizard Factory Generated Class (HomeGroup Update Passkey/Merge Hook Page)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{009f3b45-8a6b-4360-b997-b2a009a16402}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\xwizards.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00A77FF7-A514-493e-B721-CDF8CB0F5B59}
(+)(REG VAL) (Default) = REG_SZ, "Computer Info Advise"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00A77FF7-A514-493e-B721-CDF8CB0F5B59}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\systemcpl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00B01B2E-B1FE-33A6-AD40-57DE8358DC7D}
(+)(REG VAL) (Default) = REG_SZ, "System.Security.Cryptography.HMACSHA1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00B01B2E-B1FE-33A6-AD40-57DE8358DC7D}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00B01B2E-B1FE-33A6-AD40-57DE8358DC7D}

\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00B01B2E-B1FE-33A6-AD40-57DE8358DC7D}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
        (+)(REG VAL) Class = REG_SZ, "System.Security.Cryptography.HMACSHA1"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00B01B2E-B1FE-33A6-AD40-57DE8358DC7D}
\InprocServer32\2.0.0.0
        (+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089"
        (+)(REG VAL) Class = REG_SZ, "System.Security.Cryptography.HMACSHA1"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00B01B2E-B1FE-33A6-AD40-57DE8358DC7D}
\ProgId
        (+)(REG VAL) (Default) = REG_SZ, "System.Security.Cryptography.HMACSHA1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BB2763-6A77-11D0-A535-00C04FD7D062}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft AutoComplete"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BB2763-6A77-11D0-A535-00C04FD7D062}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BB2764-6A77-11D0-A535-00C04FD7D062}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft History AutoComplete List"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BB2764-6A77-11D0-A535-00C04FD7D062}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ, "shell32.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BB2765-6A77-11D0-A535-00C04FD7D062}
        (+)(REG VAL) (Default) = REG_SZ, "Microsoft Multiple AutoComplete List
Container"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BB2765-6A77-11D0-A535-00C04FD7D062}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BC7EAE-28D5-4310-BE9F-11526A7FA37F}
        (+)(REG VAL) (Default) = REG_SZ, "ModemActivation Class"
        (+)(REG VAL) AppID = REG_SZ, "{6D9A7A40-DDCA-414E-B48E-DFB032C03C1B}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BC7EAE-28D5-4310-BE9F-11526A7FA37F}
\InprocServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\sppcomapi.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Free"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BC7EAE-28D5-4310-BE9F-11526A7FA37F}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "SppComApi.ModemActivation.1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BC7EAE-28D5-4310-BE9F-11526A7FA37F}
\TypeLib
        (+)(REG VAL) (Default) = REG_SZ, "{B0C2A63F-AFF8-40E3-B42D-8A542DC909EC}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00BC7EAE-28D5-4310-BE9F-11526A7FA37F}
\VersionIndependentProgID
        (+)(REG VAL) (Default) = REG_SZ, "SppComApi.ModemActivation"
    (+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C3CB7A-5418-11D3-9A4B-00500476D23B}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Thread Manager"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C3CB7A-5418-11D3-9A4B-00500476D23B}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OLMAPI32.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
(+)(REG VAL) (Default) = REG_SZ, "CrBlinds"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\Implemented Categories\{59FB2056-D625-48D0-A944-1A85B5AB2640}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\Implemented Categories\{C501EDBE-9E70-11D1-9053-00C04FD9189D}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\Dxtmsft.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "DXImageTransform.Microsoft.CrBlinds.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\ToolBoxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\Dxtmsft.dll,235"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C429C0-0BA9-11d2-A484-00C04F8EFB69}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "DXImageTransform.Microsoft.CrBlinds"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C6D95F-329C-409a-81D7-C46C66EA7F33}
(+)(REG VAL) (Default) = REG_SZ, "DefaultLocation"
(+)(REG VAL) InfoTip = REG_EXPAND_SZ,
"@%SystemRoot%\System32\defaultlocationcpl.dll,-2"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\System32\defaultlocationcpl.dll,-1"
(+)(REG VAL) System.ApplicationName = REG_SZ, "Microsoft.DefaultLocation"
(+)(REG VAL) System.Software.TasksFileUrl = REG_SZ, "Internal"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C6D95F-329C-409a-81D7-C46C66EA7F33}
\DefaultIcon
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\defaultlocationcpl.dll,-1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C6D95F-329C-409a-81D7-C46C66EA7F33}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\shdocvw.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C6D95F-329C-409a-81D7-C46C66EA7F33}
\Instance
(+)(REG VAL) CLSID = REG_SZ, "{328B0346-7EAF-4BBE-A479-7CB88A095F5B}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C6D95F-329C-409a-81D7-C46C66EA7F33}
\Instance\InitPropertyBag
(+)(REG VAL) ResourceDLL = REG_EXPAND_SZ,

"%SystemRoot%\System32\defaultlocationcpl.dll"
(+)(REG VAL) ResourceID = REG_DWORD, 100
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00C6D95F-329C-409a-81D7-C46C66EA7F33}
\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, -1610612736
(+)(REG VAL) WantsParseDisplayName = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00da2f99-f2a6-40c2-b770-a920f8e44abc}
(+)(REG VAL) (Default) = REG_SZ, "Staging ShellFolder for CD Burning"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00da2f99-f2a6-40c2-b770-a920f8e44abc}
\MergedFolder
(+)(REG VAL) AttributeMask = REG_SZ, "0xffffffff"
(+)(REG VAL) Attributes = REG_SZ, "0x8000"
(+)(REG VAL) DefaultOverlayIcon = REG_EXPAND_SZ,
"%SystemRoot%\system32\imageres.dll,-169"
(+)(REG VAL) DropEffect = REG_SZ, "0x2"
(+)(REG VAL) Location = REG_SZ, "@shell32.dll,-12590"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00E80F18-EC5B-4FCF-A417-7348991A8D32}
(+)(REG VAL) (Default) = REG_SZ, "Stereoscopic3DSettings Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00E80F18-EC5B-4FCF-A417-7348991A8D32}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA
Corporation\Display\nvsvs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00E80F18-EC5B-4FCF-A417-7348991A8D32}
\ProgID
(+)(REG VAL) (Default) = REG_SZ,
"StereoVisionServer.Stereoscopic3DSettings.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00E80F18-EC5B-4FCF-A417-7348991A8D32}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{E920DC48-2640-41a5-AA09-912B32234293}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00E80F18-EC5B-4FCF-A417-7348991A8D32}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ,
"StereoVisionServer.Stereoscopic3DSettings"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00eebf57-477d-4084-9921-7ab3c2c9459d}
(+)(REG VAL) (Default) = REG_SZ, "CD Burn Merged Folder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00eebf57-477d-4084-9921-7ab3c2c9459d}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f20eb5-8fd6-4d9d-b75e-36801766c8f1}
(+)(REG VAL) (Default) = REG_SZ, "PhotoAcqDropTarget"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f20eb5-8fd6-4d9d-b75e-36801766c8f1}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Photo
Viewer\PhotoAcq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f20eb5-8fd6-4d9d-b75e-36801766c8f1}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqDropTarget.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f20eb5-8fd6-4d9d-b75e-36801766c8f1}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00f25ae8-3625-4e34-92d4-f0918cf010ee}"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f20eb5-8fd6-4d9d-b75e-36801766c8f1}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f20eb5-8fd6-4d9d-b75e-36801766c8f1}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqDropTarget"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f210a1-62f0-438b-9f7e-9618d72a1831}
(+)(REG VAL) (Default) = REG_SZ, "PhotoAcquireOptionsDialog"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f210a1-62f0-438b-9f7e-9618d72a1831}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Photo
Viewer\PhotoAcq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f210a1-62f0-438b-9f7e-9618d72a1831}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqOptionsDlg.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f210a1-62f0-438b-9f7e-9618d72a1831}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00f25ae8-3625-4e34-92d4-f0918cf010ee}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f210a1-62f0-438b-9f7e-9618d72a1831}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f210a1-62f0-438b-9f7e-9618d72a1831}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqOptionsDlg"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f24ca0-748f-4e8a-894f-0e0357c6799f}
(+)(REG VAL) (Default) = REG_SZ, "PhotoProgressDialog"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f24ca0-748f-4e8a-894f-0e0357c6799f}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Photo
Viewer\PhotoAcq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f24ca0-748f-4e8a-894f-0e0357c6799f}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoProgressDialog.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f24ca0-748f-4e8a-894f-0e0357c6799f}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00f25ae8-3625-4e34-92d4-f0918cf010ee}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f24ca0-748f-4e8a-894f-0e0357c6799f}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f24ca0-748f-4e8a-894f-0e0357c6799f}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoProgressDialog"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f26e02-e9f2-4a9f-9fdd-5a962fb26a98}
(+)(REG VAL) (Default) = REG_SZ, "PhotoAcquire"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f26e02-e9f2-4a9f-9fdd-5a962fb26a98}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Photo
Viewer\PhotoAcq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f26e02-e9f2-4a9f-9fdd-5a962fb26a98}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcquire.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f26e02-e9f2-4a9f-9fdd-5a962fb26a98}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00f25ae8-3625-4e34-92d4-f0918cf010ee}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f26e02-e9f2-4a9f-9fdd-5a962fb26a98}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f26e02-e9f2-4a9f-9fdd-5a962fb26a98}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcquire"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f29a34-b8a1-482c-bcf8-3ac7b0fe8f62}
(+)(REG VAL) (Default) = REG_SZ, "PhotoAcqDeviceSelectionDlg"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f29a34-b8a1-482c-bcf8-3ac7b0fe8f62}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Photo
Viewer\PhotoAcq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f29a34-b8a1-482c-bcf8-3ac7b0fe8f62}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqDeviceSelectionDlg.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f29a34-b8a1-482c-bcf8-3ac7b0fe8f62}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00f25ae8-3625-4e34-92d4-f0918cf010ee}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f29a34-b8a1-482c-bcf8-3ac7b0fe8f62}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f29a34-b8a1-482c-bcf8-3ac7b0fe8f62}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqDeviceSelectionDlg"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f2b433-44e4-4d88-b2b0-2698a0a91dba}
(+)(REG VAL) (Default) = REG_SZ, "PhotoAcqHWEventHandler"
(+)(REG VAL) AppID = REG_SZ, "{00f2b433-44e4-4d88-b2b0-2698a0a91dba}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f2b433-44e4-4d88-b2b0-2698a0a91dba}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
""%SystemRoot%\System32\rundll32.exe" "%ProgramFiles%\Windows Photo
Viewer\PhotoAcq.dll",AutoplayComServerW {00f2b433-44e4-4d88-b2b0-2698a0a91dba}"
(+)(REG VAL) ServerExecutable = REG_EXPAND_SZ,
"%SystemRoot%\System32\rundll32.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f2b433-44e4-4d88-b2b0-2698a0a91dba}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqHWEventHandler.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f2b433-44e4-4d88-b2b0-2698a0a91dba}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{00f25ae8-3625-4e34-92d4-f0918cf010ee}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f2b433-44e4-4d88-b2b0-2698a0a91dba}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00f2b433-44e4-4d88-b2b0-2698a0a91dba}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Microsoft.PhotoAcqHWEventHandler"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00F2CE1E-935E-4248-892C-130F32C45CB4}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{00F2CE1E-935E-4248-892C-130F32C45CB4}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Photo
Viewer\PhotoAcq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0102563D-F16D-434d-82A2-37968BD3E31E}
(+)(REG VAL) (Default) = REG_SZ, "RNWF Extensible Helper Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0102563D-F16D-434d-82A2-37968BD3E31E}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\WLanHC.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{010911E2-F61C-479B-B08C-43E6D1299EFE}
(+)(REG VAL) AppID = REG_SZ, "{7f9bbc82-ba5f-4448-8622-ef76b8d007e6}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{010911E2-F61C-479B-B08C-43E6D1299EFE}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\mscoree.dll"
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.GroupPolicy.Reporting,
Version=2.0.0.0, Culture=neutral, PublicKeyToken=31bf3856ad364e35"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.GroupPolicy.Reporting.ReportFactory"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{010911E2-F61C-479B-B08C-43E6D1299EFE}
\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.GroupPolicy.Reporting,
Version=2.0.0.0, Culture=neutral, PublicKeyToken=31bf3856ad364e35"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.GroupPolicy.Reporting.ReportFactory"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011B3619-FE63-4814-8A84-15A194CE9CE3}
(+)(REG VAL) (Default) = REG_SZ, "WebDVD Device Segment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011B3619-FE63-4814-8A84-15A194CE9CE3}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011B3619-FE63-4814-8A84-15A194CE9CE3}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MSVidCtl.MSVidWebDVD.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011B3619-FE63-4814-8A84-15A194CE9CE3}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011B3619-FE63-4814-8A84-15A194CE9CE3}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{B0EDF154-910A-11D2-B632-00C04F79498E}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011B3619-FE63-4814-8A84-15A194CE9CE3}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011B3619-FE63-4814-8A84-15A194CE9CE3}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSVidCtl.MSVidWebDVD"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011BE22D-E453-11D1-945A-00C04FB984F9}

(+)(REG VAL) (Default) = REG_SZ, "WSecEdit Security Manager Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{011BE22D-E453-11D1-945A-00C04FB984F9}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\wsecedit.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0131BE10-2001-4C5F-A9B0-CC88FAB64CE8}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0131BE10-2001-4C5F-A9B0-CC88FAB64CE8}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\windowscodecs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01367108-5EE2-4E1C-A8DE-24438065ABC9}
(+)(REG VAL) (Default) = REG_SZ, "CategoryAppearance Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01367108-5EE2-4E1C-A8DE-24438065ABC9}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA Corporation\Display\nvdisps.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01367108-5EE2-4E1C-A8DE-24438065ABC9}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "DisplayServer.CategoryAppearance.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01367108-5EE2-4E1C-A8DE-24438065ABC9}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{25EBA1D0-EB51-4CBE-8515-23E81DF77F97}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01367108-5EE2-4E1C-A8DE-24438065ABC9}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "DisplayServer.CategoryAppearance"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d0-fb7a-11dc-ba4a-000ffe7ab428}
(+)(REG VAL) (Default) = REG_SZ, "Biometrics"
(+)(REG VAL) InfoTip = REG_EXPAND_SZ, "@%SystemRoot%\System32\biocpl.dll,-2"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ, "@%SystemRoot%\System32\biocpl.dll,-1"
(+)(REG VAL) System.ApplicationName = REG_SZ, "Microsoft.BiometricDevices"
(+)(REG VAL) System.ControlPanel.Category = REG_SZ, "2"
(+)(REG VAL) System.ControlPanel.EnableInSafeMode = REG_DWORD, 3
(+)(REG VAL) System.Software.TasksFileUrl = REG_SZ, "Internal"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d0-fb7a-11dc-ba4a-000ffe7ab428}\DefaultIcon
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\biocpl.dll,-1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d0-fb7a-11dc-ba4a-000ffe7ab428}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\shdocvw.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d0-fb7a-11dc-ba4a-000ffe7ab428}\Instance
(+)(REG VAL) CLSID = REG_SZ, "{328B0346-7EAF-4BBE-A479-7CB88A095F5B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d0-fb7a-11dc-ba4a-000ffe7ab428}\Instance\InitPropertyBag
(+)(REG VAL) ResourceDLL = REG_EXPAND_SZ, "%SystemRoot%\System32\biocpl.dll"

(+)(REG VAL) ResourceID = REG_DWORD, 100
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d0-fb7a-11dc-ba4a-000ffe7ab428}
\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, -1610612736
(+)(REG VAL) WantsParseDisplayName = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d1-fb7a-11dc-ba4a-000ffe7ab428}
(+)(REG VAL) (Default) = REG_SZ, "Virtual Factory for Biometrics"
(+)(REG VAL) AppId = REG_SZ, "{0142e4d1-fb7a-11dc-ba4a-000ffe7ab428}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\System32\biocpl.dll,-1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d1-fb7a-11dc-ba4a-000ffe7ab428}
\Elevation
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG VAL) IconReference = REG_EXPAND_SZ,
"%Systemroot%\System32\biocpl.dll,-1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d1-fb7a-11dc-ba4a-000ffe7ab428}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\shpafact.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d1-fb7a-11dc-ba4a-000ffe7ab428}
\VirtualServerObjects
(+)(REG VAL) {52CFFDFE-A115-4164-AFB1-EAD719C52C15} = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d2-fb7a-11dc-ba4a-000ffe7ab428}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d2-fb7a-11dc-ba4a-000ffe7ab428}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\biocpl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d3-fb7a-11dc-ba4a-000ffe7ab428}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0142e4d3-fb7a-11dc-ba4a-000ffe7ab428}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\biocpl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01458CF0-A1A2-11D1-8F85-00600895E7D5}
(+)(REG VAL) (Default) = REG_SZ, "Interface Proxy Stub"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01458CF0-A1A2-11D1-8F85-00600895E7D5}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\msdtctm.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0149EEDF-D08F-4142-8D73-D23903D21E90}
(+)(REG VAL) (Default) = REG_SZ, "XDS Feature Segment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0149EEDF-D08F-4142-8D73-D23903D21E90}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0149EEDF-D08F-4142-8D73-D23903D21E90}
\Implemented Categories\{0DE86A57-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0149EEDF-D08F-4142-8D73-D23903D21E90}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0149EEDF-D08F-4142-8D73-D23903D21E90}
\Programmable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0149EEDF-D08F-4142-8D73-D23903D21E90}
\TypeLib
        (+)(REG VAL) (Default) = REG_SZ, "{B0EDF154-910A-11D2-B632-00C04F79498E}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0149EEDF-D08F-4142-8D73-D23903D21E90}
\Version
        (+)(REG VAL) (Default) = REG_SZ, "1.0"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01504157-8839-4BF6-9B5B-51165A967B2B}
        (+)(REG VAL) (Default) = REG_SZ, "MainServer Class"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01504157-8839-4BF6-9B5B-51165A967B2B}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA
Corporation\Display\nvmobls.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01504157-8839-4BF6-9B5B-51165A967B2B}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "MobileServer.MainServer.1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01504157-8839-4BF6-9B5B-51165A967B2B}
\TypeLib
        (+)(REG VAL) (Default) = REG_SZ, "{F9C24C76-8C9C-45CE-8A36-CB2FF2FDB24F}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01504157-8839-4BF6-9B5B-51165A967B2B}
\VersionIndependentProgID
        (+)(REG VAL) (Default) = REG_SZ, "MobileServer.MainServer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01575CFE-9A55-4003-A5E1-F38D1EBDCBE1}
        (+)(REG VAL) (Default) = REG_SZ, "MsCtfMonitor task handler"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01575CFE-9A55-4003-A5E1-F38D1EBDCBE1}
\InprocServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\MsCtfMonitor.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{016fd94e-b02a-4ab8-94c6-149fdab56b8d}
        (+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{016fd94e-b02a-4ab8-94c6-149fdab56b8d}
\InprocServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\comuid.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0180E49C-13BF-46DB-9AFD-9F52292E1C22}
        (+)(REG VAL) (Default) = REG_SZ, "DVSGeneralPPage"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0180E49C-13BF-46DB-9AFD-9F52292E1C22}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Program Files (x86)\K-Lite Codec
Pack\Filters\DirectVobSub64\vsfilter.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01822ABA-23F0-4506-9BBC-680F5D6D606C}
        (+)(REG VAL) (Default) = REG_SZ, "CLSID_ContactUserAccountChangeCallback"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01822ABA-23F0-4506-9BBC-680F5D6D606C}
\InprocServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%CommonProgramFiles%\System\wab32.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{019F7150-E6DB-11D0-83C3-00C04FDDB82E}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft IME (Japanese)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{019F7150-E6DB-11D0-83C3-00C04FDDB82E}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\imjp10k.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{019F7150-E6DB-11D0-83C3-00C04FDDB82E}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{019F7150-E6DB-11D0-83C3-00C04FDDB82E}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MSIME.Japan"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01A3BF5C-CC93-4C12-A4C3-09B0BBE7F63F}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01A3BF5C-CC93-4C12-A4C3-09B0BBE7F63F}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\iasnap.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01A3BF5C-CC93-4C12-A4C3-09B0BBE7F63F}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "IAS.PostEapRestrictions.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01A3BF5C-CC93-4C12-A4C3-09B0BBE7F63F}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "IAS.PostEapRestrictions"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01afc156-f2eb-4c1c-a722-8550417d396f}
(+)(REG VAL) (Default) = REG_SZ, "Action Center PSFactory"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01afc156-f2eb-4c1c-a722-8550417d396f}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\actioncenter.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01B90D9A-8209-47F7-9C52-E1244BF50CED}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01B90D9A-8209-47F7-9C52-E1244BF50CED}
\Containers
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01B90D9A-8209-47F7-9C52-E1244BF50CED}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\windowscodecsext.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01CBCF66-A9CA-4449-84DE-7F321232BBC7}
(+)(REG VAL) (Default) = REG_SZ, "html persistent handler for mapi email"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01CBCF66-A9CA-4449-84DE-7F321232BBC7}
\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{9694E38A-E081-46ac-99A0-8743C909ACB6}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01D0A625-782D-4777-8D4E-547E6457FAD5}
(+)(REG VAL) (Default) = REG_SZ, "CEIPLuaElevationHelper"
(+)(REG VAL) AppId = REG_SZ, "{4BC67F23-D805-4384-BCA3-6F1EDFF50E2C}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%systemroot%\system32\werconcpl.dll,-351"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01D0A625-782D-4777-8D4E-547E6457FAD5}
\Elevation
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG VAL) IconReference = REG_EXPAND_SZ,

"@%systemroot%\system32\werconcpl.dll,-6"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01D0A625-782D-4777-8D4E-547E6457FAD5}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\wercplsupport.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01D0A625-782D-4777-8D4E-547E6457FAD5}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "CEIPLuaElevationHelper"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01E04581-4EEE-11d0-BFE9-00AA005B4383}
        (+)(REG VAL) (Default) = REG_SZ, "&Address"
        (+)(REG VAL) MenuTextPUI = REG_SZ, "@explorerframe.dll,-13137"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01E04581-4EEE-11d0-BFE9-00AA005B4383}
\Implemented Categories
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01E04581-4EEE-11d0-BFE9-00AA005B4383}
\Implemented Categories\{00021492-0000-0000-C000-000000000046}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01E04581-4EEE-11d0-BFE9-00AA005B4383}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\explorerframe.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01F36CE2-0907-4d8b-979D-F151BE91C883}
        (+)(REG VAL) (Default) = REG_SZ, "CFrameRateConvertDmo"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01F36CE2-0907-4d8b-979D-F151BE91C883}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\mfvdsp.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FA60A0-BBFF-11D0-8825-00A0C903B83C}
        (+)(REG VAL) (Default) = REG_SZ, "Encode CRL Distribution Points Class"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FA60A0-BBFF-11D0-8825-00A0C903B83C}
\InprocServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\certenc.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FA60A0-BBFF-11D0-8825-00A0C903B83C}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ,
"CertificateAuthority.EncodeCRLDistInfo.1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FA60A0-BBFF-11D0-8825-00A0C903B83C}
\VersionIndependentProgID
        (+)(REG VAL) (Default) = REG_SZ, "CertificateAuthority.EncodeCRLDistInfo"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FE4A1F-CC5C-44AB-A1E6-CFBD9249146D}
        (+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FF4E4B-8AD0-3171-8C82-5C2F48B87E3D}
        (+)(REG VAL) (Default) = REG_SZ,
"System.Runtime.Remoting.Metadata.SoapMethodAttribute"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FF4E4B-8AD0-3171-8C82-5C2F48B87E3D}
\Implemented Categories
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FF4E4B-8AD0-3171-8C82-5C2F48B87E3D}
\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FF4E4B-8AD0-3171-8C82-5C2F48B87E3D}
\InprocServer32

(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) Class = REG_SZ, "System.Runtime.Remoting.Metadata.SoapMethodAttribute"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FF4E4B-8AD0-3171-8C82-5C2F48B87E3D}\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ, "System.Runtime.Remoting.Metadata.SoapMethodAttribute"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{01FF4E4B-8AD0-3171-8C82-5C2F48B87E3D}\ProgId
(+)(REG VAL) (Default) = REG_SZ, "System.Runtime.Remoting.Metadata.SoapMethodAttribute"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0202F0F6-FAAB-45C1-98C9-928B7DC4EC40}
(+)(REG VAL) (Default) = REG_SZ, "Implementation for serializing subscription info for presentities."
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0202F0F6-FAAB-45C1-98C9-928B7DC4EC40}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\UccApi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0202F0F6-FAAB-45C1-98C9-928B7DC4EC40}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Uccppri.UccSubscriptionSerializerPreference.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0202F0F6-FAAB-45C1-98C9-928B7DC4EC40}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0202F0F6-FAAB-45C1-98C9-928B7DC4EC40}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{0A2F2FC4-26E1-457B-83EC-671B8FC4C86D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0202F0F6-FAAB-45C1-98C9-928B7DC4EC40}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0202F0F6-FAAB-45C1-98C9-928B7DC4EC40}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Uccppri.UccSubscriptionSerializerPreference"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{021003e9-aac0-4975-979f-14b5d4e717f8}
(+)(REG VAL) (Default) = REG_SZ, "LocalCopyHelper"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{021003e9-aac0-4975-979f-14b5d4e717f8}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02156B78-59F1-4D56-9BE1-1309E586364F}
(+)(REG VAL) (Default) = REG_SZ, "CustomProperty Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02156B78-59F1-4D56-9BE1-1309E586364F}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\SOLUTILS.DLL"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ, "yh1BVz!!!!4!!!!MKKSkVisioCore>-6%m_g5ZA?UWy@SqOAy. "
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02156B78-59F1-4D56-9BE1-1309E586364F}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "solution_utils.dll.CustomProperty.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02156B78-59F1-4D56-9BE1-1309E586364F}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02156B78-59F1-4D56-9BE1-1309E586364F}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{723E6F4C-5A42-4A36-9A8C-13FA2606B65C}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02156B78-59F1-4D56-9BE1-1309E586364F}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "solution_utils.dll.CustomProperty"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{022B358F-06B8-4E0D-ADD9-655A8F1E9EDD}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{022B358F-06B8-4E0D-ADD9-655A8F1E9EDD}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\NaturalLanguage6.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{023A36FC-E9D5-419E-824A-CDC66A116E84}
(+)(REG VAL) (Default) = REG_SZ, "Windows Firewall with Advanced
Security"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{023A36FC-E9D5-419E-824A-CDC66A116E84}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\AuthFWGP.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0245858B-948D-4f36-A574-1A71EF5111CB}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0245858B-948D-4f36-A574-1A71EF5111CB}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\fvecpl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{025A5937-A6BE-4686-A844-36FE4BEC8B6D}
(+)(REG VAL) (Default) = REG_SZ, "Power Options"
(+)(REG VAL) InfoTip = REG_EXPAND_SZ,
"@%SystemRoot%\System32\powercpl.dll,-2"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\System32\powercpl.dll,-1"
(+)(REG VAL) System.ApplicationName = REG_SZ, "Microsoft.PowerOptions"
(+)(REG VAL) System.ControlPanel.Category = REG_SZ, "2,5"
(+)(REG VAL) System.ControlPanel.EnableInSafeMode = REG_DWORD, 3
(+)(REG VAL) System.Software.TasksFileUrl = REG_SZ, "Internal"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{025A5937-A6BE-4686-A844-36FE4BEC8B6D}
\DefaultIcon
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\powercpl.dll,-1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{025A5937-A6BE-4686-A844-36FE4BEC8B6D}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\shdocvw.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{025A5937-A6BE-4686-A844-36FE4BEC8B6D}
\Instance
(+)(REG VAL) CLSID = REG_SZ, "{328B0346-7EAF-4BBE-A479-7CB88A095F5B}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{025A5937-A6BE-4686-A844-36FE4BEC8B6D}

\Instance\InitPropertyBag
(+)(REG VAL) ResourceDLL = REG_EXPAND_SZ, "%SystemRoot%\System32\powercpl.dll"
(+)(REG VAL) ResourceID = REG_DWORD, 100
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{025A5937-A6BE-4686-A844-36FE4BEC8B6D}\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, -1610612736
(+)(REG VAL) WantsParseDisplayName = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{026CC6D7-34B2-33D5-B551-CA31EB6CE345}
(+)(REG VAL) (Default) = REG_SZ, "System.Collections.SortedList"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{026CC6D7-34B2-33D5-B551-CA31EB6CE345}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{026CC6D7-34B2-33D5-B551-CA31EB6CE345}\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{026CC6D7-34B2-33D5-B551-CA31EB6CE345}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) Class = REG_SZ, "System.Collections.SortedList"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{026CC6D7-34B2-33D5-B551-CA31EB6CE345}\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ, "System.Collections.SortedList"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{026CC6D7-34B2-33D5-B551-CA31EB6CE345}\ProgId
(+)(REG VAL) (Default) = REG_SZ, "System.Collections.SortedList"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02703d01-d9ab-422c-bbb7-37a0fabc7642}
(+)(REG VAL) (Default) = REG_SZ, "WCN NCD Pairing Handler Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02703d01-d9ab-422c-bbb7-37a0fabc7642}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\DevicePairingHandler.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0273c57c-6693-4444-b20c-a62a3b185b7e}
(+)(REG VAL) (Default) = REG_SZ, "Device Display Objects Proxies"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0273c57c-6693-4444-b20c-a62a3b185b7e}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\DDOIProxy.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02805F1E-D5AA-415B-82C5-61C033A988A6}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02805F1E-D5AA-415B-82C5-61C033A988A6}\Containers
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02805F1E-D5AA-415B-82C5-61C033A988A6}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\windowscodecs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0289a7c5-91bf-4547-81ae-fec91a89dec5}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Windows Remote Shell Host"
(+)(REG VAL) AppId = REG_SZ, "{3e5ca495-8d6a-4d1f-ad99-177b426c8b8e}"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0289a7c5-91bf-4547-81ae-fec91a89dec5}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\WinrsHost.exe"
(+)(REG VAL) ServerExecutable = REG_EXPAND_SZ,
"%systemroot%\system32\WinrsHost.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02A3586C-D264-40BF-97F7-FE40F7E3A882}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Virtual Disk Service Dynamic
Provider"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02A3586C-D264-40BF-97F7-FE40F7E3A882}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\vdsdyn.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02BCC737-B171-4746-94C9-0D8A0B2C0089}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Office Template and Media
Control"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02BCC737-B171-4746-94C9-0D8A0B2C0089}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\IEAWSDC.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02BCC737-B171-4746-94C9-0D8A0B2C0089}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Office.awsdc.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02BCC737-B171-4746-94C9-0D8A0B2C0089}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{012F24C1-35B0-11D0-BF2D-0000E8D0D146}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02BCC737-B171-4746-94C9-0D8A0B2C0089}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02BCC737-B171-4746-94C9-0D8A0B2C0089}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Office.awsdc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02df6db6-9405-4812-b3f6-500e8615b7af}
(+)(REG VAL) (Default) = REG_SZ, "Registry Data Driven Command"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02df6db6-9405-4812-b3f6-500e8615b7af}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02E6EC4C-96E4-42E8-B533-336916A0087D}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02E6EC4C-96E4-42E8-B533-336916A0087D}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\lsmproxy.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02F92C80-8F8E-101B-AF4E-00AA003F0F07}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02F92C80-8F8E-101B-AF4E-00AA003F0F07}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,

"Microsoft.Office.Interop.Access.ControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{02F92C80-8F8E-101B-AF4E-00AA003F0F07}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.ControlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03012959-F4F6-44D7-9D09-DAA087A9DB57}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03012959-F4F6-44D7-9D09-DAA087A9DB57}
\Containers
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03012959-F4F6-44D7-9D09-DAA087A9DB57}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\windowscodecs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03022430-ABC4-11D0-BDE2-00AA001A1953}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03022430-ABC4-11D0-BDE2-00AA001A1953}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleacc.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031E4825-7B94-4dc3-B131-E946B44C8DD5}
(+)(REG VAL) (Default) = REG_SZ, "UsersLibraries"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\system32\shell32.dll,-50691"
(+)(REG VAL) SortOrderIndex = REG_DWORD, 66
(+)(REG VAL) System.PropList.DetailsPaneNullSelect = REG_SZ, "prop:"
(+)(REG VAL) System.PropList.DetailsPaneNullSelectTitle = REG_SZ,
"prop:System.FileCount"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031E4825-7B94-4dc3-B131-E946B44C8DD5}
\DefaultIcon
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\imageres.dll,-1023"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031E4825-7B94-4dc3-B131-E946B44C8DD5}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031E4825-7B94-4dc3-B131-E946B44C8DD5}
\shell
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031E4825-7B94-4dc3-B131-E946B44C8DD5}
\shell\restorelibraries
(+)(REG VAL) Description = REG_SZ, "@shell32.dll,-34646"
(+)(REG VAL) MUIVerb = REG_SZ, "@shell32.dll,-34645"
(+)(REG VAL) SeparatorAfter = REG_DWORD, 1
(+)(REG VAL) SeparatorBefore = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031E4825-7B94-4dc3-B131-E946B44C8DD5}
\shell\restorelibraries\command
(+)(REG VAL) DelegateExecute = REG_SZ,
"{c51b83e5-9edd-4250-b45a-da672ee3c70e}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031E4825-7B94-4dc3-B131-E946B44C8DD5}
\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, -1333788403

(+)(REG VAL) HideOnDesktopPerUser = REG_SZ, ""
(+)(REG VAL) PinToNameSpaceTree = REG_SZ, ""
(+)(REG VAL) QueryForOverlay = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031EE060-67BC-460d-8847-E4A7C5E45A27}
(+)(REG VAL) (Default) = REG_SZ, "Windows Media Player Rich Preview Handler"
(+)(REG VAL) AppID = REG_SZ, "{09C5C2B5-1D32-4598-B87E-203F32BB08E3}"
(+)(REG VAL) DisableLowILProcessIsolation = REG_DWORD, 1
(+)(REG VAL) DisplayName = REG_SZ, "@wmploc.dll,-144"
(+)(REG VAL) Icon = REG_SZ, "wmploc.dll,101"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{031EE060-67BC-460d-8847-E4A7C5E45A27}\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, ""%ProgramFiles%\Windows Media Player\wmprph.exe""
(+)(REG VAL) ServerExecutable = REG_EXPAND_SZ, "%ProgramFiles%\Windows Media Player\wmprph.exe"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03219e78-5bc3-44d1-b92e-f63d89cc6526}
(+)(REG VAL) (Default) = REG_SZ, "XAudio2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03219e78-5bc3-44d1-b92e-f63d89cc6526}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\XAudio2_4.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03304BDE-5112-4B86-98A5-28C662A5B8AD}
(+)(REG VAL) (Default) = REG_SZ, "NsFatBootOptimization"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03304BDE-5112-4B86-98A5-28C662A5B8AD}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Condusiv Technologies\Diskeeper\NsFatBootOptimization.dll"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ, "w1JX%ssvS?4Ara)mLV.nDiskeeper>%i8%xjZw^@9'A2'v)'ST "
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03304BDE-5112-4B86-98A5-28C662A5B8AD}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "NsFatEngine.NsFatBootOptimization.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0344ec28-5339-4124-a186-2e8eef168785}
(+)(REG VAL) (Default) = REG_SZ, "MFSourceFilter"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0344ec28-5339-4124-a186-2e8eef168785}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\mfds.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03470ABA-EA9F-40D0-B3C3-8D660D4066F3}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Connection Manager"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03470ABA-EA9F-40D0-B3C3-8D660D4066F3}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\OLMAPI32.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0358b920-0ac7-461f-98f4-58e32cd89148}
(+)(REG VAL) (Default) = REG_SZ, "Wininet Cache task object"
(+)(REG VAL) AppID = REG_SZ, "{3eb3c877-1f16-487c-9050-104dbcd66683}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0358b920-0ac7-461f-98f4-58e32cd89148}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\wininet.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Office Project Calendar Control"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\Control
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\PJCALEND.DLL"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ, "yh1BVd!!!!4!!!!MKKSkPROJECTFiles>^,L.%jy9e8eReMq~lq6' "
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\MiscStatus\1
(+)(REG VAL) (Default) = REG_SZ, "131473"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "NCPjcal.PjCalendar3.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\PJCALEND.DLL, 101"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{914B3ECD-FB15-4802-B97E-19B2F1D4BEC8}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03660567-F7F2-4E2B-A13C-C6607A726AF5}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "NCPjcal.PjCalendar3"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Channel Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\Implemented Categories\{0DE86A54-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\Implemented Categories\{0DE86A57-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ChannelTuneRequest.1"

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{9B085638-018E-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E5-45B6-11D3-B650-00C04F79498E}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ChannelTuneRequest"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model ATSC Channel Tune Request"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\Implemented Categories\{0DE86A54-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\Implemented Categories\{0DE86A57-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ATSCChannelTuneRequest.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{9B085638-018E-11D3-9D8E-00C04F72D980}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0369B4E6-45B6-11D3-B650-00C04F79498E}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.ATSCChannelTuneRequest"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{036A9790-C153-11D2-9EF7-006008039E37}
(+)(REG VAL) (Default) = REG_SZ, "Audio Mixer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{036A9790-C153-11D2-9EF7-006008039E37}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\qedit.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837511-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "TraceDataProviderCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837511-098B-11D8-9414-505054503030}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"

(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837511-098B-11D8-9414-505054503030}\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837511-098B-11D8-9414-505054503030}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceDataProviderCollection.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837511-098B-11D8-9414-505054503030}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837511-098B-11D8-9414-505054503030}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837511-098B-11D8-9414-505054503030}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceDataProviderCollection"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837513-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "TraceDataProvider"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837513-098B-11D8-9414-505054503030}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837513-098B-11D8-9414-505054503030}\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837513-098B-11D8-9414-505054503030}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceDataProvider.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837513-098B-11D8-9414-505054503030}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837513-098B-11D8-9414-505054503030}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837513-098B-11D8-9414-505054503030}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceDataProvider"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0383751C-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "TraceSession"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0383751C-098B-11D8-9414-505054503030}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0383751C-098B-11D8-9414-505054503030}\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0383751C-098B-11D8-9414-505054503030}

\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceSession.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0383751C-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0383751C-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0383751C-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceSession"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837521-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "DataCollectorSet"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837521-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837521-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837521-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.DataCollectorSet.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837521-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837521-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837521-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.DataCollectorSet"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837525-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "DataCollectorSetCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837525-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837525-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837525-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.DataCollectorSetCollection.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837525-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837525-098B-11D8-9414-505054503030}

\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837525-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.DataCollectorSetCollection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837526-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "LegacyDataCollectorSet"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837526-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837526-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837526-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyDataCollectorSet.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837526-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837526-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837526-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyDataCollectorSet"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837527-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "LegacyDataCollectorSetCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837527-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837527-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837527-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyDataCollectorSetCollection.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837527-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837527-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837527-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyDataCollectorSetCollection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837528-098B-11D8-9414-505054503030}

(+)(REG VAL) (Default) = REG_SZ, "LegacyTraceSession"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837528-098B-11D8-9414-505054503030}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837528-098B-11D8-9414-505054503030}\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837528-098B-11D8-9414-505054503030}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyTraceSession.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837528-098B-11D8-9414-505054503030}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837528-098B-11D8-9414-505054503030}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837528-098B-11D8-9414-505054503030}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyTraceSession"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837529-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "LegacyTraceSessionCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837529-098B-11D8-9414-505054503030}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837529-098B-11D8-9414-505054503030}\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837529-098B-11D8-9414-505054503030}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyTraceSessionCollection.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837529-098B-11D8-9414-505054503030}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837529-098B-11D8-9414-505054503030}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837529-098B-11D8-9414-505054503030}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.LegacyTraceSessionCollection"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837530-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "TraceSessionCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837530-098B-11D8-9414-505054503030}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837530-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837530-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceSessionCollection.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837530-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837530-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837530-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.TraceSessionCollection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837531-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "ServerDataCollectorSet"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837531-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837531-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837531-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.ServerDataCollectorSet.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837531-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837531-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837531-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.ServerDataCollectorSet"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837532-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "ServerDataCollectorSetCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837532-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837532-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837532-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.ServerDataCollectorSetCollection.1"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837532-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837532-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837532-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.ServerDataCollectorSetCollection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837538-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "BootTraceSession"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837538-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837538-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837538-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.BootTraceSession.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837538-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837538-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837538-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.BootTraceSession"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837539-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "BootTraceSessionCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837539-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837539-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837539-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.BootTraceSessionCollection.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837539-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837539-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837539-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.BootTraceSessionCollection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837546-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "ServerDataCollectorSet"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837546-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837546-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837546-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.SystemDataCollectorSet.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837546-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837546-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837546-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.SystemDataCollectorSet"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837547-098B-11D8-9414-505054503030}
(+)(REG VAL) (Default) = REG_SZ, "SystemDataCollectorSetCollection"
(+)(REG VAL) AppID = REG_SZ, "{03837503-098b-11d8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837547-098B-11D8-9414-505054503030}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\pla.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837547-098B-11D8-9414-505054503030}
\LocalServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\plasrv.exe"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837547-098B-11D8-9414-505054503030}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.SystemDataCollectorSetCollection.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837547-098B-11D8-9414-505054503030}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{03837500-098B-11D8-9414-505054503030}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837547-098B-11D8-9414-505054503030}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03837547-098B-11D8-9414-505054503030}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PLA.SystemDataCollectorSetCollection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03A0E2CD-23A9-45ed-968F-6FDA22B2285E}
(+)(REG VAL) (Default) = REG_SZ, "New Network Category Custom Page"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03A0E2CD-23A9-45ed-968F-6FDA22B2285E}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\pnidui.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03B54468-0899-4233-8689-623FFFC295EE}
(+)(REG VAL) (Default) = REG_SZ, "IETag OOC"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03B54468-0899-4233-8689-623FFFC295EE}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\COMMON~1\MICROS~1\SMARTT~1\IETAG.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03B54468-0899-4233-8689-623FFFC295EE}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Ietag.OOC.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03B54468-0899-4233-8689-623FFFC295EE}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03B54468-0899-4233-8689-623FFFC295EE}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{06CA6721-CB57-449E-8097-E65B9F543A1A}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03B54468-0899-4233-8689-623FFFC295EE}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Ietag.OOC"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03B5835F-F03C-411B-9CE2-AA23E1171E36}
(+)(REG VAL) (Default) = REG_SZ, "IMJPTIP"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C036F1-A186-11D0-824A-00AA005B4383}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Shell Folder AutoComplete
List"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C036F1-A186-11D0-824A-00AA005B4383}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model Digital Cable Locator"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\Implemented Categories\{0DE86A54-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\Implemented Categories\{0DE86A57-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DigitalCableLocator.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}

\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{9B085638-018E-11D3-9D8E-00C04F72D980}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C06416-D127-407A-AB4C-FDD279ABBE5D}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.DigitalCableLocator"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C93300-8AB2-41C5-9B79-46127A30E148}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03C93300-8AB2-41C5-9B79-46127A30E148}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\AuxiliaryDisplayApi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03ca98d6-ff5d-49b8-abc6-03dd84127020}
(+)(REG VAL) (Default) = REG_SZ, "Background Intelligent Transfer Control
Class 2.5"
(+)(REG VAL) AppID = REG_SZ, "{69AD4AEE-51BE-439b-A92C-86AE490E8B30}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03D935D9-B9E0-4356-925C-6AD11EAE4E15}
(+)(REG VAL) (Default) = REG_SZ, "Setup Controller 15"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03D935D9-B9E0-4356-925C-6AD11EAE4E15}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Common Files\Microsoft
Shared\OFFICE15\Office Setup Controller\OSetupPS.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03e15b2e-cca6-451c-8fb0-1e2ee37a27dd}
(+)(REG VAL) (Default) = REG_SZ, "CTapiLuaLib Class"
(+)(REG VAL) AppID = REG_SZ, "{03e15b2e-cca6-451c-8fb0-1e2ee37a27dd}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%systemroot%\system32\tapiui.dll,-1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03e15b2e-cca6-451c-8fb0-1e2ee37a27dd}
\Elevation
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG VAL) IconReference = REG_EXPAND_SZ,
"@%systemroot%\system32\tapiui.dll,-201"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03e15b2e-cca6-451c-8fb0-1e2ee37a27dd}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\tapilua.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03FBE1F1-7EFC-4C14-B8A0-318AA4688EF2}
(+)(REG VAL) (Default) = REG_SZ, "Implementation for
IUccDiagnosticInfo2."
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03FBE1F1-7EFC-4C14-B8A0-318AA4688EF2}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\UccApi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03FBE1F1-7EFC-4C14-B8A0-318AA4688EF2}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Uccppri.UccDiagnosticInfo2.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03FBE1F1-7EFC-4C14-B8A0-318AA4688EF2}

\Programmable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03FBE1F1-7EFC-4C14-B8A0-318AA4688EF2}
\TypeLib
        (+)(REG VAL) (Default) = REG_SZ, "{0A2F2FC4-26E1-457B-83EC-671B8FC4C86D}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03FBE1F1-7EFC-4C14-B8A0-318AA4688EF2}
\Version
        (+)(REG VAL) (Default) = REG_SZ, "1.0"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{03FBE1F1-7EFC-4C14-B8A0-318AA4688EF2}
\VersionIndependentProgID
        (+)(REG VAL) (Default) = REG_SZ, "Uccppri.UccDiagnosticInfo2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0429EC6E-1144-4bed-B88B-2FB9899A4A3D}
        (+)(REG VAL) (Default) = REG_SZ, "Custom Composition Segment from Data
Services to XDS"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0429EC6E-1144-4bed-B88B-2FB9899A4A3D}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{042dc17c-023f-43df-a3ec-982b4dc78a64}
        (+)(REG VAL) (Default) = REG_SZ, "Schema Migration Plugin"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{042dc17c-023f-43df-a3ec-982b4dc78a64}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\propsys.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{044E54C5-B19B-11CE-A689-00AA003F0F07}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{044E54C5-B19B-11CE-A689-00AA003F0F07}
\InprocServer32
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AccessFieldClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{044E54C5-B19B-11CE-A689-00AA003F0F07}
\InprocServer32\15.0.0.0
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
        (+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AccessFieldClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{045473BC-A37B-4957-B144-68105411ED8E}
        (+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{045473BC-A37B-4957-B144-68105411ED8E}
\InprocServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\AuxiliaryDisplayApi.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0468C085-CA5B-11D0-AF08-00609797F0E0}
        (+)(REG VAL) (Default) = REG_SZ, "Outlook Today's Data-binding control"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0468C085-CA5B-11D0-AF08-00609797F0E0}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OUTLCTL.DLL"
        (+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"

(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl.DataCtlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0468C085-CA5B-11D0-AF08-00609797F0E0}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.OutlookViewCtl.DataCtlClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0468C085-CA5B-11D0-AF08-00609797F0E0}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "DataCtl.DataCtl.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0468C085-CA5B-11D0-AF08-00609797F0E0}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "DataCtl.DataCtl"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04731B67-D933-450a-90E6-4ACD2E9408FE}
(+)(REG VAL) (Default) = REG_SZ, "CLSID_SearchFolder"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ, "@%SystemRoot%\system32\SearchFolder.dll,-30523"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04731B67-D933-450a-90E6-4ACD2E9408FE}\DefaultIcon
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "@%SystemRoot%\system32\SearchFolder.dll,-323"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04731B67-D933-450a-90E6-4ACD2E9408FE}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\SearchFolder.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04731B67-D933-450a-90E6-4ACD2E9408FE}\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, 538443776
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04788120-12C2-498D-83C1-A7D92E677AC6}
(+)(REG VAL) (Default) = REG_SZ, "WBEM Framework Instance Provider CIMA"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04788120-12C2-498D-83C1-A7D92E677AC6}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\wbem\wmipcima.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047a9a40-657e-11d3-8d5b-00104b35e7ef}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Common Language Runtime Debugger Publisher"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047a9a40-657e-11d3-8d5b-00104b35e7ef}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\mscoree.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047a9a40-657e-11d3-8d5b-00104b35e7ef}\InprocServer32\2.0.50727
(+)(REG VAL) ImplementedInThisVersion = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047a9a40-657e-11d3-8d5b-00104b35e7ef}\NotInsertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047a9a40-657e-11d3-8d5b-00104b35e7ef}\ProgID

(+)(REG VAL) (Default) = REG_SZ, "ComPlusDebug.CorpubPublish.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047a9a40-657e-11d3-8d5b-00104b35e7ef}\Server
(+)(REG VAL) (Default) = REG_SZ, "mscordbi.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047a9a40-657e-11d3-8d5b-00104b35e7ef}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "ComPlusDebug.CorpubPublish"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047DEC5A-95C1-4C86-827F-7B8C92EBA67A}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{047DEC5A-95C1-4C86-827F-7B8C92EBA67A}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\winrssrv.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0482DDE0-7817-11CF-8A03-00AA006ECB65}
(+)(REG VAL) (Default) = REG_SZ, "KsDataTypeHandlerAnalogVideo"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0482DDE0-7817-11CF-8A03-00AA006ECB65}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\kswdmcap.ax"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0482E074-C5B7-101A-82E0-08002B36A333}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0482E074-C5B7-101A-82E0-08002B36A333}\PersistentHandler
(+)(REG VAL) (Default) = REG_SZ, "{098f2470-bae0-11cd-b579-08002b30bfeb}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft PowerPoint-dia"
(+)(REG VAL) IPersistStorageType = REG_DWORD, 2
(+)(REG VAL) MainPartContentType = REG_SZ, "application/vnd.openxmlformats-officedocument.presentationml.presentation.main+xml"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\AuxUserType
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\AuxUserType\2
(+)(REG VAL) (Default) = REG_SZ, "Dia"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\AuxUserType\3
(+)(REG VAL) (Default) = REG_SZ, "Microsoft PowerPoint-dia"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\Conversion
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\Conversion\Readable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\Conversion\Readable\Main
(+)(REG VAL) (Default) = REG_SZ, "MSPowerPointSho,MSPresentation,PowerPoint.Show.4,PowerPoint.Slide.4,PowerPoint.Show.7,PowerPoint.Slide.7,PowerPoint.Show.8,PowerPoint.Slide.8"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats\DefaultFile

(+)(REG VAL) (Default) = REG_SZ, "MSPresentation"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats\GetSet
(+)(REG VAL) (Default) = REG_SZ, "14,1,61,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats\GetSet\0
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats\GetSet\1
(+)(REG VAL) (Default) = REG_SZ, "3,1,32,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats\GetSet\2
(+)(REG VAL) (Default) = REG_SZ, "1,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats\GetSet\3
(+)(REG VAL) (Default) = REG_SZ, "NoteshNote,-1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DataFormats\GetSet\4
(+)(REG VAL) (Default) = REG_SZ, "Rich Text Format,1,1,1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DefaultExtension
(+)(REG VAL) (Default) = REG_SZ, ".sldx, Microsoft PowerPoint Slide (.sldx)"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\pptico.exe,10"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\InprocHandler32
(+)(REG VAL) (Default) = REG_SZ, "ole32.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\Insertable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\POWERPNT.EXE"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ, "yh1BV5!!!!4!!!!MKKSkPPTFiles>!YY%U=Db[=~h4mLUE&5h "
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PowerPoint.Slide.12"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\Verb
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\Verb\0
(+)(REG VAL) (Default) = REG_SZ, "&Szerkesztés,0,2"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}\Verb\1
(+)(REG VAL) (Default) = REG_SZ, "&Megnyitás,0,2"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{048EB43E-2059-422F-95E0-557DA96038AF}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "PowerPoint.Slide"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
(+)(REG VAL) (Default) = REG_SZ, "Iris"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\Implemented Categories\{59FB2056-D625-48D0-A944-1A85B5AB2640}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\Implemented Categories\{C501EDBE-9E70-11D1-9053-00C04FD9189D}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\Dxtmsft.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "DXImageTransform.Microsoft.Iris.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\ToolBoxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\Dxtmsft.dll,235"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{049F2CE6-D996-4721-897A-DB15CE9EB73D}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "DXImageTransform.Microsoft.Iris"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft InkPicture Control"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
\Control
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\Microsoft
Shared\Ink\InkObj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
\Insertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
\MiscStatus\1
(+)(REG VAL) (Default) = REG_SZ, "131473"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "msinkaut.InkPicture.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}

\ToolboxBitmap32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\Microsoft Shared\Ink\InkObj.dll, 212"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{7D868ACD-1A5D-4a47-A247-F39741353012}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04a1e553-fe36-4fde-865e-344194e69424}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "msinkaut.InkPicture"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04A578B2-E778-422A-A805-B3EE54D90BD9}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04A578B2-E778-422A-A805-B3EE54D90BD9}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\wmcodecdspps.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04B55BC3-33DE-4d79-94EC-830CDF96CC82}
(+)(REG VAL) (Default) = REG_SZ, "WMPlayer ContentPropPage Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04B55BC3-33DE-4d79-94EC-830CDF96CC82}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\wmp.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04DA8451-7F63-4870-A4D7-F55BE66BFDFB}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04DA8451-7F63-4870-A4D7-F55BE66BFDFB}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\NaturalLanguage6.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04FBCBF4-DC23-3CEC-9025-9D4093C26733}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04FBCBF4-DC23-3CEC-9025-9D4093C26733}\InprocServer32
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{04FBCBF4-DC23-3CEC-9025-9D4093C26733}\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ, "System.Text.DecoderReplacementFallback"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0520af9e-e3da-4b32-8be8-0f3e475bfc5f}
(+)(REG VAL) (Default) = REG_SZ, "Device Center Print Status Extension"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0520af9e-e3da-4b32-8be8-0f3e475bfc5f}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\fdprint.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05238C14-A6E1-11D0-9A84-00C04FD8DBF7}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05238C14-A6E1-11D0-9A84-00C04FD8DBF7}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\els.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05300401-BCBC-11d0-85E3-00C04FD85AB4}
(+)(REG VAL) (Default) = REG_SZ, "MHTML Asynchronous Pluggable Protocol Handler"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05300401-BCBC-11d0-85E3-00C04FD85AB4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\inetcomm.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589F80-C356-11CE-BF01-00AA0055595A}
(+)(REG VAL) (Default) = REG_SZ, "KsDataTypeHandlerVideo"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589F80-C356-11CE-BF01-00AA0055595A}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\kswdmcap.ax"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}
(+)(REG VAL) (Default) = REG_SZ, "ActiveMovieControl Object"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\wmpdxm.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}\MiscStatus
(+)(REG VAL) (Default) = REG_SZ, "0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}\MiscStatus\1
(+)(REG VAL) (Default) = REG_SZ, "131473"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "AMOVIE.ActiveMovieControl.2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{05589fa0-c356-11ce-bf01-00aa0055595a}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}\Version
(+)(REG VAL) (Default) = REG_SZ, "2.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FA1-C356-11CE-BF01-00AA0055595A}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "AMOVIE.ActiveMovieControl"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FAF-C356-11CE-BF01-00AA0055595A}
(+)(REG VAL) (Default) = REG_SZ, "Audio Renderer Property Page"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05589FAF-C356-11CE-BF01-00AA0055595A}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\quartz.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055A7699-EAFF-47DF-8E55-41F4C0612BF3}
(+)(REG VAL) (Default) = REG_SZ, "VideoColorSettings Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055A7699-EAFF-47DF-8E55-41F4C0612BF3}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA Corporation\Display\nvvitvs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055A7699-EAFF-47DF-8E55-41F4C0612BF3}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Video_TVServer.VideoColorSettings.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055A7699-EAFF-47DF-8E55-41F4C0612BF3}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{D1F48243-B994-45CD-8A55-03DBB33745BE}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055A7699-EAFF-47DF-8E55-41F4C0612BF3}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Video_TVServer.VideoColorSettings"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Component Class
(Broadcast Substream)"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\Implemented Categories\{0DE86A54-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\Implemented Categories\{0DE86A57-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2Component.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{9B085638-018E-11D3-9D8E-00C04F72D980}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{055CB2D7-2969-45CD-914B-76890722F112}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2Component"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{056440FD-8568-48e7-A632-72157243B55B}
(+)(REG VAL) (Default) = REG_SZ, "Explorer Navigation Bar"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{056440FD-8568-48e7-A632-72157243B55B}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\explorerframe.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{057EEE47-2572-4AA1-88D7-60CE2149E33C}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{057EEE47-2572-4AA1-88D7-60CE2149E33C}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\wininet.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05BDC38E-5493-487a-A7FF-8CF2246ABC13}

(+)(REG VAL) (Default) = REG_SZ, "IE Background Task Scheduler"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05BDC38E-5493-487a-A7FF-8CF2246ABC13}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\ieframe.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05C9DA2B-6DFF-42C7-81CC-706DAE08BC7A}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05C9DA2B-6DFF-42C7-81CC-706DAE08BC7A}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\NaturalLanguage6.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d7}
(+)(REG VAL) (Default) = REG_SZ, "Taskbar Control Panel"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d7}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\taskbarcpl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d8}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d8}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\taskbarcpl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d9}
(+)(REG VAL) (Default) = REG_SZ, "Taskbar"
(+)(REG VAL) InfoTip = REG_EXPAND_SZ, "@%SystemRoot%\System32\taskbarcpl.dll,-2"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ, "@%SystemRoot%\System32\taskbarcpl.dll,-1"
(+)(REG VAL) System.ApplicationName = REG_SZ, "Microsoft.NotificationAreaIcons"
(+)(REG VAL) System.ControlPanel.Category = REG_SZ, "0"
(+)(REG VAL) System.ControlPanel.EnableInSafeMode = REG_DWORD, 3
(+)(REG VAL) System.Software.TasksFileUrl = REG_SZ, "Internal"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d9}\DefaultIcon
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\taskbarcpl.dll,-1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d9}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\shdocvw.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d9}\Instance
(+)(REG VAL) CLSID = REG_SZ, "{328B0346-7EAF-4BBE-A479-7CB88A095F5B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d9}\Instance\InitPropertyBag
(+)(REG VAL) ResourceDLL = REG_EXPAND_SZ, "%SystemRoot%\System32\taskbarcpl.dll"
(+)(REG VAL) ResourceID = REG_DWORD, 100
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05d7b0f4-2121-4eff-bf6b-ed3f69b894d9}\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, -1610612736

(+)(REG VAL) WantsParseDisplayName = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05DF8D13-C355-47f4-A11E-851B338CEFB8}
(+)(REG VAL) (Default) = REG_SZ, "CQueryAllWinSAT Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05DF8D13-C355-47f4-A11E-851B338CEFB8}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\WinSATAPI.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05DF8D13-C355-47f4-A11E-851B338CEFB8}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "QueryAllWinSAT"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05EBA309-0164-11D3-8729-00C04F79ED0D}
(+)(REG VAL) (Default) = REG_SZ, "Cor IE Security Manager,
CorIESecurityManager, CorIESecurityManager 1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05EBA309-0164-11D3-8729-00C04F79ED0D}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05EBA309-0164-11D3-8729-00C04F79ED0D}
\InprocServer32\2.0.50727
(+)(REG VAL) ImplementedInThisVersion = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05EBA309-0164-11D3-8729-00C04F79ED0D}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05EBA309-0164-11D3-8729-00C04F79ED0D}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "CorRegistration.CorIESecurityManager.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05EBA309-0164-11D3-8729-00C04F79ED0D}
\Server
(+)(REG VAL) (Default) = REG_SZ, "mscorld.dll"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05EBA309-0164-11D3-8729-00C04F79ED0D}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "CorRegistration.CorIESecurityManager"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05F3561D-0358-4687-8ACD-A34D24C488DF}
(+)(REG VAL) (Default) = REG_SZ, "Health Center Control Panel"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05F3561D-0358-4687-8ACD-A34D24C488DF}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\ActionCenterCPL.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05f6fe1a-ecef-11d0-aae7-00c04fc9b304}
(+)(REG VAL) (Default) = REG_SZ, "IntDitherer Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{05f6fe1a-ecef-11d0-aae7-00c04fc9b304}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\mshtml.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{060AF76C-68DD-11D0-8FC1-00C04FD9189D}
(+)(REG VAL) (Default) = REG_SZ, "Seeking"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{060AF76C-68DD-11D0-8FC1-00C04FD9189D}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\quartz.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06210E88-01F5-11D1-B512-0080C781C384}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06210E88-01F5-11D1-B512-0080C781C384}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\Ole
DB\msdaps.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD0-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Object under which scriptlets may be
created"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD0-48AA-11D2-8432-006008C3FBFC}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD0-48AA-11D2-8432-006008C3FBFC}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Scriptlet.Context"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD1-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Constructor that allows hosts better
control creating scriptlets"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD1-48AA-11D2-8432-006008C3FBFC}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD1-48AA-11D2-8432-006008C3FBFC}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Scriptlet.Constructor"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD2-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Factory bindable using IPersistMoniker"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD2-48AA-11D2-8432-006008C3FBFC}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD2-48AA-11D2-8432-006008C3FBFC}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Scriptlet.Factory"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD3-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Moniker to a Windows Script Component"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD3-48AA-11D2-8432-006008C3FBFC}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD3-48AA-11D2-8432-006008C3FBFC}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "script"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD4-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Object for encoding scriptlets"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD4-48AA-11D2-8432-006008C3FBFC}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD4-48AA-11D2-8432-006008C3FBFC}

\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Scriptlet.HostEncode"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD5-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Object for constructing type libraries for scriptlets"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD5-48AA-11D2-8432-006008C3FBFC}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD5-48AA-11D2-8432-006008C3FBFC}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Scriptlet.TypeLib"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD8-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Constructor for Scriptlet Automation Handler"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD8-48AA-11D2-8432-006008C3FBFC}\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD8-48AA-11D2-8432-006008C3FBFC}\Implemented Categories\{7DD95801-9882-11CF-9FA9-00AA006C42C4}
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD8-48AA-11D2-8432-006008C3FBFC}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD8-48AA-11D2-8432-006008C3FBFC}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ScriptletHandler.Automation"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD9-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Constructor for Scriptlet Event Handler"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD9-48AA-11D2-8432-006008C3FBFC}\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD9-48AA-11D2-8432-006008C3FBFC}\Implemented Categories\{7DD95801-9882-11CF-9FA9-00AA006C42C4}
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD9-48AA-11D2-8432-006008C3FBFC}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BD9-48AA-11D2-8432-006008C3FBFC}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ScriptletHandler.Event"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDA-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Constructor for Scriptlet ASP Handler"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDA-48AA-11D2-8432-006008C3FBFC}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDA-48AA-11D2-8432-006008C3FBFC}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ScriptletHandler.ASP"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDB-48AA-11D2-8432-006008C3FBFC}
(+)(REG VAL) (Default) = REG_SZ, "Constructor for Scriptlet Behavior Handler"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDB-48AA-11D2-8432-006008C3FBFC}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDB-48AA-11D2-8432-006008C3FBFC}\Implemented Categories\{7DD95801-9882-11CF-9FA9-00AA006C42C4}
(+)(REG VAL) (Default) = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDB-48AA-11D2-8432-006008C3FBFC}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06290BDB-48AA-11D2-8432-006008C3FBFC}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ScriptletHandler.Behavior"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{063B79F5-7539-11D2-9773-00A0C9B4D50C}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft COM+ Services Meta Data"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{063B79F5-7539-11D2-9773-00A0C9B4D50C}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\clbcatq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{063B79F6-7539-11D2-9773-00A0C9B4D50C}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft COM+ Services Meta Data"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{063B79F6-7539-11D2-9773-00A0C9B4D50C}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\clbcatq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0655E396-25D0-11D3-9C26-00C04F8EF87C}
(+)(REG VAL) (Default) = REG_SZ, "SpLexicon Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0655E396-25D0-11D3-9C26-00C04F8EF87C}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\Speech\Common\sapi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0655E396-25D0-11D3-9C26-00C04F8EF87C}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "SAPI.SpLexicon.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0655E396-25D0-11D3-9C26-00C04F8EF87C}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{C866CA3A-32F7-11D2-9602-00C04F8EE628}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0655E396-25D0-11D3-9C26-00C04F8EF87C}\Version
(+)(REG VAL) (Default) = REG_SZ, "5.4"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0655E396-25D0-11D3-9C26-00C04F8EF87C}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "SAPI.SpLexicon"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06587E71-F043-403A-BF49-CB591BA6E103}
(+)(REG VAL) (Default) = REG_SZ, "AudioVolume Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06587E71-F043-403A-BF49-CB591BA6E103}\InprocServer32

(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\AUDIOENG.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06622D85-6856-4460-8DE1-A81921B41C4B}
(+)(REG VAL) (Default) = REG_SZ, "COpenControlPanel"
(+)(REG VAL) AppID = REG_SZ, "{06622D85-6856-4460-8DE1-A81921B41C4B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06622D85-6856-4460-8DE1-A81921B41C4B}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{066D2323-D35A-4C15-AE22-F88F136C1613}
(+)(REG VAL) (Default) = REG_SZ, "KeystrokeGenerator Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{066D2323-D35A-4C15-AE22-F88F136C1613}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\microsoft shared\ink\tabskb.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{066D2323-D35A-4C15-AE22-F88F136C1613}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "KSGenerator.KeystrokeGenerator.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{066D2323-D35A-4C15-AE22-F88F136C1613}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "KSGenerator.KeystrokeGenerator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{067B4B81-B1EC-489f-B111-940EBDC44EBE}
(+)(REG VAL) (Default) = REG_SZ, "WMDM CE Device Service Provider"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{067B4B81-B1EC-489f-B111-940EBDC44EBE}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\System32\cewmdm.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{067B4B81-B1EC-489f-B111-940EBDC44EBE}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "WMDMCESP.WMDMCESP.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{067B4B81-B1EC-489f-B111-940EBDC44EBE}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "WMDMCESP.WMDMCESP"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06993B16-A5C7-47EB-B61C-B1CB7EE600AC}
(+)(REG VAL) (Default) = REG_SZ, "Create and edit Wired policies"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06993B16-A5C7-47EB-B61C-B1CB7EE600AC}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\dot3gpui.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06993B16-A5C7-47EB-B61C-B1CB7EE600AC}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Wired.Snapin.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06993B16-A5C7-47EB-B61C-B1CB7EE600AC}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Wired.Snapin"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06A03425-C9EB-11d2-8CAA-0080C739E3E0}
(+)(REG VAL) (Default) = REG_SZ, "Help Collection Wrapper Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06A03425-C9EB-11d2-8CAA-0080C739E3E0}

\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\mmcshext.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B32AEE-77DA-484B-973B-5D64F47201B0}
(+)(REG VAL) (Default) = REG_SZ, "VMR Mixer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B32AEE-77DA-484B-973B-5D64F47201B0}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\quartz.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B81C12-A5DA-340D-AFF7-FA1453FBC29A}
(+)(REG VAL) (Default) = REG_SZ, "System.Security.Policy.AllMembershipCondition"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B81C12-A5DA-340D-AFF7-FA1453FBC29A}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B81C12-A5DA-340D-AFF7-FA1453FBC29A}\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B81C12-A5DA-340D-AFF7-FA1453FBC29A}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) Class = REG_SZ, "System.Security.Policy.AllMembershipCondition"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B81C12-A5DA-340D-AFF7-FA1453FBC29A}\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ, "System.Security.Policy.AllMembershipCondition"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06B81C12-A5DA-340D-AFF7-FA1453FBC29A}\ProgId
(+)(REG VAL) (Default) = REG_SZ, "System.Security.Policy.AllMembershipCondition"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06C792F8-6212-4F39-BF70-E8C0AC965C23}
(+)(REG VAL) (Default) = REG_SZ, "User Account Control Settings"
(+)(REG VAL) AppID = REG_SZ, "{06C792F8-6212-4F39-BF70-E8C0AC965C23}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ, "@%SystemRoot%\system32\UserAccountControlSettings.dll,-70"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06C792F8-6212-4F39-BF70-E8C0AC965C23}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\UserAccountControlSettings.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06CCA63E-9941-441B-B004-39F999ADA412}
(+)(REG VAL) (Default) = REG_SZ, "MMEndpointManager class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06CCA63E-9941-441B-B004-39F999ADA412}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\mmdevapi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06D66C45-1417-4f0b-9E7D-6935710261B5}
(+)(REG VAL) (Default) = REG_SZ, "SFFXAPOLFX Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06D66C45-1417-4f0b-9E7D-6935710261B5}

\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\SFDAPO64.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06DA0625-9701-43da-BFD7-FBEEA2180A1E}
(+)(REG VAL) (Default) = REG_SZ, "HotStart User Agent"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06DA0625-9701-43da-BFD7-FBEEA2180A1E}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\HotStartUserAgent.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE695-542D-46F6-AEAB-FA2F1B2102D3}
(+)(REG VAL) (Default) = REG_SZ, "GameCleanupHandler Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE695-542D-46F6-AEAB-FA2F1B2102D3}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\gameux.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
(+)(REG VAL) (Default) = REG_SZ, "URL Shortcut PropSetStorage Mapping"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\ieframe.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance
(+)(REG VAL) CLSID = REG_SZ, "{942bc614-676c-464e-b384-d3202aaa02da}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\InitPropertyBag
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}
(+)(REG VAL) Section = REG_SZ, "InternetShortcut"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\10
(+)(REG VAL) Key = REG_SZ, "WhatsNew"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\11
(+)(REG VAL) Key = REG_SZ, "Author"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\12
(+)(REG VAL) Key = REG_SZ, "Desc"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\13
(+)(REG VAL) Key = REG_SZ, "Comment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\14
(+)(REG VAL) Key = REG_SZ, "IDList"
(+)(REG VAL) VarType = REG_DWORD, 66
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\15
(+)(REG VAL) Key = REG_SZ, "Roamed"
(+)(REG VAL) VarType = REG_DWORD, 11

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\2
(+)(REG VAL) Key = REG_SZ, "URL"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\5
(+)(REG VAL) Key = REG_SZ, "WorkingDirectory"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\6
(+)(REG VAL) Key = REG_SZ, "HotKey"
(+)(REG VAL) VarType = REG_DWORD, 18
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\7
(+)(REG VAL) Key = REG_SZ, "ShowCommand"
(+)(REG VAL) VarType = REG_DWORD, 3
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\8
(+)(REG VAL) Key = REG_SZ, "IconIndex"
(+)(REG VAL) VarType = REG_DWORD, 3
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{000214A0-0000-0000-C000-000000000046}\9
(+)(REG VAL) Key = REG_SZ, "IconFile"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{5CBF2787-48CF-4208-B90E-EE5E5D420294}
(+)(REG VAL) Section = REG_SZ, "InternetShortcut"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{5CBF2787-48CF-4208-B90E-EE5E5D420294}\10
(+)(REG VAL) Key = REG_SZ, "IconFile"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{5CBF2787-48CF-4208-B90E-EE5E5D420294}\13
(+)(REG VAL) Key = REG_SZ, "HotKey"
(+)(REG VAL) VarType = REG_DWORD, 18
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{5CBF2787-48CF-4208-B90E-EE5E5D420294}\2
(+)(REG VAL) Key = REG_SZ, "URL"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{06EEE834-461C-42c2-8DCF-1502B527B1F9}
\Instance\PropertySetStorage\{5CBF2787-48CF-4208-B90E-EE5E5D420294}\9
(+)(REG VAL) Key = REG_SZ, "IconIndex"
(+)(REG VAL) VarType = REG_DWORD, 3
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0700F42F-EEE3-443a-9899-166F16286796}
(+)(REG VAL) (Default) = REG_SZ, "HomeGroup Network"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0700F42F-EEE3-443a-9899-166F16286796}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\provsvc.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07252659-bb6b-4b79-b78b-623f6699a579}
(+)(REG VAL) (Default) = REG_SZ, "AudioConstrictor Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07252659-bb6b-4b79-b78b-623f6699a579}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\AUDIOENG.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0725C3CB-FEFB-11D0-99F9-00C04FC2F8EC}
(+)(REG VAL) (Default) = REG_SZ, "WDM Event Provider"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0725C3CB-FEFB-11D0-99F9-00C04FC2F8EC}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\wbem\wmiprov.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07333BBD-64AF-4206-899D-2809660C61C7}
(+)(REG VAL) (Default) = REG_SZ, "ECCSettings Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07333BBD-64AF-4206-899D-2809660C61C7}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA
Corporation\Display\nvwss.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07333BBD-64AF-4206-899D-2809660C61C7}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "WorkStationServer.ECCSettings.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07333BBD-64AF-4206-899D-2809660C61C7}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{D1F48243-B994-45CD-8A55-03DBB33745BE}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07333BBD-64AF-4206-899D-2809660C61C7}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "WorkStationServer.ECCSettings"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07398dcf-2e0b-4ece-99dd-56b262db948b}
(+)(REG VAL) (Default) = REG_SZ, "Search Protocol URL Generator"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07398dcf-2e0b-4ece-99dd-56b262db948b}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\SearchFolder.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{074b110f-7f58-4743-aea5-12f15b5074ed}
(+)(REG VAL) (Default) = REG_SZ, "XACT Engine"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{074b110f-7f58-4743-aea5-12f15b5074ed}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\xactengine3_5.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{074BFFFD-4E50-42c1-A7EB-40D9D70F2471}
(+)(REG VAL) (Default) = REG_SZ, "AdjustDesktopSizePos Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{074BFFFD-4E50-42c1-A7EB-40D9D70F2471}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA
Corporation\Display\nvdisps.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{074BFFFD-4E50-42c1-A7EB-40D9D70F2471}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "DisplayServer.AdjustDesktopSizePos.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{074BFFFD-4E50-42c1-A7EB-40D9D70F2471}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{25EBA1D0-EB51-4CBE-8515-23E81DF77F97}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{074BFFFD-4E50-42c1-A7EB-40D9D70F2471}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "DisplayServer.AdjustDesktopSizePos"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{076C2A6C-F78F-4C46-A723-3583E70876EA}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{076C2A6C-F78F-4C46-A723-3583E70876EA}
\Containers
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{076C2A6C-F78F-4C46-A723-3583E70876EA}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\windowscodecsext.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{078759d3-423b-48ad-ab6a-5638c2884dbe}
        (+)(REG VAL) (Default) = REG_SZ, "Shell Undo Parent Unit"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{078759d3-423b-48ad-ab6a-5638c2884dbe}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{079AA557-4A18-424A-8EEE-E39F0A8D41B9}
        (+)(REG VAL) (Default) = REG_SZ, "SAX XML Reader"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{079AA557-4A18-424A-8EEE-E39F0A8D41B9}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\msxml3.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{079AA557-4A18-424A-8EEE-E39F0A8D41B9}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "Msxml2.SAXXMLReader"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{079AA557-4A18-424A-8EEE-E39F0A8D41B9}
\TypeLib
        (+)(REG VAL) (Default) = REG_SZ, "{F5078F18-C551-11D3-89B9-0000F81FE221}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{079AA557-4A18-424A-8EEE-E39F0A8D41B9}
\Version
        (+)(REG VAL) (Default) = REG_SZ, "3.0"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{079AA557-4A18-424A-8EEE-E39F0A8D41B9}
\VersionIndependentProgID
        (+)(REG VAL) (Default) = REG_SZ, "Msxml2.SAXXMLReader"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07A774A0-6047-11D1-BA20-006097D2898E}
        (+)(REG VAL) (Default) = REG_SZ, "Logagent Class"
        (+)(REG VAL) AppID = REG_SZ, "{F808DF63-6049-11D1-BA20-006097D2898E}"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07A774A0-6047-11D1-BA20-006097D2898E}
\LocalServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\Logagent.exe"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07A774A0-6047-11D1-BA20-006097D2898E}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "Logagent.Logagent.1"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07A774A0-6047-11D1-BA20-006097D2898E}
\Programmable
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07A774A0-6047-11D1-BA20-006097D2898E}
\VersionIndependentProgID
        (+)(REG VAL) (Default) = REG_SZ, "Logagent.Logagent"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07AA0886-CC8D-4e19-A410-1C75AF686E62}
        (+)(REG VAL) (Default) = REG_SZ, "Onex PLAP Credential Provider"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07AA0886-CC8D-4e19-A410-1C75AF686E62}

\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\l2nacp.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B0E5E9-D635-4CD3-B98D-7C10E700DEA0}
(+)(REG VAL) (Default) = REG_SZ, "PimcSurrogate Class"
(+)(REG VAL) AppID = REG_SZ, "{7568952A-571E-4C70-BEA9-7F9004393436}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B0E5E9-D635-4CD3-B98D-7C10E700DEA0}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\Windows\Microsoft.NET\Framework64\v4.0.30319\WPF\PenIMC.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B0E5E9-D635-4CD3-B98D-7C10E700DEA0}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "PenIMC.PimcSurrogate.4"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B65360-C445-11CE-AFDE-00AA006C14F4}
(+)(REG VAL) (Default) = REG_SZ, "MIDI Renderer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B65360-C445-11CE-AFDE-00AA006C14F4}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\quartz.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B919A9-79D7-4FE0-8D0B-A8103A672E2A}
(+)(REG VAL) (Default) = REG_SZ, "Represents a co-creatable class for a
signaling request."
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B919A9-79D7-4FE0-8D0B-A8103A672E2A}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft
Office\Office15\UccApi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B919A9-79D7-4FE0-8D0B-A8103A672E2A}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Uccapi.UccSignalingRequest.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B919A9-79D7-4FE0-8D0B-A8103A672E2A}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B919A9-79D7-4FE0-8D0B-A8103A672E2A}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{ECD5307E-4419-43CF-8BDA-C9946AC375CF}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B919A9-79D7-4FE0-8D0B-A8103A672E2A}
\Version
(+)(REG VAL) (Default) = REG_SZ, "2.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07B919A9-79D7-4FE0-8D0B-A8103A672E2A}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Uccapi.UccSignalingRequest"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07C45BB1-4A8C-4642-A1F5-237E7215FF66}
(+)(REG VAL) (Default) = REG_SZ, "IE Microsoft BrowserBand"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07C45BB1-4A8C-4642-A1F5-237E7215FF66}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\ieframe.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07D26616-6136-11D1-8C9C-00C04FC3261D}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07D26616-6136-11D1-8C9C-00C04FC3261D}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,

"%systemroot%\system32\clbcatq.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07F94112-A42E-328B-B508-702EF62BCC29}
(+)(REG VAL) (Default) = REG_SZ,
"System.Runtime.InteropServices.COMException"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07F94112-A42E-328B-B508-702EF62BCC29}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07F94112-A42E-328B-B508-702EF62BCC29}
\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07F94112-A42E-328B-B508-702EF62BCC29}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) Class = REG_SZ,
"System.Runtime.InteropServices.COMException"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07F94112-A42E-328B-B508-702EF62BCC29}
\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ,
"System.Runtime.InteropServices.COMException"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{07F94112-A42E-328B-B508-702EF62BCC29}
\ProgId
(+)(REG VAL) (Default) = REG_SZ,
"System.Runtime.InteropServices.COMException"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{080d0d78-f421-11d0-a36e-00c04fb950dc}
(+)(REG VAL) (Default) = REG_SZ, "ADs LDAP Pathname Descriptor Object"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{080d0d78-f421-11d0-a36e-00c04fb950dc}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\activeds.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{080d0d78-f421-11d0-a36e-00c04fb950dc}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Pathname"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{080d0d78-f421-11d0-a36e-00c04fb950dc}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{97d25db0-0363-11cf-abc4-02608c9e7553}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{080d0d78-f421-11d0-a36e-00c04fb950dc}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08165EA0-E946-11CF-9C87-00AA005127ED}
(+)(REG VAL) (Default) = REG_SZ, "WebCheckWebCrawler"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08165EA0-E946-11CF-9C87-00AA005127ED}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\webcheck.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08229782-89C8-4028-BB74-75BB58EF1488}
(+)(REG VAL) (Default) = REG_SZ, "IP Security Monitor"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08229782-89C8-4028-BB74-75BB58EF1488}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\ipsmsnap.dll"

```
        (+)(REG VAL) ThreadingModel = REG_SZ, "both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08244EE6-92F0-47f2-9FC9-929BAA2E7235}
        (+)(REG VAL) (Default) = REG_SZ, "Sharing Overlay (Private)"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08244EE6-92F0-47f2-9FC9-929BAA2E7235}
\InProcServer32
        (+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\ntshrui.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08295C62-7462-3633-B35E-7AE68ACA3948}
        (+)(REG VAL) (Default) = REG_SZ, "System.ObsoleteAttribute"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08295C62-7462-3633-B35E-7AE68ACA3948}
\Implemented Categories
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08295C62-7462-3633-B35E-7AE68ACA3948}
\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08295C62-7462-3633-B35E-7AE68ACA3948}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
        (+)(REG VAL) Class = REG_SZ, "System.ObsoleteAttribute"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08295C62-7462-3633-B35E-7AE68ACA3948}
\InprocServer32\2.0.0.0
        (+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089"
        (+)(REG VAL) Class = REG_SZ, "System.ObsoleteAttribute"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08295C62-7462-3633-B35E-7AE68ACA3948}
\ProgId
        (+)(REG VAL) (Default) = REG_SZ, "System.ObsoleteAttribute"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
        (+)(REG VAL) (Default) = REG_SZ, "ActiveMovie Filter Class Manager"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\devenum.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{129D7E40-C10D-11D0-AFB9-00AA00B67A42}
        (+)(REG VAL) CLSID = REG_SZ, "{129D7E40-C10D-11D0-AFB9-00AA00B67A42}"
        (+)(REG VAL) FilterData = REG_BINARY, ...@....
        (+)(REG VAL) FriendlyName = REG_SZ, "DV Muxer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{1643E180-90F5-11CE-97D5-00AA0055595A}
        (+)(REG VAL) CLSID = REG_SZ, "{1643E180-90F5-11CE-97D5-00AA0055595A}"
        (+)(REG VAL) FilterData = REG_BINARY,
...@.......................................................................
.......................................................................
.......................
        (+)(REG VAL) FriendlyName = REG_SZ, "Color Space Converter"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{171252A0-8820-4AFE-9DF8-5C92B2D66B04}
        (+)(REG VAL) CLSID = REG_SZ, "{171252A0-8820-4AFE-9DF8-5C92B2D66B04}"
        (+)(REG VAL) FilterData = REG_BINARY,
...@................................P.`................
```

(+)(REG VAL) FriendlyName = REG_SZ, "LAV Splitter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{187463A0-5BB7-11D3-ACBE-0080C75E246E}
(+)(REG VAL) CLSID = REG_SZ, "{187463A0-5BB7-11D3-ACBE-0080C75E246E}"
(+)(REG VAL) FilterData = REG_BINARY, ...@....
(+)(REG VAL) FriendlyName = REG_SZ, "WM ASF Reader"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{1A56451B-1315-4012-861E-8587333DD631}
(+)(REG VAL) CLSID = REG_SZ, "{1A56451B-1315-4012-861E-8587333DD631}"
(+)(REG VAL) FilterData = REG_BINARY, ...
.....8.H.....
(+)(REG VAL) FriendlyName = REG_SZ, "Screen Capture filter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{1B544C20-FD0B-11CE-8C63-00AA0044B51E}
(+)(REG VAL) CLSID = REG_SZ, "{1B544C20-FD0B-11CE-8C63-00AA0044B51E}"
(+)(REG VAL) FilterData = REG_BINARY,
... . .p.....
(+)(REG VAL) FriendlyName = REG_SZ, "AVI Splitter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{1DA08500-9EDC-11CF-BC10-00AA00AC74F6}
(+)(REG VAL) CLSID = REG_SZ, "{1DA08500-9EDC-11CF-BC10-00AA00AC74F6}"
(+)(REG VAL) FilterData = REG_BINARY,
...@..... .p..... .....
(+)(REG VAL) FriendlyName = REG_SZ, "VGA 16 Color Ditherer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{1f26a602-2b5c-4b63-b8e8-9ea5c1a7dc2e}
(+)(REG VAL) CLSID = REG_SZ, "{1f26a602-2b5c-4b63-b8e8-9ea5c1a7dc2e}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "SBE2MediaTypeProfile"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{212690FB-83E5-4526-8FD7-74478B7939CD}
(+)(REG VAL) CLSID = REG_SZ, "{212690FB-83E5-4526-8FD7-74478B7939CD}"
(+)(REG VAL) FilterData = REG_BINARY,
...._.....
.....
(+)(REG VAL) FriendlyName = REG_SZ, "Microsoft DTV-DVD Video Decoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{212690FB-83E5-4526-8FD7-74478B7939CD}\Capabilities
(+)(REG VAL) {374ac4df-7c98-4257-b13d-36087dbee458} = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{280A3020-86CF-11D1-ABE6-00A0C905F375}
(+)(REG VAL) CLSID = REG_SZ, "{280A3020-86CF-11D1-ABE6-00A0C905F375}"
(+)(REG VAL) FilterData = REG_BINARY,
... . .p.....p.....
(+)(REG VAL) FriendlyName = REG_SZ, "AC3 Parser Filter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{2DB47AE5-CF39-43C2-B4D6-0CD8D90946F4}
(+)(REG VAL) CLSID = REG_SZ, "{2DB47AE5-CF39-43C2-B4D6-0CD8D90946F4}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "StreamBufferSink"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{301056D0-6DFF-11D2-9EEB-006008039E37}

(+)(REG VAL) CLSID = REG_SZ, "{301056D0-6DFF-11D2-9EEB-006008039E37}"
(+)(REG VAL) FilterData = REG_BINARY,
...` ..... `.p..... `.....
(+)(REG VAL) FriendlyName = REG_SZ, "MJPEG Decompressor"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{336475D0-942A-11CE-A870-00AA002FEAB5}
(+)(REG VAL) CLSID = REG_SZ, "{336475D0-942A-11CE-A870-00AA002FEAB5}"
(+)(REG VAL) FilterData = REG_BINARY,
...` .....
.....
....P.....
(+)(REG VAL) FriendlyName = REG_SZ, "MPEG-I Stream Splitter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{33FACFE0-A9BE-11D0-A520-00A0D10129C0}
(+)(REG VAL) CLSID = REG_SZ, "{33FACFE0-A9BE-11D0-A520-00A0D10129C0}"
(+)(REG VAL) FilterData = REG_BINARY,
...@..... `.p.....
(+)(REG VAL) FriendlyName = REG_SZ, "SAMI (CC) Parser"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{370A1D5D-DDEB-418C-81CD-189E0D4FA443}
(+)(REG VAL) CLSID = REG_SZ, "{370A1D5D-DDEB-418C-81CD-189E0D4FA443}"
(+)(REG VAL) FilterData = REG_BINARY,
...` .....
.....
....
(+)(REG VAL) FriendlyName = REG_SZ, "VBI Codec"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{3AE86B20-7BE8-11D1-ABE6-00A0C905F375}
(+)(REG VAL) CLSID = REG_SZ, "{3AE86B20-7BE8-11D1-ABE6-00A0C905F375}"
(+)(REG VAL) FilterData = REG_BINARY,
..._.....H.X.....H.h.....
(+)(REG VAL) FriendlyName = REG_SZ, "MPEG-2 Splitter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{3D07A539-35CA-447C-9B05-8D85CE924F9E}
(+)(REG VAL) CLSID = REG_SZ, "{3D07A539-35CA-447C-9B05-8D85CE924F9E}"
(+)(REG VAL) FilterData = REG_BINARY, ...
.....
.....
.....
.....
(+)(REG VAL) FriendlyName = REG_SZ, "Closed Captions Analysis Filter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{3E458037-0CA6-41aa-A594-2AA6C02D709B}
(+)(REG VAL) CLSID = REG_SZ, "{3E458037-0CA6-41aa-A594-2AA6C02D709B}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "SBE2FileScan"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{42150CD9-CA9A-4EA5-9939-30EE037F6E74}
(+)(REG VAL) CLSID = REG_SZ, "{42150CD9-CA9A-4EA5-9939-30EE037F6E74}"
(+)(REG VAL) FilterData = REG_BINARY, ...
.....
.....
.....
(+)(REG VAL) FriendlyName = REG_SZ, "Microsoft MPEG-2 Video Encoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{48025243-2D39-11CE-875D-00608CB78066}
(+)(REG VAL) CLSID = REG_SZ, "{48025243-2D39-11CE-875D-00608CB78066}"
(+)(REG VAL) FilterData = REG_BINARY,
.....H.X.....h.X.....
(+)(REG VAL) FriendlyName = REG_SZ, "Internal Script Command Renderer"

```
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{4A2286E0-7BEF-11CE-9BD9-0000E202599C}
       (+)(REG VAL) CLSID = REG_SZ, "{4A2286E0-7BEF-11CE-9BD9-0000E202599C}"
       (+)(REG VAL) FilterData = REG_BINARY,
.........................................................................
........P...............
       (+)(REG VAL) FriendlyName = REG_SZ, "MPEG Audio Decoder"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{4EB31670-9FC6-11CF-AF6E-00AA00B67A42}
       (+)(REG VAL) CLSID = REG_SZ, "{4EB31670-9FC6-11CF-AF6E-00AA00B67A42}"
       (+)(REG VAL) FilterData = REG_BINARY,
...`.......................................................................
...............................................................
       (+)(REG VAL) FriendlyName = REG_SZ, "DV Splitter"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{51B4ABF3-748F-4E3B-A276-C828330E926A}
       (+)(REG VAL) CLSID = REG_SZ, "{51B4ABF3-748F-4E3B-A276-C828330E926A}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
....................8.H.................
       (+)(REG VAL) FriendlyName = REG_SZ, "Video Mixing Renderer 9"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{5F5AFF4A-2F7F-4279-88C2-CD88EB39D144}
       (+)(REG VAL) CLSID = REG_SZ, "{5F5AFF4A-2F7F-4279-88C2-CD88EB39D144}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
.........................................................................
.........................................................................
.........................................................................
.........................................................................
       (+)(REG VAL) FriendlyName = REG_SZ, "Microsoft MPEG-2 Encoder"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{6A08CF80-0E18-11CF-A24D-0020AFD79767}
       (+)(REG VAL) CLSID = REG_SZ, "{6A08CF80-0E18-11CF-A24D-0020AFD79767}"
       (+)(REG VAL) FilterData = REG_BINARY,
...`...................`.p.................`.p.................
       (+)(REG VAL) FriendlyName = REG_SZ, "ACM Wrapper"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{6BC1CFFA-8FC1-4261-AC22-CFB4CC38DB50}
       (+)(REG VAL) CLSID = REG_SZ, "{6BC1CFFA-8FC1-4261-AC22-CFB4CC38DB50}"
       (+)(REG VAL) FilterData = REG_BINARY,
.......................8.H.................
       (+)(REG VAL) FriendlyName = REG_SZ, "Video Renderer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{6CFAD761-735D-4AA5-8AFC-AF91A7D61EBA}
       (+)(REG VAL) CLSID = REG_SZ, "{6CFAD761-735D-4AA5-8AFC-AF91A7D61EBA}"
       (+)(REG VAL) FilterData = REG_BINARY, ... ....
       (+)(REG VAL) FriendlyName = REG_SZ, "MPEG-2 Video Stream Analyzer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{6E8D4A20-310C-11D0-B79A-00AA003767A7}
       (+)(REG VAL) CLSID = REG_SZ, "{6E8D4A20-310C-11D0-B79A-00AA003767A7}"
       (+)(REG VAL) FilterData = REG_BINARY,
...`...................`.p...................p.........................
       (+)(REG VAL) FriendlyName = REG_SZ, "Line 21 Decoder"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{6F26A6CD-967B-47FD-874A-7AED2C9D25A2}
       (+)(REG VAL) CLSID = REG_SZ, "{6F26A6CD-967B-47FD-874A-7AED2C9D25A2}"
       (+)(REG VAL) FilterData = REG_BINARY,
...`.......................................................................
....................
       (+)(REG VAL) FriendlyName = REG_SZ, "Video Port Manager"
```

```
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{70E102B0-5556-11CE-97C0-00AA0055595A}
       (+)(REG VAL) CLSID = REG_SZ, "{70E102B0-5556-11CE-97C0-00AA0055595A}"
       (+)(REG VAL) FilterData = REG_BINARY,
...@....................8.H.................
       (+)(REG VAL) FriendlyName = REG_SZ, "Video Renderer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{7B3BC2A0-AA50-4ae7-BD44-B03649EC87C2}
       (+)(REG VAL) CLSID = REG_SZ, "{7B3BC2A0-AA50-4ae7-BD44-B03649EC87C2}"
       (+)(REG VAL) FilterData = REG_BINARY, ... ....
       (+)(REG VAL) FriendlyName = REG_SZ, "VPS Decoder"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{7C23220E-55BB-11D3-8B16-00C04FB6BD3D}
       (+)(REG VAL) CLSID = REG_SZ, "{7C23220E-55BB-11D3-8B16-00C04FB6BD3D}"
       (+)(REG VAL) FilterData = REG_BINARY, ...@....
       (+)(REG VAL) FriendlyName = REG_SZ, "WM ASF Writer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{814B9800-1C88-11D1-BAD9-00609744111A}
       (+)(REG VAL) CLSID = REG_SZ, "{814B9800-1C88-11D1-BAD9-00609744111A}"
       (+)(REG VAL) FilterData = REG_BINARY,
...`....................`.p.............................................
       (+)(REG VAL) FriendlyName = REG_SZ, "VBI Surface Allocator"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{8596E5F0-0DA5-11D0-BD21-00A0C911CE86}
       (+)(REG VAL) CLSID = REG_SZ, "{8596E5F0-0DA5-11D0-BD21-00A0C911CE86}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
....................8.8.........
       (+)(REG VAL) FriendlyName = REG_SZ, "File writer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{93A22E7A-5091-45EF-BA61-6DA26156A5D0}
       (+)(REG VAL) CLSID = REG_SZ, "{93A22E7A-5091-45EF-BA61-6DA26156A5D0}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
.............................................................................
.............................................................................
.............................................................................
       (+)(REG VAL) FriendlyName = REG_SZ, "VSFilter"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{9852A670-F845-491B-9BE6-EBD841B8A613}
       (+)(REG VAL) CLSID = REG_SZ, "{9852A670-F845-491B-9BE6-EBD841B8A613}"
       (+)(REG VAL) FilterData = REG_BINARY,
.............................................................................
.............................................................................
.............................................................................
....
       (+)(REG VAL) FriendlyName = REG_SZ, "VSFilter (auto-loading version)"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{9B8C4620-2C1A-11D0-8493-00A02438AD48}
       (+)(REG VAL) CLSID = REG_SZ, "{9B8C4620-2C1A-11D0-8493-00A02438AD48}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
.............................................................................
................
       (+)(REG VAL) FriendlyName = REG_SZ, "DVD Navigator"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{A0025E90-E45B-11D1-ABE9-00A0C905F375}
       (+)(REG VAL) CLSID = REG_SZ, "{A0025E90-E45B-11D1-ABE9-00A0C905F375}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
....................`.p.................`...........................
       (+)(REG VAL) FriendlyName = REG_SZ, "Overlay Mixer2"
    (+)(REG KEY)
```

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{AB9D6472-752F-43F6-B29E-61207BDA8E06}
(+)(REG VAL) CLSID = REG_SZ, "{AB9D6472-752F-43F6-B29E-61207BDA8E06}"
(+)(REG VAL) FilterData = REG_BINARY,
.....8.8.....
(+)(REG VAL) FriendlyName = REG_SZ, "RDP DShow Redirection Filter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{ACD453BC-C58A-44D1-BBF5-BFB325BE2D78}
(+)(REG VAL) CLSID = REG_SZ, "{ACD453BC-C58A-44D1-BBF5-BFB325BE2D78}"
(+)(REG VAL) FilterData = REG_BINARY, ...
.....
(+)(REG VAL) FriendlyName = REG_SZ, "Microsoft MPEG-2 Audio Encoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{AD6C8934-F31B-4F43-B5E4-0541C1452F6F}
(+)(REG VAL) CLSID = REG_SZ, "{AD6C8934-F31B-4F43-B5E4-0541C1452F6F}"
(+)(REG VAL) FilterData = REG_BINARY, ...
..... `.p.....p.....
(+)(REG VAL) FriendlyName = REG_SZ, "WST Pager"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{AFB6C280-2C41-11D3-8A60-0000F81E0E4A}
(+)(REG VAL) CLSID = REG_SZ, "{AFB6C280-2C41-11D3-8A60-0000F81E0E4A}"
(+)(REG VAL) FilterData = REG_BINARY,
... `.....p.....p.....p.....
.....
(+)(REG VAL) FriendlyName = REG_SZ, "MPEG-2 Demultiplexer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{B1B77C00-C3E4-11CF-AF79-00AA00B67A42}
(+)(REG VAL) CLSID = REG_SZ, "{B1B77C00-C3E4-11CF-AF79-00AA00B67A42}"
(+)(REG VAL) FilterData = REG_BINARY,
.....p.....p.....p.....
.....
(+)(REG VAL) FriendlyName = REG_SZ, "DV Video Decoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{B98D13E7-55DB-4385-A33D-09FD1BA26338}
(+)(REG VAL) CLSID = REG_SZ, "{B98D13E7-55DB-4385-A33D-09FD1BA26338}"
(+)(REG VAL) FilterData = REG_BINARY, ...@.....
(+)(REG VAL) FriendlyName = REG_SZ, "LAV Splitter Source"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{C1F400A0-3F08-11D3-9F0B-006008039E37}
(+)(REG VAL) CLSID = REG_SZ, "{C1F400A0-3F08-11D3-9F0B-006008039E37}"
(+)(REG VAL) FilterData = REG_BINARY, ...
..... `.`..... `.`.....
(+)(REG VAL) FriendlyName = REG_SZ, "SampleGrabber"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{C1F400A4-3F08-11D3-9F0B-006008039E37}
(+)(REG VAL) CLSID = REG_SZ, "{C1F400A4-3F08-11D3-9F0B-006008039E37}"
(+)(REG VAL) FilterData = REG_BINARY, ...
.....8.8.....
(+)(REG VAL) FriendlyName = REG_SZ, "Null Renderer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{C666E115-BB62-4027-A113-82D643FE2D99}
(+)(REG VAL) CLSID = REG_SZ, "{C666E115-BB62-4027-A113-82D643FE2D99}"
(+)(REG VAL) FilterData = REG_BINARY,
..._.....8.H.....
(+)(REG VAL) FriendlyName = REG_SZ, "MPEG-2 Sections and Tables"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{C6B400E2-20A7-4E58-A2FE-24619682CE6C}
(+)(REG VAL) CLSID = REG_SZ, "{C6B400E2-20A7-4E58-A2FE-24619682CE6C}"

(+)(REG VAL) FilterData = REG_BINARY, ...
.....p.....p.....
....
(+)(REG VAL) FriendlyName = REG_SZ, "Microsoft AC3 Encoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{C9F5FE02-F851-4EB5-99EE-AD602AF1E619}
(+)(REG VAL) CLSID = REG_SZ, "{C9F5FE02-F851-4EB5-99EE-AD602AF1E619}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "StreamBufferSource"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{CC58E280-8AA1-11D1-B3F1-00AA003761C5}
(+)(REG VAL) CLSID = REG_SZ, "{CC58E280-8AA1-11D1-B3F1-00AA003761C5}"
(+)(REG VAL) FilterData = REG_BINARY, ...
.....
(+)(REG VAL) FriendlyName = REG_SZ, "Smart Tee"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{CD8743A1-3736-11D0-9E69-00C04FD7C15B}
(+)(REG VAL) CLSID = REG_SZ, "{CD8743A1-3736-11D0-9E69-00C04FD7C15B}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "Overlay Mixer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{CF49D4E0-1115-11CE-B03A-0020AF0BA770}
(+)(REG VAL) CLSID = REG_SZ, "{CF49D4E0-1115-11CE-B03A-0020AF0BA770}"
(+)(REG VAL) FilterData = REG_BINARY,
...`.....`.p.....`.p.....
(+)(REG VAL) FriendlyName = REG_SZ, "AVI Decompressor"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{D3588AB0-0781-11CE-B03A-0020AF0BA770}
(+)(REG VAL) CLSID = REG_SZ, "{D3588AB0-0781-11CE-B03A-0020AF0BA770}"
(+)(REG VAL) FilterData = REG_BINARY,
...@.....`.p.....p.....
(+)(REG VAL) FriendlyName = REG_SZ, "AVI/WAV File Source"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{D51BD5A1-7548-11CF-A520-0080C77EF58A}
(+)(REG VAL) CLSID = REG_SZ, "{D51BD5A1-7548-11CF-A520-0080C77EF58A}"
(+)(REG VAL) FilterData = REG_BINARY,
...@.....
.....
(+)(REG VAL) FriendlyName = REG_SZ, "Wave Parser"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{D51BD5A2-7548-11CF-A520-0080C77EF58A}
(+)(REG VAL) CLSID = REG_SZ, "{D51BD5A2-7548-11CF-A520-0080C77EF58A}"
(+)(REG VAL) FilterData = REG_BINARY,
...@.....`.p.....p.....
(+)(REG VAL) FriendlyName = REG_SZ, "MIDI Parser"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{D51BD5A3-7548-11CF-A520-0080C77EF58A}
(+)(REG VAL) CLSID = REG_SZ, "{D51BD5A3-7548-11CF-A520-0080C77EF58A}"
(+)(REG VAL) FilterData = REG_BINARY,
...@.....`.p.....
(+)(REG VAL) FriendlyName = REG_SZ, "Multi-file Parser"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{D51BD5A5-7548-11CF-A520-0080C77EF58A}
(+)(REG VAL) CLSID = REG_SZ, "{D51BD5A5-7548-11CF-A520-0080C77EF58A}"
(+)(REG VAL) FilterData = REG_BINARY,
...@.....`.p.....p.p.....
(+)(REG VAL) FriendlyName = REG_SZ, "File stream renderer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}

```
\Instance\{E1A8B82A-32CE-4B0D-BE0D-AA68C772E423}
       (+)(REG VAL) CLSID = REG_SZ, "{E1A8B82A-32CE-4B0D-BE0D-AA68C772E423}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
..........C.......................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................................................
       (+)(REG VAL) FriendlyName = REG_SZ, "madVR"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E1F1A0B8-BEEE-490D-BA7C-066C40B5E2B9}
       (+)(REG VAL) CLSID = REG_SZ, "{E1F1A0B8-BEEE-490D-BA7C-066C40B5E2B9}"
       (+)(REG VAL) FilterData = REG_BINARY,
...._.................................................................................
.......................................................................................
.......................................................................................
.......................................................................................
.......................P.......................................................................
.....................................
       (+)(REG VAL) FriendlyName = REG_SZ, "Microsoft DTV-DVD Audio Decoder"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E1F1A0B8-BEEE-490D-BA7C-066C40B5E2B9}\Capabilities
       (+)(REG VAL) {374ac4df-7c98-4257-b13d-36087dbee458} = REG_DWORD, 1
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E2448508-95DA-4205-9A27-7EC81E723B1A}
       (+)(REG VAL) CLSID = REG_SZ, "{E2448508-95DA-4205-9A27-7EC81E723B1A}"
       (+)(REG VAL) FilterData = REG_BINARY, ... ....
       (+)(REG VAL) FriendlyName = REG_SZ, "StreamBufferSink2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E2510970-F137-11CE-8B67-00AA00A3F1A6}
       (+)(REG VAL) CLSID = REG_SZ, "{E2510970-F137-11CE-8B67-00AA00A3F1A6}"
       (+)(REG VAL) FilterData = REG_BINARY, ...
.....................8.H.................
       (+)(REG VAL) FriendlyName = REG_SZ, "AVI Mux"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E4206432-01A1-4BEE-B3E1-3702C8EDC574}
       (+)(REG VAL) CLSID = REG_SZ, "{E4206432-01A1-4BEE-B3E1-3702C8EDC574}"
       (+)(REG VAL) FilterData = REG_BINARY,
...`.....................`.p....................p..........................
       (+)(REG VAL) FriendlyName = REG_SZ, "Line 21 Decoder 2"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E436EBB5-524F-11CE-9F53-0020AF0BA770}
       (+)(REG VAL) CLSID = REG_SZ, "{E436EBB5-524F-11CE-9F53-0020AF0BA770}"
       (+)(REG VAL) FilterData = REG_BINARY,
...@.....................8.H.................
       (+)(REG VAL) FriendlyName = REG_SZ, "File Source (Async.)"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E436EBB6-524F-11CE-9F53-0020AF0BA770}
       (+)(REG VAL) CLSID = REG_SZ, "{E436EBB6-524F-11CE-9F53-0020AF0BA770}"
       (+)(REG VAL) FilterData = REG_BINARY,
...@.....................8.H.................
       (+)(REG VAL) FriendlyName = REG_SZ, "File Source (URL)"
```

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E882F102-F626-49E9-BD68-CE2BE7E59EA0}
(+)(REG VAL) CLSID = REG_SZ, "{E882F102-F626-49E9-BD68-CE2BE7E59EA0}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "AudioRecorder WAV Dest"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E882F102-F626-49E9-BD68-CE2BE7E59EB0}
(+)(REG VAL) CLSID = REG_SZ, "{E882F102-F626-49E9-BD68-CE2BE7E59EB0}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "AudioRecorder Wave Form"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E882F102-F626-49E9-BD68-CE2BE7E59EC0}
(+)(REG VAL) CLSID = REG_SZ, "{E882F102-F626-49E9-BD68-CE2BE7E59EC0}"
(+)(REG VAL) FilterData = REG_BINARY, ...
(+)(REG VAL) FriendlyName = REG_SZ, "SoundRecorder Null Renderer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{E8E73B6B-4CB3-44A4-BE99-4F7BCB96E491}
(+)(REG VAL) CLSID = REG_SZ, "{E8E73B6B-4CB3-44A4-BE99-4F7BCB96E491}"
(+)(REG VAL) FilterData = REG_BINARY,
.....W.....
.....P.....
U.....
.....1.....".....u.....
.....
(+)(REG VAL) FriendlyName = REG_SZ, "LAV Audio Decoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{EE30215D-164F-4A92-A4EB-9D4C13390F9F}
(+)(REG VAL) CLSID = REG_SZ, "{EE30215D-164F-4A92-A4EB-9D4C13390F9F}"
(+)(REG VAL) FilterData = REG_BINARY,
.....

....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
....
(+)(REG VAL) FriendlyName = REG_SZ, "LAV Video Decoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{F8388A40-D5BB-11D0-BE5A-0080C706568E}
(+)(REG VAL) CLSID = REG_SZ, "{F8388A40-D5BB-11D0-BE5A-0080C706568E}"
(+)(REG VAL) FilterData = REG_BINARY, ...
....................`.`.................`.`.`.........
(+)(REG VAL) FriendlyName = REG_SZ, "Infinite Pin Tee Filter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{FA10746C-9B63-4B6C-BC49-FC300EA5F256}
(+)(REG VAL) CLSID = REG_SZ, "{FA10746C-9B63-4B6C-BC49-FC300EA5F256}"
(+)(REG VAL) FilterData = REG_BINARY, ...
....................8.H.................
(+)(REG VAL) FriendlyName = REG_SZ, "Enhanced Video Renderer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{FC772AB0-0C7F-11D3-8FF2-00A0C9224CF4}
(+)(REG VAL) CLSID = REG_SZ, "{FC772AB0-0C7F-11D3-8FF2-00A0C9224CF4}"
(+)(REG VAL) FilterData = REG_BINARY, ...
....................`.p..............`..............................
(+)(REG VAL) FriendlyName = REG_SZ, "BDA MPEG2 Transport Information Filter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{083863F1-70DE-11D0-BD40-00A0C911CE86}
\Instance\{FEB50740-7BEF-11CE-9BD9-0000E202599C}
(+)(REG VAL) CLSID = REG_SZ, "{FEB50740-7BEF-11CE-9BD9-0000E202599C}"
(+)(REG VAL) FilterData = REG_BINARY,
........................p.......p....................p...........................
....
(+)(REG VAL) FriendlyName = REG_SZ, "MPEG Video Decoder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0875DCB6-C686-4243-9432-ADCCF0B9F2D7}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft OneNote Namespace Extension for Windows Desktop Search"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0875DCB6-C686-4243-9432-ADCCF0B9F2D7}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Microsoft Office\Office15\ONFILTER.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0875DCB6-C686-4243-9432-ADCCF0B9F2D7}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "OneIndex.ShellFolder.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0875DCB6-C686-4243-9432-ADCCF0B9F2D7}
\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, 538443776
(+)(REG VAL) WANTSFORPARSING = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0875DCB6-C686-4243-9432-ADCCF0B9F2D7}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "OneIndex.ShellFolder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08a99e2f-6d6d-4b80-af5a-baf2bcbe4cb9}
(+)(REG VAL) (Default) = REG_SZ, "PropVariantCollection Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08a99e2f-6d6d-4b80-af5a-baf2bcbe4cb9}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\PortableDeviceTypes.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08a99e2f-6d6d-4b80-af5a-baf2bcbe4cb9}
\ProgID
(+)(REG VAL) (Default) = REG_SZ,
"PropVariantCollection.PropVariantCollection.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08a99e2f-6d6d-4b80-af5a-baf2bcbe4cb9}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{2B00BA2F-E750-4beb-9235-97142EDE1D3E}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08a99e2f-6d6d-4b80-af5a-baf2bcbe4cb9}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08a99e2f-6d6d-4b80-af5a-baf2bcbe4cb9}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ,
"PropVariantCollection.PropVariantCollection"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08B0E5C0-4FCB-11CF-AAA5-00401C608501}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08B0E5C0-4FCB-11CF-AAA5-00401C608501}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08B0E5C0-4FCB-11CF-AAA5-00401C608501}
\Implemented Categories\{59fb2056-d625-48d0-a944-1a85b5ab2640}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08d450b7-f7e5-4424-8229-11888adb7c14}
(+)(REG VAL) AppID = REG_SZ, "{642ef9d6-48a5-476b-919a-a507cfd02c0f}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\system32\fontext.dll,-200"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08d450b7-f7e5-4424-8229-11888adb7c14}
\Elevation
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG VAL) IconReference = REG_EXPAND_SZ,
"@%SystemRoot%\system32\fontext.dll,-10"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08d450b7-f7e5-4424-8229-11888adb7c14}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\fontext.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08d5bfbf-fbca-4322-9f70-ca9f66f8ed6a}
(+)(REG VAL) (Default) = REG_SZ, "CommonLayoutModifier"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08d5bfbf-fbca-4322-9f70-ca9f66f8ed6a}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F5D2F6-4AE5-486B-98E0-3E85BA6B4D11}
(+)(REG VAL) (Default) = REG_SZ, "EvtSink Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F5D2F6-4AE5-486B-98E0-3E85BA6B4D11}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\COMMON~1\MICROS~1\SMARTT~1\IETAG.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F5D2F6-4AE5-486B-98E0-3E85BA6B4D11}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Ietag.EvtSink.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F5D2F6-4AE5-486B-98E0-3E85BA6B4D11}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F5D2F6-4AE5-486B-98E0-3E85BA6B4D11}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{06CA6721-CB57-449E-8097-E65B9F543A1A}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F5D2F6-4AE5-486B-98E0-3E85BA6B4D11}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Ietag.EvtSink"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C811-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C811-3CFD-11D1-98BC-006008197D41}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.CurrentProjectClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C811-3CFD-11D1-98BC-006008197D41}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.CurrentProjectClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C813-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C813-3CFD-11D1-98BC-006008197D41}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AllFormsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C813-3CFD-11D1-98BC-006008197D41}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AllFormsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C814-3CFD-11D1-98BC-006008197D41}

(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C814-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllReportsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C814-3CFD-11D1-98BC-006008197D41}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllReportsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C815-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C815-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllMacrosClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C815-3CFD-11D1-98BC-006008197D41}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllMacrosClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C816-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C816-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllModulesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C816-3CFD-11D1-98BC-006008197D41}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllModulesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C818-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C818-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllDataAccessPagesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C818-3CFD-11D1-98BC-006008197D41}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,

"Microsoft.Office.Interop.Access.AllDataAccessPagesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C819-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C819-3CFD-11D1-98BC-006008197D41}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.CurrentDataClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C819-3CFD-11D1-98BC-006008197D41}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.CurrentDataClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81A-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81A-3CFD-11D1-98BC-006008197D41}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.CodeDataClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81A-3CFD-11D1-98BC-006008197D41}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.CodeDataClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81B-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81B-3CFD-11D1-98BC-006008197D41}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AllTablesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81B-3CFD-11D1-98BC-006008197D41}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AllTablesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81C-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81C-3CFD-11D1-98BC-006008197D41}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AllQueriesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81C-3CFD-11D1-98BC-006008197D41}

\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllQueriesClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81E-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81E-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllViewsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C81E-3CFD-11D1-98BC-006008197D41}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllViewsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C820-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C820-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllStoredProceduresClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C820-3CFD-11D1-98BC-006008197D41}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllStoredProceduresClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C821-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C821-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllDatabaseDiagramsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C821-3CFD-11D1-98BC-006008197D41}\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ, "Microsoft.Office.Interop.Access.AllDatabaseDiagramsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C822-3CFD-11D1-98BC-006008197D41}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C822-3CFD-11D1-98BC-006008197D41}\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access, Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,

"Microsoft.Office.Interop.Access.AllFunctionsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{08F6C822-3CFD-11D1-98BC-006008197D41}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Access,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Access.AllFunctionsClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09017262-fdb4-4ff2-9013-26332c926ee7}
(+)(REG VAL) (Default) = REG_SZ, "Csc Sync"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09017262-fdb4-4ff2-9013-26332c926ee7}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09144FD6-BB29-11DB-96F1-005056C00008}
(+)(REG VAL) (Default) = REG_SZ, "PBDA DTFilter"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09144FD6-BB29-11DB-96F1-005056C00008}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\CPFilters.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
(+)(REG VAL) (Default) = REG_SZ, "Windows Script Host Network Object"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
\Implemented Categories\{40FC6ED5-2438-11CF-A3DB-080036F12502}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\wshom.ocx"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "WScript.Network.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{F935DC20-1CF0-11D0-ADB9-00C04FD58A0B}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{093FF999-1EA0-4079-9525-9614C3504B74}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "WScript.Network"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09474572-B2FB-11D1-A1A1-0000F875B132}
(+)(REG VAL) (Default) = REG_SZ, "MMCListPadInfo class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09474572-B2FB-11D1-A1A1-0000F875B132}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\cic.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09474572-B2FB-11D1-A1A1-0000F875B132}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MMCListPadInfo.MMCListPadInfo.1"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09474572-B2FB-11D1-A1A1-0000F875B132}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MMCListPadInfo.MMCListPadInfo"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
(+)(REG VAL) (Default) = REG_SZ, "BDA Tuning Model MPEG2 Tune Request"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\Implemented Categories\{0DE86A54-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\Implemented Categories\{0DE86A57-2BAA-11CF-A229-00AA003D7352}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2TuneRequest.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{9B085638-018E-11D3-9D8E-00C04F72D980}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0955AC62-BF2E-4CBA-A2B9-A63F772D46CF}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "BDATuner.MPEG2TuneRequest"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{095D3BE1-A874-46A5-B989-AE43E3427E3C}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{095D3BE1-A874-46A5-B989-AE43E3427E3C}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\NaturalLanguage6.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0968e258-16c7-4dba-aa86-462dd61e31a3}
(+)(REG VAL) (Default) = REG_SZ, "PersistentZoneIdentifier"
(+)(REG VAL) AppId = REG_SZ, "{0968e258-16c7-4dba-aa86-462dd61e31a3}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ,
"@%SystemRoot%\System32\urlmon.dll,-4200"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0968e258-16c7-4dba-aa86-462dd61e31a3}
\Elevation
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0968e258-16c7-4dba-aa86-462dd61e31a3}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\urlmon.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0977d092-2d95-4e43-8d42-9ddcc2545ed5}
(+)(REG VAL) (Default) = REG_SZ, "XACT Engine"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0977d092-2d95-4e43-8d42-9ddcc2545ed5}

\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\xactengine3_4.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0977EEC5-10F7-44AE-A7FA-D4824EBA5C74}
(+)(REG VAL) (Default) = REG_SZ, "PrintersCacheManager Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0977EEC5-10F7-44AE-A7FA-D4824EBA5C74}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\puiobj.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0977EEC5-10F7-44AE-A7FA-D4824EBA5C74}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{438EDB38-282C-435D-8BE3-4AB90B83CEF5}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0977EEC5-10F7-44AE-A7FA-D4824EBA5C74}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09799AFB-AD67-11d1-ABCD-00C04FC30936}
(+)(REG VAL) (Default) = REG_SZ, "Open With Context Menu Handler"
(+)(REG VAL) ContextMenuOptIn = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09799AFB-AD67-11d1-ABCD-00C04FC30936}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09799AFB-AD67-11d1-ABCD-00C04FC30936}
\shellex
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09799AFB-AD67-11d1-ABCD-00C04FC30936}
\shellex\MayChangeDefaultMenu
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{098870b6-39ea-480b-b8b5-dd0167c4db59}
(+)(REG VAL) (Default) = REG_SZ, "IE OpenService Manager"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{098870b6-39ea-480b-b8b5-dd0167c4db59}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\ieframe.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{098f2470-bae0-11cd-b579-08002b30bfeb}
(+)(REG VAL) (Default) = REG_SZ, "Null persistent handler"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{098f2470-bae0-11cd-b579-08002b30bfeb}
\PersistentAddinsRegistered
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{098f2470-bae0-11cd-b579-08002b30bfeb}
\PersistentAddinsRegistered\{89BCB740-6119-101A-BCB7-00DD010655AF}
(+)(REG VAL) (Default) = REG_SZ, "{c3278e90-bea7-11cd-b579-08002b30bfeb}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0997898B-0713-11d2-A4AA-00C04F8EEB3E}
(+)(REG VAL) (Default) = REG_SZ, "Common Places FS Folder"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0997898B-0713-11d2-A4AA-00C04F8EEB3E}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09a28848-0e97-4cef-b950-cea037161155}
(+)(REG VAL) (Default) = REG_SZ, "Remove Properties Drop Target"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09a28848-0e97-4cef-b950-cea037161155}

\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09A60795-31C0-3A79-9250-8D93C74FE540}
(+)(REG VAL) (Default) = REG_SZ, "System.Runtime.Remoting.Metadata.W3cXsd2001.SoapInteger"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09A60795-31C0-3A79-9250-8D93C74FE540}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09A60795-31C0-3A79-9250-8D93C74FE540}\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09A60795-31C0-3A79-9250-8D93C74FE540}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) Class = REG_SZ, "System.Runtime.Remoting.Metadata.W3cXsd2001.SoapInteger"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09A60795-31C0-3A79-9250-8D93C74FE540}\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ, "System.Runtime.Remoting.Metadata.W3cXsd2001.SoapInteger"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09A60795-31C0-3A79-9250-8D93C74FE540}\ProgId
(+)(REG VAL) (Default) = REG_SZ, "System.Runtime.Remoting.Metadata.W3cXsd2001.SoapInteger"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09C20568-F30C-489B-AE9C-4930AD7F165F}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09C20568-F30C-489B-AE9C-4930AD7F165F}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\QShvHost.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09DBBC77-588F-4517-A485-74A29759F54C}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09DBBC77-588F-4517-A485-74A29759F54C}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\eapphost.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09F81337-D568-41d1-A177-D6779AF55847}
(+)(REG VAL) (Default) = REG_SZ, "WBEM WIN32_TSVIRTUALIPSETTING Provider"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09F81337-D568-41d1-A177-D6779AF55847}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\tscfgwmi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Publisher Document"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\Installer\{90150000-0011-0000-1000-0000000FF1CE}\pubs.exe,1"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\InprocServer32
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Publisher,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Publisher.DocumentClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\InprocServer32\15.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "Microsoft.Office.Interop.Publisher,
Version=15.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"
(+)(REG VAL) Class = REG_SZ,
"Microsoft.Office.Interop.Publisher.DocumentClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\PROGRA~1\MICROS~3\Office15\MSPUB.EXE
/Automation"
(+)(REG VAL) LocalServer32 = REG_MULTI_SZ,
"yh1BV5!!!!4!!!!MKKSkPubPrimary>d~?}-?!%I='Tf*-B`f+D /Automation "
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\NotInsertable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Publisher.Document.15"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\Programmable
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{0002123C-0000-0000-C000-000000000046}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{09FD2EFF-5669-11D3-B65F-00C04F8EF32D}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "Publisher.Document"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A006559-94BC-495F-A7C7-F74BF4187B57}
(+)(REG VAL) (Default) = REG_SZ, "NsNtfsSSDAnalysis"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A006559-94BC-495F-A7C7-F74BF4187B57}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\Condusiv
Technologies\Diskeeper\NsNtfsSSDAnalysis.dll"
(+)(REG VAL) InprocServer32 = REG_MULTI_SZ,
"w1JX%ssvS?4Ara)mLV.nDiskeeper>)}xA4IQ$2ADfX?v7m3C9 "
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A006559-94BC-495F-A7C7-F74BF4187B57}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "NsNtfsEngine.NsNtfsSSDAnalysis.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A06DA4B-C979-4883-9CFE-46376ADDBB44}
(+)(REG VAL) (Default) = REG_SZ, "Outlook Replication Helper"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A06DA4B-C979-4883-9CFE-46376ADDBB44}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ,
"C:\PROGRA~1\MICROS~3\Office15\OLMAPI32.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A14D3FF-EC53-450f-AA30-FFBC55BE26A2}
(+)(REG VAL) (Default) = REG_SZ, "TokenActivation Class"

(+)(REG VAL) AppID = REG_SZ, "{6D9A7A40-DDCA-414E-B48E-DFB032C03C1B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A14D3FF-EC53-450f-AA30-FFBC55BE26A2}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\sppcomapi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A14D3FF-EC53-450f-AA30-FFBC55BE26A2}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "SppComApi.TokenActivation.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A14D3FF-EC53-450f-AA30-FFBC55BE26A2}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{B0C2A63F-AFF8-40E3-B42D-8A542DC909EC}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A14D3FF-EC53-450f-AA30-FFBC55BE26A2}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "SppComApi.TokenActivation"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A16D195-6F47-4964-9287-9F4BAB6D9827}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A16D195-6F47-4964-9287-9F4BAB6D9827}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\colorui.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A29F9BD-86B3-4384-B25D-EF1FFE020266}
(+)(REG VAL) (Default) = REG_SZ, "WSD Scan Proxy"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A29F9BD-86B3-4384-B25D-EF1FFE020266}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\WSDScanProxy.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A29FF9E-7F9C-4437-8B11-F424491E3931}
(+)(REG VAL) (Default) = REG_SZ, "NDP SymBinder"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A29FF9E-7F9C-4437-8B11-F424491E3931}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A29FF9E-7F9C-4437-8B11-F424491E3931}\InprocServer32\2.0.50727
(+)(REG VAL) (Default) = REG_SZ, "2.0.50727"
(+)(REG VAL) ImplementedInThisVersion = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A29FF9E-7F9C-4437-8B11-F424491E3931}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "CorSymBinder_SxS"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A29FF9E-7F9C-4437-8B11-F424491E3931}\Server
(+)(REG VAL) (Default) = REG_SZ, "diasymreader.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A3976C5-4529-4ef8-B0B0-42EED37082CD}
(+)(REG VAL) (Default) = REG_SZ, "NDP SymReader"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A3976C5-4529-4ef8-B0B0-42EED37082CD}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A3976C5-4529-4ef8-B0B0-42EED37082CD}\InprocServer32\2.0.50727

(+)(REG VAL) (Default) = REG_SZ, "2.0.50727"
(+)(REG VAL) ImplementedInThisVersion = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A3976C5-4529-4ef8-B0B0-42EED37082CD}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "CorSymReader_SxS"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A3976C5-4529-4ef8-B0B0-42EED37082CD}\Server
(+)(REG VAL) (Default) = REG_SZ, "diasymreader.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A522732-A626-11D0-8D60-00C04FD6202B}
(+)(REG VAL) (Default) = REG_SZ, "CLSID_CExchImport"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A522732-A626-11D0-8D60-00C04FD6202B}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Mail\oeimport.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A56CD6C-B45A-4A6C-A88C-3F42AC7BCED4}
(+)(REG VAL) (Default) = REG_SZ, "KeyStrokeMonitor Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A56CD6C-B45A-4A6C-A88C-3F42AC7BCED4}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\microsoft shared\ink\tabskb.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A56CD6C-B45A-4A6C-A88C-3F42AC7BCED4}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "SKBMonitor.KeyStrokeMonitor.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A56CD6C-B45A-4A6C-A88C-3F42AC7BCED4}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "SKBMonitor.KeyStrokeMonitor"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A886F29-465A-4aea-8B8E-BE926BFAE83E}
(+)(REG VAL) (Default) = REG_SZ, "EapQecMessenger"
(+)(REG VAL) AppID = REG_SZ, "{0A886F29-465A-4aea-8B8E-BE926BFAE83E}"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A88C858-7D0C-4549-9499-7DB05F0CB0BF}
(+)(REG VAL) (Default) = REG_SZ, "Share Home Group"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A88C858-7D0C-4549-9499-7DB05F0CB0BF}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\ntshrui.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A9AE910-85C0-11D0-BD42-00A0C911CE86}
(+)(REG VAL) (Default) = REG_SZ, "AVI mux Property Page1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0A9AE910-85C0-11D0-BD42-00A0C911CE86}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\qcap.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0aa000aa-f404-11d9-bd7a-0010dc4f8f81}
(+)(REG VAL) (Default) = REG_SZ, "XACT Engine"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0aa000aa-f404-11d9-bd7a-0010dc4f8f81}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\xactengine2_0.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AA02E8D-F851-4CB0-9F64-BBA9BE7A983D}

(+)(REG VAL) (Default) = REG_SZ, "AlchemyVis Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AA02E8D-F851-4CB0-9F64-BBA9BE7A983D}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%ProgramFiles%\Windows Media Player\mpvis.DLL"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AA02E8D-F851-4CB0-9F64-BBA9BE7A983D}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{C58F1580-0DF3-401C-93B1-2D9DDA61CF04}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AA02E8D-F851-4CB0-9F64-BBA9BE7A983D}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AE2DEB0-F901-478b-BB9F-881EE8066788}
(+)(REG VAL) (Default) = REG_SZ, "NDP SymWriter"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AE2DEB0-F901-478b-BB9F-881EE8066788}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AE2DEB0-F901-478b-BB9F-881EE8066788}\InprocServer32\2.0.50727
(+)(REG VAL) (Default) = REG_SZ, "2.0.50727"
(+)(REG VAL) ImplementedInThisVersion = REG_SZ, ""
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AE2DEB0-F901-478b-BB9F-881EE8066788}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "CorSymWriter_SxS"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AE2DEB0-F901-478b-BB9F-881EE8066788}\Server
(+)(REG VAL) (Default) = REG_SZ, "diasymreader.dll"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AE89F03-C538-4471-9B12-A8E8EF246A0D}
(+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AE89F03-C538-4471-9B12-A8E8EF246A0D}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\wmpencen.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AEA3667-1039-43ff-8D21-B1A162090671}
(+)(REG VAL) (Default) = REG_SZ, "AppIdPolicyHelper Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AEA3667-1039-43ff-8D21-B1A162090671}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\AppIdPolicyEngineApi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AEA3667-1039-43ff-8D21-B1A162090671}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AEA3667-1039-43ff-8D21-B1A162090671}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{85C3F8F7-CFCE-4259-87FF-CAB1F4521F6E}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AEA3667-1039-43ff-8D21-B1A162090671}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0af10cec-2ecd-4b92-9581-34f6ae0637f3}
(+)(REG VAL) (Default) = REG_SZ, "PortableDeviceManager Class"
(+)(REG KEY)

HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0af10cec-2ecd-4b92-9581-34f6ae0637f3}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\PortableDeviceApi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0af10cec-2ecd-4b92-9581-34f6ae0637f3}
\ProgID
(+)(REG VAL) (Default) = REG_SZ,
"PortableDeviceManager.PortableDeviceManager.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0af10cec-2ecd-4b92-9581-34f6ae0637f3}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ,
"PortableDeviceManager.PortableDeviceManager"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0af96ede-aebf-41ed-a1c8-cf7a685505b6}
(+)(REG VAL) (Default) = REG_SZ, "Library Folder Context Menu"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0af96ede-aebf-41ed-a1c8-cf7a685505b6}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
(+)(REG VAL) (Default) = REG_SZ, "Folder Shortcut"
(+)(REG VAL) FriendlyTypeName = REG_SZ, "@shell32.dll,-10540"
(+)(REG VAL) PreviewDetails = REG_SZ,
"prop:System.Link.TargetParsingPath"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shell
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shell\find
(+)(REG VAL) LegacyDisable = REG_SZ, ""
(+)(REG VAL) SuppressionPolicy = REG_DWORD, 128
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shell\find\command
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\Explorer.exe"
(+)(REG VAL) DelegateExecute = REG_SZ,
"{a015411a-f97d-4ef3-8425-8a38d022aebc}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shellex
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shellex\{000214EE-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "{0AFACED1-E828-11D1-9187-B532F1E9575D}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shellex\{000214F9-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "{0AFACED1-E828-11D1-9187-B532F1E9575D}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shellex\{00021500-0000-0000-C000-000000000046}
(+)(REG VAL) (Default) = REG_SZ, "{0AFACED1-E828-11D1-9187-B532F1E9575D}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}
\shellex\IconHandler

(+)(REG VAL) (Default) = REG_SZ, "{0AFACED1-E828-11D1-9187-B532F1E9575D}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFACED1-E828-11D1-9187-B532F1E9575D}\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, 1614872887
(+)(REG VAL) CallForAttributes = REG_DWORD, -268435456
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFCCBA6-BF90-4A4E-8482-0AC960981F5B}
(+)(REG VAL) DisableProcessIsolation = REG_DWORD, 1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0AFCCBA6-BF90-4A4E-8482-0AC960981F5B}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B124F8F-91F0-11D1-B8B5-006008059382}
(+)(REG VAL) (Default) = REG_SZ, "Installed Apps Enumerator"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B124F8F-91F0-11D1-B8B5-006008059382}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\appwiz.cpl"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b2c9183-c9fa-4c53-ae21-c900b0c39965}
(+)(REG VAL) (Default) = REG_SZ, "CLSID_PathCompleteProvider"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b2c9183-c9fa-4c53-ae21-c900b0c39965}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\SearchFolder.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b2feecb-1577-4fa6-9a29-bd9022ebcf90}
(+)(REG VAL) (Default) = REG_SZ, "CPPTPDiagHelper Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b2feecb-1577-4fa6-9a29-bd9022ebcf90}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\RasDiag.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "free"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B3FFB92-0919-4934-9D5B-619C719D0202}
(+)(REG VAL) (Default) = REG_SZ, "Broadcast Event Service"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B3FFB92-0919-4934-9D5B-619C719D0202}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msvidctl.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B5A2C52-3EB9-470a-96E2-6C6D4570E40F}
(+)(REG VAL) (Default) = REG_SZ, "VssSnapshotMgmt Class"
(+)(REG VAL) AppID = REG_SZ, "{56BE716B-2F76-4dfa-8702-67AE100044F0B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B5A2C52-3EB9-470a-96E2-6C6D4570E40F}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "VSMGMT.VssSnapshotMgmt.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B5A2C52-3EB9-470a-96E2-6C6D4570E40F}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "VSMGMT.VssSnapshotMgmt"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B5A7836-4C16-4560-90B2-0F5DAF6D6D1B}
(+)(REG VAL) (Default) = REG_SZ, "FormHost Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B5A7836-4C16-4560-90B2-0F5DAF6D6D1B}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,

"%SystemRoot%\system32\mmcndmgr.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B5A7836-4C16-4560-90B2-0F5DAF6D6D1B}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "FormHost.FormHost.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0B5A7836-4C16-4560-90B2-0F5DAF6D6D1B}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "FormHost.FormHost"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b6d74fe-ad29-4c92-ac06-f06bc2f238a7}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft Feeds Request"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b6d74fe-ad29-4c92-ac06-f06bc2f238a7}
\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\msfeeds.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b91a74b-ad7c-4a9d-b563-29eef9167172}
(+)(REG VAL) (Default) = REG_SZ, "WpdSerializer Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b91a74b-ad7c-4a9d-b563-29eef9167172}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\PortableDeviceTypes.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b91a74b-ad7c-4a9d-b563-29eef9167172}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "WpdSerializer.WpdSerializer.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b91a74b-ad7c-4a9d-b563-29eef9167172}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{2B00BA2F-E750-4beb-9235-97142EDE1D3E}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b91a74b-ad7c-4a9d-b563-29eef9167172}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0b91a74b-ad7c-4a9d-b563-29eef9167172}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "WpdSerializer.WpdSerializer"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BA2A2AC-A4D5-38CB-AD03-A0D5B6EC4646}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BA2A2AC-A4D5-38CB-AD03-A0D5B6EC4646}
\InprocServer32
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BA2A2AC-A4D5-38CB-AD03-A0D5B6EC4646}
\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ, "System.Globalization.IdnMapping"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0bbca823-e77d-419e-9a44-5adec2c8eeb0}
(+)(REG VAL) (Default) = REG_SZ, "NVIDIA Control Panel"
(+)(REG VAL) InfoTip = REG_SZ, "@C:\Program Files\NVIDIA
Corporation\Control Panel Client\nvcpluir.dll,-2211"
(+)(REG VAL) LocalizedString = REG_SZ, "@C:\Program Files\NVIDIA
Corporation\Control Panel Client\nvcpluir.dll,-2210"
(+)(REG VAL) System.ApplicationName = REG_SZ, "NVIDIA.ControlPanel"
(+)(REG VAL) System.ControlPanel.Category = REG_SZ, "1,2"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0bbca823-e77d-419e-9a44-5adec2c8eeb0}
\DefaultIcon
(+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA

Corporation\Control Panel Client\nvcplui.exe,-128"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0bbca823-e77d-419e-9a44-5adec2c8eeb0}
\Shell
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0bbca823-e77d-419e-9a44-5adec2c8eeb0}
\Shell\Open
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0bbca823-e77d-419e-9a44-5adec2c8eeb0}
\Shell\Open\Command
        (+)(REG VAL) (Default) = REG_SZ, "C:\Program Files\NVIDIA
Corporation\Control Panel Client\nvcplui.exe"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BD7E521-4DA6-42D5-81BA-1981B6B94075}
        (+)(REG VAL) (Default) = REG_SZ, "PSFactoryBuffer"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BD7E521-4DA6-42D5-81BA-1981B6B94075}
\InProcServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\PNPXAssocPrx.dll"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35200-8F91-11CE-9DE3-00AA004BB851}
        (+)(REG VAL) (Default) = REG_SZ, "Font Property Page"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35200-8F91-11CE-9DE3-00AA004BB851}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\mfc42u.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35201-8F91-11CE-9DE3-00AA004BB851}
        (+)(REG VAL) (Default) = REG_SZ, "Color Property Page"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35201-8F91-11CE-9DE3-00AA004BB851}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\mfc42u.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35202-8F91-11CE-9DE3-00AA004BB851}
        (+)(REG VAL) (Default) = REG_SZ, "Picture Property Page"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35202-8F91-11CE-9DE3-00AA004BB851}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\mfc42u.dll"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35203-8F91-11CE-9DE3-00AA004BB851}
        (+)(REG VAL) (Default) = REG_SZ, "Standard Font"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35203-8F91-11CE-9DE3-00AA004BB851}
\CLSID
        (+)(REG VAL) (Default) = REG_SZ, "Standard Font"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35203-8F91-11CE-9DE3-00AA004BB851}
\InprocServer32
        (+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
        (+)(REG VAL) Assembly = REG_SZ, "stdole, Version=7.0.3300.0,
Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a"
        (+)(REG VAL) Class = REG_SZ, "stdole.StdFontClass"
        (+)(REG VAL) RuntimeVersion = REG_SZ, "v1.0.3705"
        (+)(REG VAL) ThreadingModel = REG_SZ, "Both"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35203-8F91-11CE-9DE3-00AA004BB851}
\ProgID
        (+)(REG VAL) (Default) = REG_SZ, "StdFont"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35204-8F91-11CE-9DE3-00AA004BB851}
        (+)(REG VAL) (Default) = REG_SZ, "Standard Picture"
    (+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35204-8F91-11CE-9DE3-00AA004BB851}
\CLSID
        (+)(REG VAL) (Default) = REG_SZ, "Standard Picture"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35204-8F91-11CE-9DE3-00AA004BB851}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\oleaut32.dll"
(+)(REG VAL) Assembly = REG_SZ, "stdole, Version=7.0.3300.0,
Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a"
(+)(REG VAL) Class = REG_SZ, "stdole.StdPictureClass"
(+)(REG VAL) RuntimeVersion = REG_SZ, "v1.0.3705"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BE35204-8F91-11CE-9DE3-00AA004BB851}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "StdPicture"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0bf754aa-c967-445c-ab3d-d8fda9bae7ef}
(+)(REG VAL) (Default) = REG_SZ, "SlideshowContextMenu"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0bf754aa-c967-445c-ab3d-d8fda9bae7ef}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\stobject.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BFCF7B7-E7B6-433a-B205-2904FCF040DD}
(+)(REG VAL) (Default) = REG_SZ, "New Shortcut Wizard Modal"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0BFCF7B7-E7B6-433a-B205-2904FCF040DD}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\System32\appwiz.cpl"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c15d503-d017-47ce-9016-7b3f978721cc}
(+)(REG VAL) (Default) = REG_SZ, "PortableDeviceValues Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c15d503-d017-47ce-9016-7b3f978721cc}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%systemroot%\system32\PortableDeviceTypes.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c15d503-d017-47ce-9016-7b3f978721cc}
\ProgID
(+)(REG VAL) (Default) = REG_SZ,
"PortableDeviceValues.PortableDeviceValues.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c15d503-d017-47ce-9016-7b3f978721cc}
\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{2B00BA2F-E750-4beb-9235-97142EDE1D3E}"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c15d503-d017-47ce-9016-7b3f978721cc}
\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c15d503-d017-47ce-9016-7b3f978721cc}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ,
"PortableDeviceValues.PortableDeviceValues"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C39A5CF-1A7A-40C8-BA74-8900E6DF5FCD}
(+)(REG VAL) NoPreviousVersions = REG_SZ, ""
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C39A5CF-1A7A-40C8-BA74-8900E6DF5FCD}
\DefaultIcon
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\imageres.dll,-117"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C39A5CF-1A7A-40C8-BA74-8900E6DF5FCD}

\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\shell32.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C39A5CF-1A7A-40C8-BA74-8900E6DF5FCD}\shellex
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C39A5CF-1A7A-40C8-BA74-8900E6DF5FCD}\shellex\ContextMenuHandlers
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C39A5CF-1A7A-40C8-BA74-8900E6DF5FCD}\shellex\ContextMenuHandlers\{A8E64375-B645-4314-9EFC-C085981786FA}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C39A5CF-1A7A-40C8-BA74-8900E6DF5FCD}\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, 537133056
(+)(REG VAL) RestrictedAttributes = REG_DWORD, 50
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C3B05FB-3498-40C3-9C03-4B22D735550C}
(+)(REG VAL) (Default) = REG_SZ, "RasDlg LUA"
(+)(REG VAL) AppId = REG_SZ, "{0C3B05FB-3498-40C3-9C03-4B22D735550C}"
(+)(REG VAL) LocalizedString = REG_EXPAND_SZ, "@%SystemRoot%\system32\rasdlg.dll,-361"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C3B05FB-3498-40C3-9C03-4B22D735550C}\Elevation
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG VAL) IconReference = REG_EXPAND_SZ, "@%SystemRoot%\system32\rasdlg.dll,-562"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C3B05FB-3498-40C3-9C03-4B22D735550C}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\rasdlg.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C41D1E6-9D16-41ED-9CDD-D0665039857B}
(+)(REG VAL) (Default) = REG_SZ, "Microsoft TCP/IP Version 6 Configuration Notify Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C41D1E6-9D16-41ED-9CDD-D0665039857B}\InProcServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\tcpipcfg.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C5672F9-3EDC-4b24-95B5-A6C54C0B79AD}
(+)(REG VAL) (Default) = REG_SZ, "Rational Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C5672F9-3EDC-4b24-95B5-A6C54C0B79AD}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\wiaaut.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C5672F9-3EDC-4b24-95B5-A6C54C0B79AD}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "WIA.Rational.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C5672F9-3EDC-4b24-95B5-A6C54C0B79AD}\Programmable
(+)(REG VAL) (Default) = REG_NONE, (zero length data)
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C5672F9-3EDC-4b24-95B5-A6C54C0B79AD}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{94A0E92D-43C0-494E-AC29-FD45948A5221}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C5672F9-3EDC-4b24-95B5-A6C54C0B79AD}

\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C5672F9-3EDC-4b24-95B5-A6C54C0B79AD}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "WIA.Rational"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C776A5A-FC42-4870-8D65-D62ADD9184FF}
(+)(REG VAL) (Default) = REG_SZ, "Magic USB Cable Class ID"
(+)(REG VAL) AppID = REG_SZ, "{AA530F18-0818-4643-8884-AAE61A76488B}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C776A5A-FC42-4870-8D65-D62ADD9184FF}\LocalServer32
(+)(REG VAL) (Default) = REG_SZ, "MigAutoPlay.exe"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C776A5A-FC42-4870-8D65-D62ADD9184FF}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "MagicUSBCableProgID.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C776A5A-FC42-4870-8D65-D62ADD9184FF}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "MagicUSBCableProgID"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}
(+)(REG VAL) (Default) = REG_SZ, "AlphaImageLoader"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\Implemented Categories\{59FB2056-D625-48D0-A944-1A85B5AB2640}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\Implemented Categories\{C501EDBE-9E70-11D1-9053-00C04FD9189D}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\Dxtmsft.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "DXImageTransform.Microsoft.AlphaImageLoader.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\Programmable
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\ToolBoxBitmap32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\Dxtmsft.dll,235"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7EFBDE-0303-4c6f-A4F7-31FA2BE5E397}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "DXImageTransform.Microsoft.AlphaImageLoader"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}
(+)(REG VAL) (Default) = REG_SZ, "SQLOLEDB"
(+)(REG VAL) OLEDB_SERVICES = REG_DWORD, -1
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}\ExtendedErrors
(+)(REG VAL) (Default) = REG_SZ, "Extended Error Service"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}\ExtendedErrors\{C0932C62-38E5-11d0-97AB-00C04FC2AD98}
(+)(REG VAL) (Default) = REG_SZ, "SQLOLEDB Error Lookup"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}
\Implemented Categories
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}
\Implemented Categories\{D267E19A-0B97-11D2-BB1C-00C04FC9B532}
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}
\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%CommonProgramFiles%\System\Ole
DB\sqloledb.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}
\OLE DB Provider
(+)(REG VAL) (Default) = REG_SZ, "Microsoft OLE DB Provider for SQL
Server"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "SQLOLEDB.1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0C7FF16C-38E3-11d0-97AB-00C04FC2AD98}
\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "SQLOLEDB"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c9ac398-8c78-4b4b-b8c6-675ed1b734a1}
(+)(REG VAL) (Default) = REG_SZ, "IP Route Helper Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0c9ac398-8c78-4b4b-b8c6-675ed1b734a1}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\netcorehc.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CA545C6-37AD-4A6C-BF92-9F7610067EF5}
(+)(REG VAL) (Default) = REG_SZ, "HNetCfg.FwOpenPort"
(+)(REG VAL) AppID = REG_SZ, "{0CA545C6-37AD-4A6C-BF92-9F7610067EF5}"
(+)(REG VAL) LocalizedString = REG_SZ,
"@C:\Windows\system32\FirewallControlPanel.dll,-12122"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CA545C6-37AD-4A6C-BF92-9F7610067EF5}
\Elevation
(+)(REG VAL) Enabled = REG_DWORD, 1
(+)(REG VAL) IconReference = REG_SZ,
"@C:\Windows\system32\FirewallControlPanel.dll,-1"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CA545C6-37AD-4A6C-BF92-9F7610067EF5}
\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\FirewallAPI.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CA545C6-37AD-4A6C-BF92-9F7610067EF5}
\ProgID
(+)(REG VAL) (Default) = REG_SZ, "HNetCfg.FwOpenPort"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5030-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Create 802.11 Ad hoc Task Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5030-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5031-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Create Adapter Selection Page
Class"

(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5031-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5032-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Create Setup Page Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5032-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5034-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Create Status Page Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5034-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5035-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Create Finish Page Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5035-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5036-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Ics Option Page Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5036-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5037-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Ics Status Page Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5037-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5038-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Error Report Page Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb5038-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb503a-f2b2-4b38-8cbc-895cec57db03}
(+)(REG VAL) (Default) = REG_SZ, "Adhoc Ics Finish Page Class"
(+)(REG KEY)
HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cbb503a-f2b2-4b38-8cbc-895cec57db03}
\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ,
"%SystemRoot%\system32\wlanpref.dll"

(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CD7A5C0-9F37-11CE-AE65-08002B2E1262}
(+)(REG VAL) (Default) = REG_SZ, "Cabinet Shell Folder"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CD7A5C0-9F37-11CE-AE65-08002B2E1262}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CD7A5C0-9F37-11CE-AE65-08002B2E1262}\Implemented Categories\{00021490-0000-0000-C000-000000000046}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CD7A5C0-9F37-11CE-AE65-08002B2E1262}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\cabview.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CD7A5C0-9F37-11CE-AE65-08002B2E1262}\ShellFolder
(+)(REG VAL) Attributes = REG_DWORD, 1744830880
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cdb500e-123f-4e98-b446-0f3eae3c7ebc}
(+)(REG VAL) (Default) = REG_SZ, "NetBt Helper Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0cdb500e-123f-4e98-b446-0f3eae3c7ebc}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\netcorehc.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0ce3e86f-d5cd-4525-a766-1abab1a752f5}
(+)(REG VAL) (Default) = REG_SZ, "SideShowNotification Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0ce3e86f-d5cd-4525-a766-1abab1a752f5}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\AuxiliaryDisplayApi.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Free"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0ce3e86f-d5cd-4525-a766-1abab1a752f5}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "WindowsSideShow.SideShowNotification.1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0ce3e86f-d5cd-4525-a766-1abab1a752f5}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "WindowsSideShow.SideShowNotification"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CE7A4A6-03E8-4A60-9D15-282EF32EE7DA}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CE7A4A6-03E8-4A60-9D15-282EF32EE7DA}\Containers
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CE7A4A6-03E8-4A60-9D15-282EF32EE7DA}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\system32\windowscodecs.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF32AA1-7571-11D0-93C4-00AA00A3DDEA}
(+)(REG VAL) (Default) = REG_SZ, "System Monitor Source Properties"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF32AA1-7571-11D0-93C4-00AA00A3DDEA}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\sysmon.ocx"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF774D0-F077-11D1-B1BC-00C04F86C324}

(+)(REG VAL) (Default) = REG_SZ, "HTML Host Encode Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF774D0-F077-11D1-B1BC-00C04F86C324}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrrun.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF774D0-F077-11D1-B1BC-00C04F86C324}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "HTML.HostEncode"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF774D1-F077-11D1-B1BC-00C04F86C324}
(+)(REG VAL) (Default) = REG_SZ, "ASP Host Encode Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF774D1-F077-11D1-B1BC-00C04F86C324}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrrun.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CF774D1-F077-11D1-B1BC-00C04F86C324}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "ASP.HostEncode"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CFDD070-581A-11D2-9EE6-006008039E37}
(+)(REG VAL) (Default) = REG_SZ, "Generate Black Video"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0CFDD070-581A-11D2-9EE6-006008039E37}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\System32\qedit.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D0D66EB-CF74-4164-B52F-08344672DD46}
(+)(REG VAL) (Default) = REG_SZ, "UPnP Service Provider Class"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D0D66EB-CF74-4164-B52F-08344672DD46}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\fdssdp.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D0E47ED-7220-411f-8F81-1118095DA5E7}
(+)(REG VAL) (Default) = REG_SZ, "Publication Services Change Data"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D0E47ED-7220-411f-8F81-1118095DA5E7}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%SystemRoot%\System32\provsvc.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D23F8B4-F2A6-3EFF-9D37-BDF79AC6B440}
(+)(REG VAL) (Default) = REG_SZ, "System.Reflection.TargetException"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D23F8B4-F2A6-3EFF-9D37-BDF79AC6B440}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D23F8B4-F2A6-3EFF-9D37-BDF79AC6B440}\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D23F8B4-F2A6-3EFF-9D37-BDF79AC6B440}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"
(+)(REG VAL) Class = REG_SZ, "System.Reflection.TargetException"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D23F8B4-F2A6-3EFF-9D37-BDF79AC6B440}\InprocServer32\2.0.0.0
(+)(REG VAL) Assembly = REG_SZ, "mscorlib, Version=2.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089"
(+)(REG VAL) Class = REG_SZ, "System.Reflection.TargetException"

(+)(REG VAL) RuntimeVersion = REG_SZ, "v2.0.50727"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D23F8B4-F2A6-3EFF-9D37-BDF79AC6B440}\ProgId
(+)(REG VAL) (Default) = REG_SZ, "System.Reflection.TargetException"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D41EBA2-17EA-4B0D-9172-DBD2AE0CC97A}
(+)(REG VAL) (Default) = REG_SZ, "SrDrvWuHelper Class"
(+)(REG VAL) AppID = REG_SZ, "{f32d97df-e3e5-4cb9-9e3e-0eb5b4e49801}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D41EBA2-17EA-4B0D-9172-DBD2AE0CC97A}\InprocServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\srhelper.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D41EBA2-17EA-4B0D-9172-DBD2AE0CC97A}\VersionIndependentProgID
(+)(REG VAL) (Default) = REG_SZ, "SrDrvWuHelper.SrDrvWuHelper"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D43FE01-F093-11CF-8940-00A0C9054228}
(+)(REG VAL) (Default) = REG_SZ, "FileSystem Object"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D43FE01-F093-11CF-8940-00A0C9054228}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "C:\Windows\system32\scrrun.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Both"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D43FE01-F093-11CF-8940-00A0C9054228}\ProgID
(+)(REG VAL) (Default) = REG_SZ, "Scripting.FileSystemObject"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D43FE01-F093-11CF-8940-00A0C9054228}\TypeLib
(+)(REG VAL) (Default) = REG_SZ, "{420B2830-E718-11CF-893D-00A0C9054228}"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D43FE01-F093-11CF-8940-00A0C9054228}\Version
(+)(REG VAL) (Default) = REG_SZ, "1.0"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D45D530-764B-11d0-A1CA-00AA00C16E65}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D45D530-764B-11d0-A1CA-00AA00C16E65}\InProcServer32
(+)(REG VAL) (Default) = REG_EXPAND_SZ, "%systemroot%\system32\dsuiext.dll"
(+)(REG VAL) ThreadingModel = REG_SZ, "Apartment"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D45D530-764B-11d0-A1CA-00AA00C16E65}\ShellEx
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D45D530-764B-11d0-A1CA-00AA00C16E65}\ShellEx\MayChangeDefaultMenu
(+)(REG VAL) (Default) = REG_SZ, "1"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D52ABE3-3C93-3D94-A744-AC44850BACCD}
(+)(REG VAL) (Default) = REG_SZ, "System.Collections.Generic.KeyNotFoundException"
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D52ABE3-3C93-3D94-A744-AC44850BACCD}\Implemented Categories
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D52ABE3-3C93-3D94-A744-AC44850BACCD}\Implemented Categories\{62C8FE65-4EBB-45E7-B440-6E39B2CDBF29}
(+)(REG KEY) HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\{0D52ABE3-3C93-3D94-A744-AC44850BACCD}\InprocServer32
(+)(REG VAL) (Default) = REG_SZ, "mscoree.dll"